





SCAN HERE
FOR DIGITAL
CONVERSION
CHART

LUBE GARD®

2021

13th Edition

OEM ATF AND CONVERSION CHART



FOR THE RIGHT FLUID AND THE RIGHT SOLUTIONS



HOW TO USE THIS CHART

Are you new to LUBEGARD® or trying to determine which product to use?

ALL Lubegard conversion products & whole fluids have the benefits of our protectants built right into their formulations, so no matter which option you choose, they will all help with shifting issues, lowering operating temperatures, conditioning the seals & O-rings, extending the life of the fluid, improving anti-wear properties, and solving or preventing frictional issues resulting from additive depletion.

OPTION 1

Do you need to fix a shifting problem, or just want to protect your transmission and make it last longer? If so, follow the **Option 1** section of this chart:


If you're looking to protect the current fluid or you're servicing the fluid using the OEM recommended fluid, then Option 1 is what you need. Option 1 is also the best choice if you're experiencing torque converter shudder, hard shifting and sticking valve

bodies/solenoids. Option 1 is perfect for preventative maintenance by lowering the operating temperature, reducing wear, and extending the life of the fluid. Lubegard also lubricates seals, making them pliable without shrinking or swelling them.

To get the best results with LUBEGARD® we recommend adding it to fresh fluid, but it can be added at any time.

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2

Are you changing the fluid and looking for an alternative to the OEM (Original Equipment Manufacturer) fluid? You have more than one option here!

Choose **Option 2** When servicing the transmission and need an OEM fluid alternative. This option is perfect for when the OEM fluid is not readily available, or when using the OEM fluid becomes cost prohibitive.

Determine which base fluid you need and one of the appropriate supplements to use in the option 2 section of this chart. Note that appropriate viscosity base fluid/and color is required to meet minimum tolerance specifications (our recommended fluids are best suited for this).

OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3

Option 3 is our COMPLETE™ line of whole fluids: COMPLETE ATF, COMPLETE CVT, & COMPLETE DCT fluids are your whole fluid solutions with LUBEGARD technology built right into the formulation.

LUBEGARD COMPLETE fluids contain all the same proprietary ingredients as our additives and offer the same performance & protection you'd expect from a LUBEGARD product with no measuring or mixing required. That's what we call a "COMPLETE Solution".

Determine if one of the LUBEGARD COMPLETE Fluids is appropriate for your vehicle using the option 3 section of this chart.

OPTION 3 (whole fluid option)




SUGGESTED RECOMMENDATION:

For total transmission care, flush out old degraded fluid and unwanted by-products safely with the use of LUBEGARD Automatic Transmission Flush PN/95001. For Automatic, manual, CVT & DCT units.



Small But Mighty

NOT SURE IF YOUR ISSUE IS EVEN FLUID RELATED?

You should start here, it's the fastest way to find out. Our Instant Shudder Fixx will help you determine whether you have a fluid or mechanical issue and should only take a few miles to kick in. Anywhere our **ATF Protectant, p/n 60902**, is compatible in the option 1 column, our **Instant Shudder Fixx** is also compatible, and can be used alone, or with p/n 60902, 63010 and 69032 (except in CVT units).

TO LEARN MORE ABOUT ME, VISIT WWW.SHUDDERMAN.COM ...WHAMMO!



See Video

PRODUCT OPTIONS



60902

Synthetic ATF Protectant:

It works in all automatic transmissions & OEM fluids (except CVT, DCT & Type-F fluid)

This is for option 1 use only.



61910

Highly Friction Modified ATF Supplement:

Is used to enhance DEXRON III, VI/ MERCON, V into a highly friction modified type of ATF.

This is for option 2 use only.



62005

M-V ATF Supplement:

Is used to enhance DEXRON III, MERCON into a MERCON V ATF.

This is for Option 2 use only



63010

Platinum® High Performance ATF Protectant:

Eliminates all ATF confusion. Use as a Multi-Vehicle ATF Conversion supplement, or use as an ATF Protectant with any OEM recommended ATF. (except CVT, DCT & Type-F fluid)

This can be used in either option 1 or 2 where recommended.



19610 / 19689 / 19680

Instant Shudder Fixx™

A concentrated friction modifier formulated specifically for eliminating torque converter shudder problems — instantly.



67010

CVT Recharge & Protect™

It works in all CVTs. It revitalizes worn-out fluid, reduces noise, and enhances anti-shudder performance.

This is for option 1 use. This can also be added/mixed with our COMPLETE CVT Fluid when it is recommended in option 3



68112 / 68115

COMPLETE CVT Fluid

Can be used in both belt and chain driven CVTs. Meets or exceeds OEM fluid requirements. Eliminates the need to stock multiple fluids

This is for option 3 use only.



56032 / 56125

COMPLETE Multi-Vehicle Dual Clutch Fluid

The service solution for over 99% of all wet clutch applications

This is for option 3 use only.



69032 / 69125

COMPLETE Full Synthetic Automatic Transmission Fluid

No mixing required – Just pour it in.

Works in all transmissions requiring low viscosity ATF.

This is for option 3 use only.



95001

Transmission Flush

For use with or without a flush machine to safely flush out old degraded fluid and unwanted by-products in automatic, CVT, DCT and standard transmissions.

VISIT WWW.LUBEGARD.COM FOR FULL PRODUCT INFORMATION




Amazing on their own. Even better together.

CVT Recharge & Protect™

A CONDITIONER FOR USE
IN ALL CVT TRANSMISSIONS

- For new or used fluid
- Reduces noise
- Enhances anti-shudder performance
- Provides superior metal-to-metal protection



Complete™ CVT Fluid

ELIMINATE THE NEED TO STOCK
OVER 60 DIFFERENT CVT FLUIDS
WITH THIS MULTI-VEHICLE FORMULA

- Longer anti-shudder performance
- Minimizes friction
- Excellent cold weather performance



INTERNATIONAL LUBRICANTS, INC.

PH 1-800-333-LUBE (5823)

WWW.LUBEGARD.COM

TECH TIP: The GM 8-Speed TCC Shudder Solution

General Motors has issued several technical service bulletins pertaining to torque converter clutch shudder issues in two of their 8-Speed transmissions; 8L45 & the 8L90. This problem currently affects 11 different models across 3 different OEM manufacturers between the model years 2015 and 2019. GM's solution to this problem is lengthy & complicated, requiring 20 liters of ATF be flushed through the system to replace as much fluid as possible, yet still has not corrected the issue in some cases. With these vehicles approaching the end of their limited powertrain warranties, you can expect to see an increase of these vehicles in your shop.

We're here today to offer you a better, less complicated, and less expensive way to service these transmissions successfully with fewer comebacks and customer complaints.

We used our state-of-the-art Falx Multispecimen testing platform to develop conditions that caused shud-


der to occur between an automatic transmission friction plate and steel plate when lubricated with GM's recommended ATF specified in their technical service bulletins. We then eliminated the shudder under the same conditions by adding **Lubegard Platinum High-Performance ATF Protectant** to the test ATF at the treat rate of 2 fluid ounces per quart. An added advantage of the **Lubegard Platinum High-Performance ATF Protectant** was control and stabilization of the friction at a constant level throughout the tests.



When your customer is suffering from TCC shudder and/or slippage, you can help them avoid the expensive replacement of their OEM ATF by simply adding 2 bottles of Lubegard Platinum ATF Protectant, or, if the customer insists on replacement, you can avoid recurrence of the TCC shudder with the addition of 2 fluid ounces per quart of **Lubegard Platinum High-Performance ATF Protectant**.

FRICITION PLATE SHUDDER TEST:

OEM ATF Shudder Test With and Without Lubegard Platinum




RECOMMENDATIONS: Lubegard Platinum ATF Protectant when used at 2 oz-per-quart treat rate (2 bottles per transmissions) extends frictional durability and reduces slippage in GM 8-Speed transmissions.

*Note that LUBEGARD PLATINUM is compatible with GM recommended ATF and can be added at the time of service or as a top off to eliminate shudder and slippage

MODEL	MAKE	YEARS	TRANSMISSION	TOTAL FILL QUARTS	RECOMMENDED AMOUNT OF LUBEGARD PLATINUM
CADILLAC	ATS	16-19	8L45/8L90	10.9	2 bottles (20 ounces)
CADILLAC	ATS	16-19	8L45/8L90 w/ cooler	11.4	2 bottles (20 ounces)
CADILLAC	CTS	16-18	8L45/8L90	10.9	2 bottles (20 ounces)
CADILLAC	CTS	16-18	8L45/8L90 w/ cooler	11.4	2 bottles (20 ounces)
CADILLAC	CT6	16-18	8L45/8L90	10.9	2 bottles (20 ounces)
CADILLAC	CT6	16-18	8L45/8L90 w/ cooler	11.4	2 bottles (20 ounces)
CADILLAC	Escalade	15-16	8L90	10.9	2 bottles (20 ounces)
CADILLAC	Escalade	15-16	8L90 w/cooler	11.4	2 bottles (20 ounces)
CHEVY	Camaro	16-19	8L45	10.9	2 bottles (20 ounces)
CHEVY	Camaro	16-19	8L45w/cooler	11.4	2 bottles (20 ounces)
CHEVY	Colorado	17-19	8L45	10.9	2 bottles (20 ounces)
CHEVY	Colorado	17-19	8L45w/cooler	11.4	2 bottles (20 ounces)
CHEVY	Corvette	15-19	8L90	10.9	2 bottles (20 ounces)
CHEVY	Silverado	15-18	8L90	10.9	2 bottles (20 ounces)
GMC	Canyon	17-19	8L45	10.9	2 bottles (20 ounces)
GMC	Canyon	17-19	8L45w/cooler	11.4	2 bottles (20 ounces)
GMC	Sierra	15-18	8L90	10.9	2 bottles (20 ounces)
GMC	Yukon	15-17	8L90	10.9	2 bottles (20 ounces)

SEE FULL BULLETIN AT WWW.LUBEGARD.COM/GMSHUDDER

THE UNIQUE DIFFERENCE



YEARS AGO, Sperm whale oil and its derivatives were used as lubricant additives in virtually every automotive application. It was so effective, that over 30 million pounds of whale oil per year was used in lubricants alone! In 1972, the Endangered Species Act outlawed the killing of whales and the use of whale oil. Afterward, no suitable replacement for whale oil was available. This resulted in a dramatic drop in lubricant performance. Transmission failures skyrocketed from just under one million to over EIGHT million by 1975.

Then, International Lubricants, Inc. with renowned research chemist Dr. Philip Landis developed and patented the first and only high temperature synthetic sperm whale oil replacement - LUBEGARD's Liquid Wax Ester Technology. LXE® is proven to actually outperform the sperm whale oil additives by reducing component wear by at least 50%, reducing oxygen uptake (oxidation) by 30%, and reduced pentane insolubles (sludge) by 60%, when added to GM® factory fill. (The reference oil for DEXRON® approval).



OEM ATF AND CONVERSION CHART INDEX

ACURA	PG 1	JEEP	PG 12
ALFA ROMEO	PG 1	KIA	PGS 12-13
ALLISON	PGS 1-2	LAND ROVER	PG 13
AUDI	PG 2	LEXUS	PG 13-14
BUICK	PGS 2-3	LINCOLN	PG 14
BMW	PGS 3-4	MAZDA	PGS 14-15
CADILLAC	PG 4	MERCEDES BENZ	PGS 15-17
CHEVROLET	PG 5	MERCURY	PG 17
CHEVY TRUCK/ GMC TRUCKS & VANS	PGS 5-7	MINI COOPER	PGS 17-18
CHRYSLER	PG 7	MITSUBISHI	PG 18
DODGE	PG 7	NISSAN	PGS 18-19
RAM/DODGE TRUCKS & VANS	PGS 7-8	OLDSMOBILE	PG 19
FIAT	PG 8	PLYMOUTH	PG 19
FORD	PG 8	PONTIAC	PG 19
FORD TRUCKS & VANS	PGS 8-10	PORSCHE	PG 19
GENESIS	PG 10	RAM - SEE DODGE	
GEO	PG 10	SAAB	PG 19
HONDA	PG 10	SATURN	PGS 19-20
HUMMER	PG 10	SCION	PG 20
HYUNDAI	PG 11	SMART	PG 20
INFINITI	PG 11	SUBARU	PG 20
ISUZU	PG 12	SUZUKI	PG 20
JAGUAR	PG 12	TOYOTA	PGS 21-22
		VOLKSWAGEN	PG 22
		VOLVO	PG 23



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or Platinum High-Performance ATF Protectant (63010)
- or CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



A

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
ACURA																	
CL	01-03	V6	3.2L	BGFA, MGFA	7.6/7.2	3.1/2.9	Honda Genuine ATF Z-1				DM, DVI, MV						
ILX	13-15	L4	2.0L, 2.4L	M9DA	6.7/6.4	2.6/2.5	Honda Genuine ATF DW-1				DVI						
	16-20	L4	2.4L	M4JA	7.7/7.3	4.3/4.1	Acura ATF Type 2.0	USE	OEM	FLUID	DVI, MLV						
Integra	96-01	L4	1.8L	SKWA	6.2/5.9	2.9/2.7	Honda Genuine ATF Z-1				DM, DVI, MV						
	01-02	V6	3.2L	BGHA, MGHA	8.9/8.5	4/3.8	Honda Genuine ATF Z-1				DM, DVI, MV						
MDX	03-06	V6	3.2L	MDKA, BDKA	7.7/7.3	2.9/2.7	Honda Genuine ATF Z-1				DM, DVI, MV						
	07-13	V6	3.7L (J37A1)	BYFA	8.3/7.9	3/2.8	Honda Genuine ATF Z-1				DM, DVI, MV						
	14-15	V6	3.7L (J37A1)	BYFA	8.5/8.0	3.3/3.1	Honda Genuine ATF DW-1				DVI						
	16-20	V6	3.5L	BYFA	8.5/8.0	3.3/3.1	Honda Genuine ATF DW-1				DVI, MLV						
	16-20	V6	3.5L	ZF 9HP	8.5/8.0	3.3/3.1	Honda Type 3.1				LG 8, MULV						
MDX HYBRID	17-20	V6	3.0L	DCT 7	7.7/7.3	3.5/3.3	Honda Genuine ATF DW-1				DVI, MLV						
	91-05	V6	3.0L	MR9A	7.4/7.0	3.1/23.0	Honda Genuine ATF Z-1				DM, DVI, MV						
NSX	17-20	V6	3.5L	Dual Clutch	4.8/4.5 7.9/7.5	2.8/2.6 4.9/4.6	DW-1/Acura GO Type 2.0	USE	OEM	FLUID	DVI, MLV						
	96-04	V6	3.5L	M5DA	9.1/8.6	3.2	Honda Genuine ATF Z-1				DM, DVI, MV						
RL	05-08	V6	3.5L (35A8)	MJBA	7.6/7.2	2.9/2.7	Honda Genuine ATF Z-1				DM, DVI, MV						
	09-10	V6	3.7L (J37A2)	MJBA	8.1/7.7	3.0/2.8	Honda Genuine ATF Z-1				DM, DVI, MV						
	11-12	V6	3.7L (J37A2)	MJBA	8.2/7.8	3.3/3.1	Honda Genuine ATF DW-1				DVI						
RDX	07-09	L4	2.3L (K23A1)	BWEA	8.2/7.8	3.1/2.9	Honda Genuine ATF Z-1				DM, DVI, MV						
	10-12	L4	2.3L (K23A1)	BT3A, BWEA	8.8/8.3 8.2/7.8	3/2.8 3.1/2.9	Honda Genuine ATF DW-1				DVI						
	13-18	V6	3.5L	M9RA	7.4/7.0	3.3/3.1	Honda Genuine ATF DW-1				DVI, MLV						
	19-20	L4	2.0L	10-speed	8.8/8.3	4.5/4.3	Honda Type 2.0	USE	OEM	FLUID	DVI, MLV						
RLX Hybrid	14	V6	3.5L	DC M9TF	4.8/4.5	3.7/3.5	Honda Genuine ATF DW-1				DVI						
	16-20	V6	3.5L	DC M9TF	4.8/4.5	3.7/3.5	Honda Genuine ATF DW-1				DVI, MLV						
	18-20	V6	3.5L	10-speed	8.8/8.3	4.5/4.3	Honda Type 2.0	USE	OEM	FLUID	DVI, MLV						
RSX	02-07	L4	2.0L	MRMA	6.9/6.5	2.9/2.7 3.1/2.9	Honda Genuine ATF Z-1				DM, DVI, MV						
TL	00	V6	3.2L	M7VA	7.6/7.2	2.8/2.7	Honda Genuine ATF Z-1				DM, DVI, MV						
	01-03	V6	3.2L	B7WA	7.6/7.2	2.8/2.7	Honda Genuine ATF Z-1				DM, DVI, MV						
	04-08	V6	3.2L	BDGA	9.2/8.7	3.2/3	Honda Genuine ATF Z-1				DM, DVI, MV						
	09-14	V6	3.5 (35Z6), 3.7L (37A4)	BK3A, BK4A	7.9/7.5 8.1/7.7	3/2.8 3.5/3.3	Honda Genuine ATF DW-1				DVI						
TLX	15-16	L4	2.4L	MDSA	4.1/4.3	7.3/7.7	Acura ATF Type 2.0	USE	OEM	FLUID	DVI						
	17-20	L4	2.4L	MDSA	3.9/4.1	7.3/7.7	Acura ATF Type 2.0	USE	OEM	FLUID	DVI, MLV						
TSX	15-20	V6	3.5	Q5J4, Q5L9	3.3/3.5 3.3/3.5	6.2/6.6 7.2/7.6	Acura ATF Type 3.0				LG 8, MULV						
	04-08	L4	2.4L (K24AZ)	MCTA	6.9/6.5	3.2/3	Honda Genuine ATF Z-1				DM, DVI, MV						
	09	L4	2.4L (K24Z3)	MM7A	6.9/6.5	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV						
ZDX	10-14	L4	3.5L (J35Z6)	MM2A	7.9/7.5	3.5/3.3	Honda Genuine ATF Z-1				DM, DVI, MV						
	10-14	V6	3.7L (J37A5)	M7PA	8.5/8	3.3/3.1	Honda Genuine ATF DW-1				DVI						
ALFA ROMEO																	
4C	15-20	V-6	1.75L	DA1-C635	1.5/1.4 2.0/1.9	N/A	DDCT 75W Fluid/ 75-85 GL-4 GO	USE	OEM	FLUID							
Giulia	17-20	L4	2.0L	8HP50	9.9/9.4/	N/A	Mopar 8&9 speed ATF				LG 8, MULV						
	17-20	V6	2.9L	8HP75	9.5/9	N/A	Mopar 8&9 speed ATF				LG 8, MULV						
Stelvio	18-20	V4	2.0L	8HP50	9.9/9.4/	N/A	Mopar 8&9 speed ATF				LG 8, MULV						
	18-20	V6	2.9L	8HP75	9.5/9	N/A	Mopar 8&9 speed ATF				LG 8, MULV						
ALLISON																	
Series 1000 / 2000 / 2400	Various	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- DULV Dexron Ultra LV
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV
- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.
- SYN



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



A

ALLISON cont.								OPTION 1 (when using the OEM recommended ATF)			OPTION 2 (as an OEM fluid alternative)				OPTION 3 (whole fluid option)			
Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF	
Series MD / HD B 300	Various	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV							
Series B 400 / B 500	Various	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV							
Series AT 500 / MT 600	Various	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV							
Series HT 700 / V 700	Various	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV							
AUDI																		
A3, Quattro, Cabriolet	05-11	L4, V6	2.0 (CBFA) (CCTA), 3.2L (CBRA)	DSG, 02E	7.6/7.2	5.8/5.5	G 052 182 A2 (DSG)				LUBEGARD DCTF							
	06-09	L4, V6	2.0 (CBFA) (CCTA), 3.2L (CBRA)	AW TF60SM	7.4/7	2.9/2.7	G 055 025 A2				*DM, MV							
	06-13	L4, V6	2.0 (CBFA) (CCTA), 3.2L (CBRA)	09E	11/10.4	10.6/10	G 055 005 A2				DVI, MLV							
A3	15-16	L4	1.8	0D9	7.3/6.9	5.4/5.2	G 052 182 A2 (DSG)				SYN DVI, DHP							
	17-20	L4	2.0L	0GC	N/A	6.3/6	G 055 529 A2				LUBEGARD DCTF							
A3 e-tron	16-20	L4	1.4L	ODD 6-speed e-tron		6.3/6.0	G 052 182 A2 (DSG)	USE	OEM	FLUID								
A3, Quattro	15-20	L4	2.0L	0D9	7.3/6.9	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF							
A4 Avant	95-07	L4, V6	2.4L, 2.6, 2.8L	ZF 5HP19	9.5/9	2.7/2.6	Esso Type LT 71141				SYN DM, MV							
	04-09	L4, V6	1.8, 3.0L (CCAA)	01J (CVT)	7.9/7.5	4.7/4.5	G 052 180 A2 (CVT)				LUBEGARD CVT							
	10-11	L4, V6	2.0 (CAEB), 3.2L (CALA)	01J (CVT)	7.9/7.5	5.3/5	G 052 180 A2 (CVT)				LUBEGARD CVT							
	12-13	L4, V6	2.0 (CAEB), 3.2L (CALA)	01J (CVT)	8.5/8	6.3/6	GO 52 516 A2 (CVT)				LUBEGARD CVT							
	10-16	L4, V6	2.0 (CAEB), 3.2L (CALA)	0AW (CVT)	7.4/7	6.3/6	G 052 516 A2 (CVT)				LUBEGARD CVT							
	17-19			OCC-OCL (Auto)		3.7/3.5	GO 055 529 A2				LUBEGARD DCTF							
	A4, Cabriolet, S4, RS4	17-19			OCC-OCL (Manual)		4/3.8	GO 052 549 A2	USE	OEM	FLUID							
		04-08	L4, V6	1.8, 3.0L (CCAA)	01V	9.5/9	3.4/3	G 052 162 A2				*DM, DVI, MV						
		06-09	L4, V6	2.0 (BWT), 3.2 (BKH), 4.2L (BVJ)	09L	10.4/9.8	8.5/8	G 060 162 A2				DVI, MLV						
		08-10	L4, V6	2.0 (BWT), 3.2L (BKH)	0B6	11/10.4	N/A	G 060 162 A2				DVI, MLV						
		08-10	L4, V6	2.0 (CAEB), 3.2L (CALA)	0AW (CVT)	8.5/8	5.3/4.8	G 052 516 A2 (CVT)				LUBEGARD CVT						
10-12		L4, V6	2.0 (BTW), 3.0L (CCAA)	0AW (CVT)	8.5/8	6.3/6	G 052 516 A2 (CVT)				LUBEGARD CVT							
08-09		V6, V8	3.2 (CALA), 4.2L (CAUA)	0B6	11/10.4	7/6.7	G 055 005 A2				DVI, MLV							
10-15		L4, V6, V8	2.0L, 3.2L, 4.2L	0AW (CVT)	8.5/8	6.3/6	G 052 516 A2 (CVT)				LUBEGARD CVT							
16-18		L4, V6, V8	2.0L, 3.2L, 4.2L	OCL	4.6/4.4	3.6/3.5	G 052 529 A2				LUBEGARD DCTF							
19-20		L4, V6	2.0L, 2.9L, 3.0L	OCL	4.6/4.4	3.6/3.5	G 052 529 A2				LUBEGARD DCTF							
A5 Quattro		98-04	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6	Esso Type LT 71141				SYN DM, MV						
	98-04	V6	2.8L	ZF 5HP18	9.5/9	2.7/2.6	Esso Type LT 71141				SYN DM, MV							
	05-07	V6, V8	3.2, 4.2L	ZF 6HP26 (09E)	9.5/9	4.2/4	G 055 005 A2				DVI, MLV							
	10-15	V6, V8	3.2, 4.2L	09L, 09E	10.4/9.8	8.5/8	G 060 162 A2				DVI, MLV							
A6 Quattro	16-18	V8	3.0L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2				DVI, MLV							
	19-20	V6	2.0L, 3.0L	OCH	4.6/4.4	3.6/3.5	G 052 529 A2				LUBEGARD DCTF							
	04-09	V8, V12	4.2 (BVJ), 6.0L (BSB)	09E	11/10.4	10.6/10	G 055 005 A2				DVI, MLV							
	05-10	V6, V8	3.0 (CCAA), 3.2 (BKH), 4.2L (BVJ)	09L	10.4/9.8	8.5/8	G 060 162 A2				DVI, MLV							
S3	10-11	V8	4.2L (BVJ)	0BK	9.1/8.6	4.5/4	G 060 162 A2				DVI, MLV							
	15-16	L4	2.0L	0GC	N/A	N/A	G 052 529 A2				LUBEGARD DCTF							
	17-20	L4	2.0L	ODL	7.4/7.1	5.8/5.5	G 52 182 A2				LUBEGARD DCTF							
S4	18-19	V6	3.0L	OD5	9.0/8.6	4.2/4.0	G 060 162 A2				DVI, MLV							
	08-12	V6, V8	3.2 (CALA), 4.2L (CAUA)	0B6	11/10.4	7/6.7	G 055 005 A2				DVI, MLV							
S5	10	L4	2.0L (BWT)	0AW (CVT)	8.5/8	6/5.5	G 052 516 A2 (CVT)				LUBEGARD CVT							
	10-15	V8	4.2L (BVJ)	OB5 (7 SPD)	7.9/7.5	7/6.7	G 052 529 A2				LUBEGARD DCTF							
	16-18	V6	3.3L	OB5 (7 SPD)	7.9/7.5	7/6.7	G 052 529 A2				LUBEGARD DCTF							
S5 Quattro	19-20	V6	3.0L	OD5	9.0/8.6	4.2/4.0	G 060 162 A2				DVI, MLV							
S6	10-12	V8	4.2L (BVJ)	09E (6 SPD) ZF6HP26	11/10.4	10.6/10	G 055 005 A2				DVI, MLV							
	16-18	V8	4.2L	OB5 (7 SPD)	7.9/7.5	7.0/6.7	G 052 529 A2				LUBEGARD DCTF							
S6 Quattro	02-03	V8	4.2L	ZF 5HP24	9.5/9	4.2/4	Esso Type LT 71141				SYN DM, MV							
S7	16-18	V8	4.0L	OB5 (7 SPD)	7.9/7.5	7/6.7	G 052 529 A2				LUBEGARD DCTF							
S7 Quattro	13-15	V8	4.0L	OB5 (7 SPD)	7.9/7.5	7/6.7	G 052 529 A2				LUBEGARD DCTF							
	16-18	V8	4.0L	OBK	9/8.6	4.2/4	G 060 162 A2				DVI, MLV							
S8	13-17	V8	4.0L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2				DVI, MLV							
	12-15	V6	3.0L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2				DVI, MLV							
	16-18	V6	3.3L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2				DVI, MLV							
A7 Quattro	16-18	V6	3.3L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2				DVI, MLV							
	19-20	V6	3.0L	OHL	4.6/4.4	3.6/3.5	G 052 529 A2				LUBEGARD DCTF							

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
A8 Quattro	99-03	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6	Esso Type LT 71141				SYN DM, MV						
	04-07	V8	4.2L	ZF 6HP26 (09E)	11/10.4	N/A	G 055 005 A2				DVI, MLV						
	04-07	W12	6.0L	ZF 6HP32	11/10.4	N/A	G 055 005 A2				DVI, MLV						
	11-19	W12	6.0L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2				DVI, MLV						
R8	07-13	V8, V10	4.2 (BYH), 5.2L (BSM)	R TRONIC 086 (6SPD)	4.2/4	3.7/3.5	G 052 171 A2 (R Tronic)				SYN DM, D6, MV						
	14-15	V6, V8	3.0, 4.0L	Tiptronic 7-speed	11/10.5	8.4/8	GO 52 529 A2				LUBEGARD DCTF						
	17-19	V10	5.2L	Tiptronic 7-speed	12.4/11.8	11/10.5	GO 52 529 A2				LUBEGARD DCTF						
S8	01-03	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6	Esso Type LT 71141				SYN DM, MV						
	07-10	V10	5.2L (BSM)	ZF 6HP26	11/10.4	N/A	G 055 005 A2				DVI, MLV						
	13-18	V8	4.0L	OBK	9.0/8.6	4.2/4	G 060 162 A2				DVI, MLV						
Cabriolet	94-02	V6	2.8L	97	5.7/5.4	3.2/3	Esso Type LT 71141				SYN DM, MV						
	03-07	L4, V6	1.8, 3.0L	AWTF60SM	7.4/7	2.9/2.7	G 055 025 A2				*DM, MV						
TT	07-10	L4	2.0L (BPY) (CDMA) (CCTA)	DSG, 02E	7.3/6.9	5.8/5.5	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	08-17	V6	3.2L (CBRA)	DSG, 02E	7.3/6.9	5.8/5.5	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	04-09	L4, V6	2.0 (BPY), 3.2L (CBRA)	O9E	9.5/9	4.2/4	G 055 005 A2				DVI, MLV						
TT Quattro	08-17	L4, V6	2.0 (BPY), 3.2L (CBRA)	O9G (6 SPD)	7.4/7	N/A	G 055 025 A2				*DM, MV						
	18-19	L5	2.5L	ODL	7.5/7.1	5.8/5.5	G 52 182 A2				LUBEGARD DCTF						
Q3, Q3 Quattro	15-19	L4	2.0L	O9M	7.4/7	N/A	G 055 025 A2				*DM, MV						
	09-10	V6	3.2L (CBRA)	OB6	11/10.4	7/6.7	G 060 162 A2				DVI, MLV						
Q5	11-12	V6	3.2L (CBRA)	OB6	11/10.4	7/6.7	G 060 162 A2				DVI, MLV						
	09-10	L4, V6	3.0 (CCAA), 3.2 (BKH), 4.2L (BVJ)	OB5	7.9/7.5	N/A	G 052 529 A2				LUBEGARD DCTF						
	11-19	V6	3.2L (CBRA)	OBK/OBL (8 SPD)	9.5/9	4.2/4	G 055 145 A2				DVI, MLV						
	11-12	L4	2.0L	OB6	11/10.4	4.2/4	G 060 162 A2				DVI, MLV						
Q7	07-10	V8	3.0 (CCAA), 3.6, 4.2L (BVJ)	OAT	9.1/8.6	N/A	G 060 162 A2				DVI, MLV						
	07-10	V6, V8	4.2L (BAR)	O9D	9.5/9	N/A	G 055 025 A2				*DM, MV						
	11-16	V6	3.0L Diesel	OC8 8 SPD	13.5/12.8	N/A	G 055 540 A2				DVI, MLV						
	17-19	V6	3.0L	OD5	9/8.6	4.2/4	G 060 162 A2				DVI, MLV						
RS3	17-20	L5	2.5L	ODL	7.4/7.1	5.8/5.5	G 52 182 A2				LUBEGARD DCTF						
RS7	16-18	V8	4.0L	OBK	9.0/8.6	4.2/4	G 060 162 A2				DVI, MLV						
RS5 Quattro	18-19	L5	2.5L	OD5	9.0/8.6	4.2/4.0	G 060 162 A2				DVI, MLV						
	14-17	V6	3.0L	OBK/OBL (8 SPD)	9.5/9	4.2/4	G 060 162 A2				DVI, MLV						
SQ5	18-19	V6	3.0L	OCJ	4.5/4.3	3.6/3.5	G 052 529 A2				LUBEGARD DCTF						
	18-19	V6	3.0L	OD5	9.0/8.6	4.2/4	G 060 162 A2				DVI, MLV						
BUICK																	
Allure	05	V6	3.8L	4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	06-09	V6	3.8 (L26), 5.3L (LS4)	4T65-E	13.4/12.7	7.4/7	DEXRON VI				MLV						
	10	L4, V6	2.4 (LE5), 3.0 (LF1), 3.6L (LLT)	6T70 (MH2/4), 6T75 (MH7/8)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
Cascade	16-20	L4	1.6L	6T45	9/8.5	4.2/4	DEXRON VI				MLV						
Century	94-05	V6	3.1L	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
Century Wagon	95-02	V6	3.1L	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
Enclave	08-19	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
	20	V6	3.6L (LLT)	9T50/9T60	10/9.0	6.3/5.3	DEXRON VI				MLV						
Encore	13-20	L4	1.4L	6T40	9/8.5	6.3/6.0	DEXRON VI				MLV						
Envision	16-17	L4	2.0L, 2.5L	6T50, 6T45	4.0/4.2	8.5/9	DEXRON VI				MLV						
Estate Wagon	95-03	V6	3.8L	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
LaCrosse (Allure)	05	V6	3.8L	4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	06-09	V6, V8	3.8 (L26), 5.3L (LS4)	4T65-E	13.4/12.7	7.4/7	DEXRON VI				MLV						
LaCrosse	10-16	L4, V6	2.4 (LE5), 3.0 (LF1), 3.6L (LLT)	6T70 (MH2/4), 6T75 (MH7/8)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
	17	V6	3.6L	AF50-8	NA	7.1/7.5	GM 19256039 (AW-1)				SYN DM, DVI, MV						
	18-20	L4, V6	2.5L/3.6L	6T45/6T50	9.0/8.5	6.3/6.0	DEXRON VI				MLV						
	19	L4, V6	2.5L/3.6L	9T50/9T60	10/9.0	6.3/5.3	DEXRON VI				MLV						
LeSabre	95-05	V6	3.8L	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6
LG8
DHP

SYN

Lifeguard® 6
 Lifeguard® 8
 Dexron® HP
 Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



B

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	OPTION 1			Base Fluid	OPTION 2			OPTION 3		
								60902	63010	67010		61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Lucerne	06-11	V6	3.8 (L26) (L67), 3.9L (LGD) (LZ9)	4T65-E (M15)	13.4/12.7	7.4/7	DEXRON VI				MLV						
	06-11	V8	4.6L (LD8) (L37)	4T80-E (MH1)	15/14.2	7.4/7	DEXRON VI				MLV						
Park Avenue	91-03	V6	3.8L & SC	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	02-07	V6, V8	4.2, 5.3L	4T65-E AWD	10.4/ 9.8	7.8/7.4	DEXRON III, VI				DM, DVI						
Ranier	91-03	V6	3.8L & SC	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	02-07	V6, V8	4.2, 5.3L	4T65-E AWD	10.4/9.8	7.8/7.4	DEXRON III, VI				DM, DVI						
	04-07	L6	4.2L	4L60-E	11.2/10.6	5/4.7	DEXRON III, VI				DM, DVI						
	06-07	L6	4.2L	4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV						
Regal	95-02	V6	3.8, 3.1, 3L & SC	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	11-17	L4, V6	2.0 (LHU), 2.4 (LAF), 3.6L	6T45 (MH7)	8.5/8	4.2-6.3/4-6	DEXRON VI				MLV						
	11-17	L4, V6	2.0 (LHU), 2.4 (LAF), 3.6L	AF40-6 (MDK) (M36)	8.45/8	N/A	GM 19256039 (AW-1)				SYN DM, DVI, MV						
Rendezvous	18-20	V-6	3.6L	AW45-8	7.5/7.1	N/A	AW-1 ATF				SYN DM, DVI, MV						
	18-20	L4, V6	2.4L/3.6L	9T50/9T60	10/9.5	6.3/6.0	DEXRON VI				MLV						
	02	V6	3.4L	4T65-E FWD	10/9.5	7.4/7	DEXRON III				DM, DVI						
	02-05	V6	3.5L	4T60-E, 4T65-E	10/9.5	7.8/7.4	DEXRON III				DM, DVI						
	02-07	V6	3.4, 3.6L	4T65-E AWD	10.4/ 9.8	7.8/7.4	DEXRON III, VI				DM, DVI						
	06-07	V6	3.5L	4T65-E	10/9.5	7.8/7.4	DEXRON VI				MLV						
Terraza	05	V6	3.5L	4T65-E	10/9.5	7.8/7.4	DEXRON III				DM, DVI						
	06-07	V6	3.5L	4T65-E	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
Verano	12-17	L4	2.0 (LE5), 2.4L (LF1)	6T70 (MH2)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
BMW																	
128i	08-13	L6	3.0L (N51), 3.0L (N52K)	6L45R/ 6L50	10/9.5	6.5/6.2	Dexron VI				LV						
135i	08-10	L6	3.0L (N54)	GA6HP19Z	9.4/8.9	4.2/4	Shell M-1375.4				DVI, LG6						
135i/is	11-13	L6	3.0L	GS7D36SG	8.2/7.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
228i, ix, 230i,ix	14-20	L4	2.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
228i, ix, 230i,ix	14-18	L4	2.0L	GS7D36SG	8.9/8.4	N/A	BMW 83 22 2 148 578				DCT						
	92-00	ALL	ALL	4L30-E	9.3/8.8	3.2/3	DEXRON III				DM, DVI						
3 SERIES	98-06	ALL	ALL	5L40-E	9.5/9	4.2/4	Texaco ETL-7045 E / DEXRON III				DM, DVI						
	00-06	ALL	2.5L	ZF 5HP-19	9.4/8.9	4.2/4	Esso Type LT 71141				SYN DM, DVI, MV						
	00-06	ALL	3.0L	ZF 5HP-19	9.2/8.7	4.2/4	Esso Type LT 71141				SYN DM, DVI, MV						
335is, M3	06-13	ALL	ALL	6HP19Z, 6HP26Z	10.5/10	4.2/4	Shell M-1375.4				DVI, LG6						
	11-13	L6	3.0L (N54), 3.0L (M57Y)	GS7D36SG	8.2/7.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
328i	11-13	L6	3.0L (N51), 3.0L (N52)	GA6L45R	10/9.5	6.5/6.2	Dexron VI				MLV						
3 SERIES	12-16	ALL	ALL	GA8HP45Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	12-18	ALL	ALL	GA8HP70Z	9.0/8.5	4.9/4.6	P/N 83 22 2 152 426				DEX HP, LG8						
	19-20	ALL	ALL	GA8HP51Z, GA8HP76Z	9.9/9.4	N/A	BMW ATF3+ (P/N83 22 2 289 720)				DM, DVI, MV						
428i, xi,	14-16	L4	2.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
435i, xi,	14-20	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
525i	95-03	ALL	ALL	ZF 5HP24	10.2/9.7	4.2/4	Texaco ETL-7045 E / DEXRON III				SYN DM, DVI, MV						
	97-03	ALL	ALL	ZF 5HP-19	9.4/8.9		Esso Type LT 71141				SYN DM, DVI, MV						
	00-01	ALL	ALL	GM5L40-E	9.5/9	4.2/4	Texaco ETL-7045 E / DEXRON III				SYN DM, DVI, MV						
	04-10	ALL	ALL	GA ZF 6HP-19Z	9.5/9	4.2/4	Shell M-1375.4				DVI, LG6						
	04-10	ALL	ALL	GA ZF 6HP-26Z	9.5/9	4.2/4	Shell M-1375.4				DVI, LG6						
	11-16	ALL	ALL	GA8HP45Z, GA8HP70Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
5 SERIES	11-16	ALL	ALL	GA8HP70H	N/A	4.9/4.6	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	15-18	ALL	ALL	GS7D36SG	9.3/8.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
	14-20	ALL	ALL	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	640i, ix	12-16	ALL	ALL	GA8HP45Z, GA8HP70Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8					

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
645Ci	04-05	V8	4.4L	GA6HP26Z	9.5/9	4.5/4	Shell M-1375.4				DVI, LG6						
650Ci	06	V8	4.4L	GA6HP26Z	9.5/9	4.5/4	Shell M-1375.4				DVI, LG6						
650ix	12-19	ALL	ALL	GA8HP45Z, GA8HP70Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
650i, M6	06-10	V8	4.8L (N62TU) (N62N)	GA6HP26Z	9.5/9	4.5/4	Shell M-1375.4				DVI, LG6						
	12-19	ALL	ALL	GS7D36SG	8.2/7.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
7 SERIES	92-01	V8, V12	4.0L 5.4L	ZF 5HP-30	13.8/13.1	5.8/5.5	Esso Type LT 71141				SYN DM, MV						
740i	97-01	V8	4.4L	ZF 5HP-24	10.2/9.7	4.2/4	Esso Type LT 71141				SYN DM, MV						
740i, Li	11, 13	V6	3.0L	ZF 6HP19Z	9.5/9	4.2/4	Shell M-1375.4				DVI, LG6						
745, 750	02-12	V8, V12	4.4L, 4.8L, 6.0L	GA 6HP26Z	9.5/9	4.2/4	Shell M-1375.4				DVI, LG6						
760	02-12	V12	6.0L	GA 6HP26Z	11.8/11.2	4.2/4	Shell M-1375.4				DVI, LG6						
7 SERIES	11-16	ALL	ALL	GA 8HP45Z, GA8HP50Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	11-16	ALL	ALL	GA8HP70H	N/A	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	11-16	ALL	ALL	GA8H-P70Z, GA8HP75Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	11-16	ALL	ALL	GA8HP90Z	10.5/10	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	17-20	ALL	ALL	GA8HP50Z, GA8HP75Z, GA8HP75HZ	9.2/8.7	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	17-20	ALL	ALL	GA8HP95Z	N/A	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
M235i, ix	14-16	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
M240i, x	17-20	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
I3	14-20		electric	single speed gear box		1.0/5	BOT 448 (PN 83 22 2 295 532)	USE	OEM	FLUID							
I8	14-17, 19		electric	single speed gear box		1.3/0.65	BMW I TF (P/N83 22 2 365 760)	USE	OEM	FLUID							
M2	16-20	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
M3	06-13	V8	4.0L (S65B40), 4.4L (S65B44)	SMG GS7S47BG	9.5/9	N/A	BMW 83 22 0 440 214				LUBEGARD DCTF						
	11-13	V8	4.0L (S65B40), 4.4L (S65B44)	GS7D36SG	8.2/7.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
M4	14-16	L6	3.0L (S55B30T0)	GS7D36SG	8.9/8.4	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
	15-20	L6	3.0L (S55B30T0)	GS7D36SG	8.9/8.4	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
M5	13-16	V10	5.0L (S85)	GS7D36SG	9.3/8.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
M6	06-10	V10	4.8L (N62TU) (N62N)	SMG GS7S47BG	9.5/9	N/A	BMW 83 22 0 440 214				LUBEGARD DCTF						
	12-19	V10	ALL	GS7D36SG	8.2/7.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
X1	13-20	L4, L6	2.0L, 3.0L	GA6HP19Z	10/9.5	N/A	Shell M-1375.4				D6, LG6						
	13-20	L4, L6	2.0L, 3.0L	GA 8HP45Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
X2	18-20	L4, L6	2.0L, 3.0L	GA8F22AW	7.4/7.0	N/A	BMW ATF6 (83 22 2 355 599)				DEX HP, LG8						
X3	04-06	L6	2.5, 3.0	5L40-E	9.5/9	4.2/4	BMW 83 22 9 407 765				SYN DM, DVI, MV						
	07-10	L6	3.0L (N52K)	6L45R/ 6L50	10/9.5	N/A	BMW 83 22 0 403 249				DVI, LG6						
	11-15	L4, L6	2.0L, 3.0L (N52K)	GA8HP45Z	9/8.5	N/A	BMW 83 22 2 152 426				DEX HP, LG8						
	16-20	L4, L6	2.0L, 3.0L (N52K)	GA8F22AW	7.4/7	N/A	BMW 83 22 2 355 599				DEX HP, LG8						
X3 M	20	L6	3.0L	GA8HP76Z	9.9/9.4	N/A	BMW ATF3+ (P/N83 22 2 289 720)				ZF LG8, MULV						
X4	15-20	ALL	ALL	GA8HP45Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	16-20	ALL	ALL	GA8F22AW	7.4/7	N/A	BMW ATF6 (83 22 2 355 599)				DEX HP, LG8						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6
LG8
DHP
*
SYN

Lifeguard® 6
Lifeguard® 8
Dexron® HP
Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



**B
C**

BMW cont.										60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type												
X5	99-03	V8	4.4, 4.6L	ZF 5HP24	10.2/9.7	4.2/4	Esso Type LT 71141					SYN DM, DVI, MV							
	01-06	V8	4.4L	5L40-E	9.5/9	4.2/4	Texaco ETL-7045					SYN DM, DVI, MV							
	04-11	V8	4.4L, 4.8L	GA6HP26Z	10.6/9.5	N/A	Shell M-1375.4					DVI, LG6							
	07-11	L6	3.0L	GA6HP19Z	9.5/9	4.2/4	Shell M-1375.4					DVI, LG6							
X5 Diesel	11-20	L6, V8	3.0L, 4.4L	GA8HP45Z, GA8HP70Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)					DEX HP, LG8							
	09-13	L6	3.0L Diesel	GA6HP26Z	10.6/9.5	N/A	Shell M-1375.4					DVI, LG6							
X6	11-18	L4, L6	2.0L Diesel, 3.0L Diesel	GA8HP75H, GA8HP75Z	9.2/8.7	N/A	Shell M-L 12108 (P/N83 22 2 152 426)					DEX HP, LG8							
	08-10	L6, V8	3.0 (N54), 4.4L (N63)	ZF 6HP19, ZF 6HP21	9.5/9	4.2/4	Shell M-1375.4					DVI, LG6							
X6 (HYBRID)	08-11	L6, V8	3.0 (N54), 3.5 (M57), 4.4L (N63)	ZF 6HP26, ZF 6HP28	10.6/10	4.5/4.2	Shell M-1375.4					DVI, LG6							
	11-20	V8	4.4L (N63)	ZF 8HP45, ZF 8HP70	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)					DEX HP, LG8							
X7	10-11	V8	4.4L (N63)	GA7AHSCD	12.7/12		DEXRON VI					MLV							
Z3	19-20	V6, V8	3.0L, 4.4L	GA8HP51Z, GA8HP76Z	9.9/9.4	N/A	BMW ATF3+ (P/N83 22 2 289 720)					ZF LG8, MULV							
	96-00	L4, L6	1.9, 2.8L	4L30-E	9.3/8.8	3.2/3	Esso Type LT 71141					SYN DM, DVI, MV							
Z4	01-02	L4, L6	1.9, 2.8L	5L40-E	9.5/9	4.5/4.2	Esso Type LT 71141					SYN DM, DVI, MV							
	03-05	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	ZF 5HP-19	9.4/8.9	4.5/4.2	Esso Type LT 71141					SYN DM, DVI, MV							
	06-13	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	GA6HP19Z	9.4/8.9	4.2/4	Shell M-1375.4					DVI, LG6							
	11-16	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	GS7D36SG	8.2/7.8	N/A	BMW 83 22 2 148 578					LUBEgard DCTF							
	12-16	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	GA8HP45Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)					DEX HP, LG8							
19-20	L4, L6	2.0L, 3.0L	GA8HP51Z	9.6/9.1	N/A	BMW ATF3+ (P/N83 22 2 289 720)					ZF LG8, MULV								
CADILLAC																			
ATS	13-15	L4	2.0L, 2.5	6L45	6.0/6.3	10.3/10.9	DEXRON VI					MLV							
	16-17	L4	2.0L, 2.5	8L45, 8L90	10.3/10.9	7/7.4	DEXRON HP					SYN DVI, LG6							
ATS-V	16-19	V-6	3.6L	8L45, 8L90	11.4/10.8	7.4/7.0	DEXRON HP					SYN DVI, LG6							
	97-01	V6	3.0L	4L30-E	7/6.6	N/A	DEXRON III					DM, DVI							
Catera	02-07	V6	3.2, 3.6L	5L40-E	7/6.4	N/A	DEXRON III, VI					DM, DVI							
	03-04	V6, V8	2.6 (L49), 3.2 (LA3), 3.6 (LY7), 5.7L	5L40-E (M82)	12.6/12	5/4.7	DEXRON III					DM, DVI							
CTS/CTS-V	05	V6, V8	2.8 (LP1), 3.6 (LY7), 5.7L (LS6)	5L40-E (M82)	12.6/12	5/4.7	DEXRON VI					MLV							
	06-07	V6, V8	2.8 (LP1), 3.6 (LY7), 6.0L (LS2)	5L40-E (M82), 5L50-E	12.6/12	5/4.7	DEXRON VI					MLV							
	08	V6	3.6L (LLT)	6L50 (MYB)	11/10.5	6.7/6.3	DEXRON VI					MLV							
	08-13	V6	3.0 (LF1)	6L45 (MYA)	11/10.5	6.7/6.3	DEXRON VI					MLV							
	08-13	V6	3.6L (LLT)	6L50 (MYB)	11.4/10.8	6.7/6.3	DEXRON VI					MLV							
	08-13	V8	6.2L (L92) (L9H) (L94)	6L80 (MYC)	10.9/10.3	6.7/6.3	DEXRON VI					MLV							
	08-13	V8	6.2L (LSA)	6L90 (MYD)	14/13.2	6.7/6.3	DEXRON VI					MLV							
	14-15	L4	2.0L	6L45	10.5/11.1	6.3/6.7	DEXRON VI					MLV							
	14	V6	3.6L	6L45	10.5/11.1	6.3/6.7	DEXRON VI					MLV							
	16-19	L4	2.0L	8L45	10.3/10.9	7/7.4	DEXRON HP					SYN DVI, LG6							
CT5	20	L4, V6	2.0L/3.0L	10L80/10L90	12.1/11.4	8.1/7.7	DEXRON ULV					MULV							
CT6	16-18		2.0L/3.0L	8L45, 8L90	11.4/10.8	7.4/7.0	DEXRON HP					SYN DVI, LG6							
	19-20	V6/V8	3.6L/4.2L	10L80/10L90	12.1/11.4	8.1/7.7	DEXRON ULV					MULV							
DTS	06-11	V8	4.6L (LD8) (L37)	4T80-E (MH1)	15/14.2	7.4/7	DEXRON VI					MLV							
DeVille	96-05	V8	4.6L	4T80-E	15/14.2	11/10.4	DEXRON III, VI					DM, DVI							
Eldorado	96-02	V8	4.6L	4T80-E	15/14.2	8/7.6	DEXRON III					DM, DVI							
ELR	14-16	L4	1.4L	4ET50	N/A	8.5/9	DEXRON VI					MLV							
	99-05	V8	5.3, 5.7, 6.0L	4L60-E HD	13.5/12.8	7.7/7.3	DEXRON III, VI					DM, DVI							
	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L65-E, 4L70-E	11/10.6	5/4.7	DEXRON VI					MLV							
Escalade	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7	DEXRON VI					MLV							
	08-10	V8	6.0L (LFA)	2ML70 (M99)	13/12.3	11.5/10.9	DEXRON VI					MLV							

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Escalade 2WD	99-05	V8	5.3, 5.7, 6.0L	4L60-E	11/10.6	5/4.7	DEXRON III, VI				DM, DVI						
	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	07-10	V8	6.2L (L92)(L9H)(L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	11-12	V8	6.2L (L92) (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6	DEXRON VI				MLV						
	13-15	V8	5.3, 6.2L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
Escalade 4WD	16-17	V8	6.2L	8L90	11.4/10.8	7.4/7	DEXRON HP				SYN DVI, LG6						
	99-05	V8	5.3, 5.7, 6.0L	4L60-E	11/10.6	5/4.7	DEXRON III, VI				DM, DVI						
	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L65-E, 4L60-E	11/10.6	5/4.7	DEXRON VI				MLV						
	07-10	V8	6.2L (L92) (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	11-14	V8	6.2L (L92) (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6	DEXRON VI				MLV						
Escalade ESV	15-17	V8	6.2L (L92) (L9H) (L94)	8L90	11.4/10.8	7.4/7.0	DEXRON HP				SYN DVI, LG6						
	18-20	V8	6.2L (L92) (L9H) (L94)	10L90	12.1/11.4	8.1/7.7	DEXRON ULV				MULV						
	06	V8	4.8 (LR4), 5.3L (LM7) (L59)	4L60-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	06	V8	6.0 (LQ4) (LQ9), 8.1L (L18)	4L80-E, 4L85-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
	07-08	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
Escalade ESV 4WD	07-08	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	4L60-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	07-08	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	4L80-E (MT1), 4L85-E (MN8)	7.7/7.3	7.7/7.3	DEXRON VI				MLV						
	09-10	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	15-17	V8	5.3, 6.2L	6L80, 8L90	12.4/11.7	6/5.7	DEXRON VI				MLV						
	15-17	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				SYN DVI, LG6						
Escalade EXT	18-20	V8	6.2L	10L90	12.1/11.4	8.1/7.7	DEXRON ULV				MULV						
	06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7	DEXRON VI				MLV						
	07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV						
Livery/Hearse/Limo Seville	08-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	11-12	V8	6.2L (L92) (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6	DEXRON VI				MLV						
	97-01	V8	4.6L	4T80-E	15/14.2	11/10.4	DEXRON III				DM, DVI						
	96-05	V8	4.6L	4T80-E	15/14.2	11/10.4	DEXRON III				DM, DVI						
SRX	SLS	08-09	V6, V8	3.6 (LY7), 4.6L (LH2)	5L40-E (M82), 6L50 (M22)	9.4/8.9, 10.7/10.1	5.0/4.7, 7.25/6.8	DEXRON VI				MLV					
	04-05	V6, V8	3.6, 4.6L	5L40-E, 5L50-E	12.6/12	6.3/6	DEXRON III				DM, DVI						
	06	V6	3.6L	5L50-E	12.6/12	6.3/6	DEXRON VI				MLV						
	07-09	V6, V8	3.6 (LY7), 4.6L (LH2)	6L50	N/A	7.3-6.9	DEXRON VI				MLV						
	07-09	V6, V8	3.6 (LY7), 4.6L (LH2)	5L50-E	9/8.5	7.4/6	DEXRON VI				MLV						
STS	10-16	V6	2.8 (LAU), 3.0L (LF1)	6T70 (MH2) (MH4)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						
	10-16	V6	2.8 (LAU), 3.0L (LF1)	AF 40-6 (MXE)	N/A	8.0/7.3	AW-1 19256039				SYN DM, DVI, MV						
	93-04	V8	4.6L	4T80-E	15/14.2	8/7.6	DEXRON III				DM, DVI						
	05-09	V6	3.6 (LLT) (LY7), 2.8L (LP1)	5L50-E	12.6/12	6.3/6	DEXRON VI				MLV						
	06-07	V8	4.4 (LC3), 4.6L (LH2)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
XLR	07-09	V8	4.4 (LC3), 4.6L (LH2)	6L50 (MYB), 6L45 (MYA)	11.4/10.8	6.7/6.3	DEXRON VI				MLV						
	08-11	V6, V8	3.0 (LF1), 3.6 (LLT), 4.6L (LH2)	6L50 (MYB), 6L45 (MYA)	11.4/10.8	6.7/6.3	DEXRON VI				MLV						
	08-11	V8	4.4 (LC3), 4.6L (LH2)	6L90 (MYD)	14/13.2	6.7/6.3	DEXRON VI				MLV						
XTS	04-06	V8	4.6L	5L50-E	9.4/8.9	7.4/7	DEXRON VI				MLV						
	06-09	V8	4.4 (LC3), 4.6L (LH2)	6L80 (MYC)	10/9.5	6.5/6.2	DEXRON VI				MLV						
	13	V6	3.6L	6T70/6T75	9.5/9	6.3/6	AW-1 19256039				SYN DM, DVI, MV						
XT6	14-19	V6	3.6L	6T70/6T75	9.5/9	4.2/4.0	DEXRON VI				MLV						
	17-20	V6	3.6L	AF50-8	7.5/7.1	N/A	AW-1 19256039				SYN DVI, LG6						
	19-20	L4	2.0L	9T50	10.0/9.5	6.3/6.0	DEXRON VI				MLV						
20	L4	2.0L	9T65	10.0/9.5	6.3/6.0	DEXRON VI				MLV							

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
***** Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.

C

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Malibu (Classic)	97-02	L4, V6	2.4, 3.1L	4T40-E	9.5/9	6.9/6.5	DEXRON III				DM, DVI						
	03-05	L4, V6	2.2, 3.5L	4T45-E	12.9/12.2	6.9/6.5	DEXRON III				DM, DVI						
	06-08	L4, V6	2.2 (L61), 3.5 (LZ4), 3.9L (LZ9)	4T45-E (MN5)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	06-08	L4, V6	2.2 (L61), 3.5 (LZ4), 3.9L (LZ9)	4T65-E (M15)	13.4/12.7	7.4/7	DEXRON VI				MLV						
Malibu	08-11	L4, V6	2.4, 3.5, 3.6L	6T70 (MH2)	9.5/7.4	6.3/6	DEXRON VI				MLV						
	08-11	L4, V6	2.4, 3.5, 3.6L	6T40 (MH8)	8.5/8	5.3/5	DEXRON VI				MLV						
	08-11	L4, V6	2.4, 3.5, 3.6L	4T45-E (MN5)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	08-11	L4, V6	2.4, 3.5, 3.6L	4T45-E BAS HYBRID	9.5/9	6.9/6.5	DEXRON VI				MLV						
	11-15	L4	2.0 (LNF), 2.5L	6T40 (MH8), 6T70 (MH2)	9.0/8.5, 9.5/9	6.3/6	DEXRON VI				MLV						
	16-17	L4	1.5L, 2.0L	6T40/9T50	9/8.5, 9.5/10	6.3/6	DEXRON VI				MLV						
Malibu Hybrid	16-20	L4	1.8L	5ET50 (E-CVT)	7.1/6.7	3.4/3.2	DEXRON VI				MLV						
Malibu MAXX	05	V6	3.5, 3.9L	4T45-E	12.9/12.2	6.9/6.5	DEXRON III				DM, DVI						
	06-07	V6	3.5, 3.9L	4T45-E	12.9/12.2	6.9/6.5	DEXRON VI				MLV						
Monte Carlo	93-05	V6	3.1, 3.4, 3.8L	4T60/65-E	11/10.4, 13.4/12.7	6/5.7, 7.4/7	DEXRON III				DM, DVI						
	06-07	V6	3.1, 3.4, 3.8L	4T60/65-E	13.4/12.7	N/A	DEXRON VI				MLV						
	07-10	V6, V8	3.0, 3.6, 6.0, 6.2L	4L60-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
Omega (Export)	07-10	V6, V8	3.0, 3.6, 6.0, 6.2L	6L50 (MYB), 6L80 (MYC)	11.4/10.8, 10/9.5	6.7/6.3, 6.5/6.2	DEXRON VI				MLV						
	07-10	V6, V8	3.0, 3.6, 6.0, 6.2L	5L50-E	12.6/12	6.3/6	DEXRON VI				MLV						
	04-10	L4	1.6 (LXT), 2.0L (LMN)	81-40LE (MLQ)	6.2/5.8	2.2/2.1	GM 88900925				*DM, MV						
Optra (Export)	07-10	L4	1.6 (LXT), 2.0L (LMN)	55-51LE (M98)	7.5/7.1	N/A	JWS 3309				*DM, MV						
	04-10	L4	1.6 (LXT), 2.0L (LMN)	ZF 4HP16 (MFA)	7.3/6.9	4.2/4	Esso Type LT 71141				SYN DM, DVI, MV						
Safari	92-03	V6	4.3L	4L60-E	11.5/10.8	5/4.7	DEXRON III				DM, DVI						
Sonic	12-20	L4	1.4 (LUV), 1.8L (LUV)	6T30 (MH9)	8/7.5	5.8/5.5	DEXRON VI				MLV						
Spark (Export)	08-10	L4	1.0 (LMT), 1.2L (LMU)	JF405-E (MFL)	6.2/5.8	N/A	JWS 3314				DVI, MLV						
Spark	13-20	L4	1.2L (LMU)	Jatco CVT	6.5/6.2	N/A	AC Delco CVT				LUBEGARD CVT						
Spark EV	16	N/A	N/A	IET35	4.4/4.2	N/A	DEXRON VI				MLV						
SS	14-17	V8	6.2L (LS3)	6L80 (MYC)	11/10.4	6.7/6.3	DEXRON VI				MLV						
Trax	15-20	L4	1.4 (LUV)	6T30 (MH9)	8/7.5	5.8/5.5	DEXRON VI				MLV						
Uplander	05-06	V6	3.5 (LX9), 3.9L (LZD)	4T65-E (M15) (M76)	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
	07-09	V6	3.9L (LZ9) (LGD)	4T65-E (M15)	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
	11-15	L4	1.4 (LUV)	4ET50	8.9/8.5	7.4/7	DEXRON VI				MLV						
Volt	16-19	L4	1.4 (LUV)	5ET50 (E-CVT)	7.1/6.7	3.4/3.2	DEXRON VI				MLV						
CHEVY/GMC TRUCKS AND VANS																	
CHEVY/GMC TRUCKS AND VANS	95-02	V8	6.0, 8.1L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI						
	95-02	V8	6.5L	4L80-E	13/12.3	5/4.7	DEXRON III				DM, DVI						
	98-00	L4	1.6, 2.0L	03-72LE (A44DE)	6.7/6.3	2.7/2.6	DEXRON III				DM, DVI						
	98-00	V6	2.5L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI						
CHEVY/GMC TRUCKS AND VANS	01-07	L4	1.6, 2.0L	03-72LE (A44DE)	7.2/6.8	2.7/2.6	DEXRON III				DM, DVI						
	01-07	V6	2.5L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI						
	92-05	V8	5.3, 5.7L	4L60, 60-E, 80-E	11/10.6, 13.5/12.8	5/4.7, 7.7/7.3	DEXRON III				DM, DVI						
Acadia (GMC)	06-08	V8	5.3, 5.7L	4L60, 60-E, 80-E	11/10.6, 13.5/12.8	5/4.7, 7.7/7.3	DEXRON VI				MLV						
	08-19	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
Acadia (GMC) Limited	20	L4, V6	2.0L/2.5L/3.6L	9T50/9T60	10.0/9.5	6.3/6.0	DEXRON VI				MLV						
Blazer/TrailBlazer/Jimmy	17	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
Blazer/TrailBlazer	92-05	L4, V6	2.2, 4.2, 4.3L	4L60-E	11/10.6	5/4.7	DEXRON III				DM, DVI						
Canyon	19-20	L4, V6	2.0L/2.5L/3.6L	9T50/9T60	10.0/9.5	6.3/6.0	DEXRON VI				MLV						
	19-20	L4, V6	2.5L/2.8L/3.6L	8L45	11.4/10.8	7.4/7.0	DEXRON HP				SYN DVI, LG6						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols




DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
* Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.






OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

-  Synthetic ATF Protectant (60902)
- or
-  Platinum High-Performance ATF Protectant (63010)
- or
-  CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)










-  HFM ATF Supplement (61910)
-  MV ATF Supplement (62005)
- or
-  Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



C

CHEVY GMC TRUCKS & VANS cont.	Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type				Base Fluid							
									60902	63010	67010		61910	62005	63010	68112 CVT	56032 DCT	69032 ATF	
Captive Sport		12-15	L4	2.4L	AF 33-5 (M98)	8.2/7.8	4.3/4.1	TIV				DM, DVI							
		12-15	V6	3.2L	6T45 (MH7) (MHC)	9.5/9	4.3/4	DEXRON VI				MLV							
City Express		15-17	L4	2.0L	Jatco CVT	7.8/7.4	N/A	ACDelco CVT 19260800				LUBEGARD CVT							
		15-17	V8	4.3, 4.8, 5.0, 5.3, 5.7, 6.0L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI							
C, K Series PU 1500-3500		95-05	V8	5.0, 5.7, 6.0L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI							
		01-05	V8	8.1, 6.6L	Allison 1000	13/12.3	N/A	DEXRON III				DM, DVI							
		05-08	V8	8.1 (L18), 6.6L (LMM) (LBZ)	Allison LCT 1000 (LW7)	13/12.3	7.4/7	DEXRON VI				MLV							
		05-08	V8	5.7, 6.0L (LQ4)	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV							
		06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7	DEXRON VI				MLV							
		06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV							
		07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV							
		07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV							
		08-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV							
		09-12	V8	6.0L (L96) (LY6)	6L90 (MYD)	12.4/11.7	6.0/5.7	DEXRON VI				MLV							
		09-12	V8	6.6L (LMM)	Allison LCT 1000 (LW7), 2000	13/12.3	7.4/7	DEXRON VI				MLV							
		10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV							
		10-12	V8	6.0L (LFA)	2ML70 (M99)	13/12.3	11.5/10.9	DEXRON VI				MLV							
	Colorado, Canyon		03-07	L4, V6	2.8, 3.5L	4L60-E	11.2/10.6	5/4.7	DEXRON III				DM, DVI						
			06-08	L4, V6	2.8, 3.5L	4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV						
		08-14	L4, L5, V8	2.9 (LLV), 3.7 (LLR) (LH8), 5.3L (LH9)	4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV							
		15-16	L4, V6	2.5, 3.6L	6L50	11.2/10.6	6.7/6.3	DEXRON VI				MLV							
		17-20	L4, V6	2.5, 3.6L	8L45	11.4/10.8	7.4/7	DEXRON HP				SYN DVI, LG6							
		99-00	V8	5.7L	4L80-E	13.5/12.8	5/4.7	DEXRON III				DM, DVI							
Denali		01-05	V8	5.3, 5.7, 6.0L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI							
		06-09	V8	5.3, 5.7, 6.0L	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV							
		10-14	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV							
Trailblazer/ Envoy		99-05	L4, V6	2.2, 4.3L	4L60-E	11.2/10.6	5/4.7	DEXRON III				DM, D6							
		06-09	L6, V8	4.2 (LL8), 5.3 (LH6), 6.0L (LS2)	4L60-E, 4L70E	11.2/10.6	5/4.7	DEXRON VI				LV							
		05-09	V6	3.4 (LNJ), 3.6L (LY7)	AF 33-5 (M98)	8.2/7.8	4.3/4	GM 88900925				*DM, MV							
Equinox		08-12	L4, V6	2.4 (LAF), 3.0L (LF1)	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5	DEXRON VI				MLV							
		10-12	L4, V6	2.4 (LAF), 3.0L (LF1)	6T45 (MH7) (MHC)	8.5/8	5.3/5	DEXRON VI				MLV							
		13-16	L4, V6	2.4 (LAF), 3.6L	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5	DEXRON VI				MLV							
		17-18	L4	1.5L	6T45 (MH7) (MHC)	8.5/8	5.3/5	DEXRON VI				MLV							
		19-20	L4, V6	1.5L/1.6L/2.0L	9T45/9T50	10.0/9.0	6.3/6.0	DEXRON VI				MLV							
Express/Savana		03-07	V6, V8	4.3, 4.8, 5.3L	4L60-E	11.4/10.8, 11/10.4	8.4/7.9, 6.3/6	DEXRON III				DM, DVI							
		03-07	V8	6.0L	4L80-E	11/10.4	6.3/6	DEXRON III				DM, DVI							
1500/2500/3500		06-09	V6, V8	4.3, 4.8, 5.3, 6.0, 6.6L	4L60-E, 4L80/85E	11.4/10.8, 11/10.4	8.4/7.9, 6.3/6	DEXRON VI				MLV							
		10	V6, V8	4.3, 4.8, 5.3, 6.0, 6.6L	4L60-E, 6L80	11.2/10.6, 12.4/11.7	5/4.7, 6.0/5.7	DEXRON VI				MLV							
		96-12	V6	4.3L	4L60-E	11/10.4	5/4.7	DEXRON III				SYN DVI, LG6							
G & H Series Van 1500,2500		96-09	V8	5.0, 5.7L, 6.0L, 6.6L	4L80-E, 4L85E	13.5/12.8	7.7/7.3	DEXRON III				SYN DVI, LG6							
		10-20	V8	5.3, 6.0, 6.6L	6L90 (MYD)	12.4/11.7	6.3/6	DEXRON VI				MLV							
		15-20	V8	5.3, 6.0, 6.6L	8L90	11.4/10.8	7.4/7	DEXRON HP				Syn D6, LG6							
		02	V6, V8	4.3, 4.8, 6, 8.1L	4L60-E, 4L80-E	13/12.3	7.7/7.3	DEXRON III				DM, DVI							
G Series Van 2500,3500		97-01	V8	5.7, 7.4, 8.1L	4L60-E, 4L80-E	11.4/10.8	5/4.7	DEXRON III				DM, DVI							
		97-01	V8	6.5L	4L60-E, 4L80-E	13/12.3	7.7/7.3	DEXRON III				DM, DVI							
		97-02	V6	4.3L	4L80-E	13/12.3	7.7/7.3	DEXRON III				DM, DVI							
		02	V8	6.6L	Allison 1000	13/12.3	7.7/7.3	DEXRON III				DM, DVI							
Sierra HD		01-15	V8	6.0L, 6.6L, 8.1L	4L80-E	13.5/12.8	5/4.7	DEXRON VI				MLV							

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Sierra LD	00-15	V6, V8	4.3L, 4.8L, 5.3L	4L60-E, 4L80-E	11.2/10.6, 13.5/12.8	5/4.7	DEXRON VI				MLV						
Sierra 1500	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	6L80	12.2/11.7	6.0/5.7	DEXRON VI				MLV						
	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	8L90	10.9/10.3	7.4/7.0	DEXRON HP				SYN DVI, LG6						
	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				MULV						
Sierra LD 4WD	15-18	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
	15-18	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				Syn DVI, LG6						
Silverado HD	15-18	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
	19-20	V8	6.0L, 6.6L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
Silverado LD	15-18	V6, V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				SYN DVI, LG6						
	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	6L80	12.2/11.7	6.0/5.7	DEXRON VI				MLV						
	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	8L90	10.9/10.3	7.4/7.0	DEXRON HP				SYN DVI, LG6						
Silverado 1500	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
	00-14	V6, V8	4.3L, 4.8L, 5.3L	4L80, 4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV						
	15-19	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				SYN DVI, LG6						
Silverado LD 4WD	92-05	L4, V6	2.2, 4.3L	4L60, 4L60-E	11.4/10.8	5/4.7	DEXRON III				DM, DVI						
	03-07	V8	5.3L	4L60-E	11.4/10.8	N/A	DEXRON III, VI				DM, DVI						
	06	V8	5.3L	4L60-E	11.4/10.8	N/A	DEXRON VI				MLV						
Suburban	92-05	V8	4.8, 5.0, 5.3L	4L60-E	11.5/10.9	5/4.7	DEXRON III				DM, DVI						
	06-08	V8	4.8, 5.0, 5.3L	4L60-E	11.5/10.9	5/4.7	DEXRON VI				MLV						
	06-08	V8	6.0, 6.5, 7.4, 8.1L	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
	06-08	V8	6.0, 6.5, 7.4, 8.1L	4L85-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
	10-18	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7, 6.3/6	DEXRON VI				MLV						
Suburban 4WD	19-20	V8	5.3L, 6.2L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7	DEXRON VI				MLV						
	06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
	07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV						
	08-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	15-17	V8	5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
2500	19-20	V8	5.3L, 6.2L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
	96-05	V8	5.7, 6.0, 7.4, 8.1L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI						
	95-05	V8	6.5, 6.6L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI						
Tahoe/Yukon	92-05	V8	4.8, 5.3, 5.7L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI						
	06-08	V8	4.8, 5.3, 5.7L	4L60-E	11/10.4	5/4.7	DEXRON VI				MLV						
	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	4L60-E, 4L65-E, 4L70-E	11/10.6	5/4.7	DEXRON VI				MLV						
Tahoe/Yukon 2WD	10-14	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7, 6.3/6	DEXRON VI				MLV						
	15-18	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
	16-18	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				SYN DVI, LG6						
Tahoe/Yukon 4WD	19-20	V8	5.3L, 6.2L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
	08-10	V8	6.0L (LFA)	2ML70 (M99)	13/12.3	11.5/10.9	DEXRON VI				MLV						
	15-17	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
Tracker	15-18	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				Syn DVI, LG6						
	19-20	V8	5.3L, 6.2L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
	98-02	L4	1.6L	3L30	5.4/5.1	3/2.8	DEXRON III				DM, DVI						
Terrain	03-07	V6	2.5L	4L60-E	7.4/7	3/2.8	DEXRON III, VI				DM, DVI						
	10-12	L4, V6	2.4 (LAF), 3.0L (LF1)	6T45 (MH7) (MHC)	8.5/8	5.3/5	DEXRON VI				MLV						
Terrain	13-16	L4, V6	2.4 (LAF), 3.6L	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						
	17	L4	1.5L	6T45 (MH7) (MHC)	8.5/8	5.3/5	DEXRON VI				MLV						
	18-20	L4	1.5L, 2.0L	9T45/9T50	10.0/9.5	6.3/6.0	DEXRON VI				MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
UV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
* Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



C
D

CHEVY/GMC TRUCKS AND VANS cont.	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Traverse	09-16	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
	17-19	L4, V6	2.0L, 3.6L	9T65	10/9.5	6.3/6.0	DEXRON HP				Syn DVI, LG6						
	20	L4, V6	2.0L, 3.6L	9T50/9T60	10.0/9.5	6.3/6.0	DEXRON VI				MLV						
Venture APV	00-05	V6	3.4L	4T65-E	10/9.5	7.4/7	DEXRON III				DM, DVI						
CHRYSLER																	
200	11-14	L4	2.4L, 3.6L	40TES, 62TE	9.1/8.6	4/3.8, 5.5/5.2	Mopar ATF+4				*DM, MV						
	15-17	L4	2.4L, 3.6L	948TE	N/A	6.4/6	Mopar ZF 8&9 ATF				ZF LG8, MULV						
300	05-12	V8	5.7, 6.1L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4				*DM, MV						
	05-12	L4, V6	2.4, 2.7, 3.5L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	11-13	V8	5.7, 6.4	ZF 8HP45 8 (SPD)	9.5/9	N/A	Shell L 12108				DVI, MLV						
	14-20	V6, V8	3.0, 3.6, 5.7, 6.2	ZF 8HP45 8 (SPD)	9.5/9	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV						
300M	18-20	V6, V8	3.0, 3.6, 5.7, 6.2	ZF 8HP70/8HP90	9.2/8.7	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV						
	99-04	V6	3.5L	42LE	9.2/8.8	4.5/4.3	Mopar ATF+4				*DM, MV						
Aspen	03-09	V6	4.7, 5.7L	545RFE	15.5/15	6.5/6.2	Mopar ATF+4				*DM, MV						
	04-09	V6	3.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	09	V8	5.7L	EVT-ASH-T (2 MODE HYBRID)	13.2/12.5	11.6/11	DEXRON VI				MLV						
Cirrus	95-00	L4	2.4, 2.0L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	95-00	V6	2.5, 2.7L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Concord	02-07	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.3/8.8	4.5/4.2	Mopar ATF+4				*DM, MV						
	93-98	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.9/9.4	4.5/4.3	Mopar ATF+4				*DM, MV						
Crossfire	04-08	V6	3.2L	NAG 1	8.2/7.7	5.3/5	Mopar ATF+4				SYN DM, MV						
LHS/300M	99-04	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.9/9.4	4.5/4.3	Mopar ATF+4				*DM, MV						
	02-07	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.3/8.8	4.5/4.2	Mopar ATF+4				*DM, MV						
New Yorker	04-08	V6	3.5, 3.8L	41TE	9.7/9.2	4/3.8	Mopar ATF+4				*DM, MV						
	07-08	V6	4.0L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
PT Cruiser	17-20	V6	3.6L	948TE	N/A	6.4/6.0	Mopar ZF 8&9 ATF				ZF LG8, MULV						
	00	L4	2.0L	31TH	9/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Sebring	01-10	L4	2.0, 2.4L	41TE, 40TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
	95-05	L4	2.4, 2.0L	41TE, F4AC1	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Convertible	95-05	V6	2.5, 2.7L	41TE, F4AC1	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	07-08	V6	2.4, 2.7, 3.5L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
	99-06	L4	2.0, 2.4L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Coupe	99-06	V6	2.5, 2.7L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	01-07	L4	2.7L	41TE	8.9/8.4	5.8/5.5	Mopar ATF+4				*DM, MV						
Coupe Sebring (cont.)	04-10	L4	2.0, 2.4L	40TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
	95-10	V6	2.7, 3.0L	41TE	8.6/8.1	5.8/5.5	Mopar ATF+4				*DM, MV						
Town & Country & Voyager	07-10	V6	2.7, 3.5L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
	90-10	V6	3.0, 3.3, 3.4, 3.8L	41TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
Voyager	08-16	V6	2.8, 3.3, 3.8, 4.0L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
	20	V6	3.6L	948TE	N/A	6.4/6.0	Mopar ZF 8&9 ATF				ZF LG8, MULV						
DODGE																	
Avenger	95-00	L4	2.0L, V6 2.5L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	07-14	L4	2.4L	40TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
	07-14	L4	2.4, 2.7L	41TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
	07-14	V6	2.7, 3.5L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
Caliber	07-12	L4	2.0, 2.4L	CVT2	8.6/8.1	7.4/7	Mopar CVT+4 (VTF)				LUBEgard CVT						
	95-01	L4	2.4, V6 3.0L	31TH	8.5/8	4/3.8	Mopar ATF+4				*DM, MV						
Caravan/Grand Caravan	95-01	L4	3.3, 3.8L	41TE, 41AE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	95-06	L4, V6	2.4, 3.0, 3.3, 3.8L	31TH, 41TE, 41AE	8.6/9.1	3.8/4	Mopar ATF+4				*DM, MV						
	00-10	L4, V6	2.4, 3.0, 3.3, 3.4, 3.8L	41TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
	08-20	V6	2.8, 3.3, 3.8, 4.0L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF	
Challenger (Includes SRT)	09-10	V6, V8	3.5, 5.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV							
	08-14	V6, V8	3.5, 5.7, 6.1L	NAG 1	8.2/7.7	5.3/5	Mopar ATF+4				*DM, MV							
	15-20	V6, V8	3.5, 5.7, 6.1L	845RE, 8HP70, 8HP90	9.7/9.2	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV							
Charger (Includes SRT)	05-12	V6, V8	2.7, 3.5L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV							
	05-12	V6, V8	3.5, 5.7, 6.1L	NAG 1	8.2/7.7	5.3/5	Mopar ATF+4				*DM, MV							
	12-20	V6, V8	3.5, 5.7, 6.1L	845RE, 8HP70, 8HP90	9.5/9.0	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV							
Dart	13-16	L4	2.0, 2.4L	6F24	7.5/7	5/4.7	ATF SPIV				DVI, MV							
Durango	11-13	V6, V8	3.6L, 5.7L	545RFE, 65RFE	16.9/16.0	8.5/8.2	Mopar ATF+4				*DM, MV							
	14-20	V6, V8	3.6L, 5.7L, 6.2L, 6.4L	8HP45, 8HP50, 8HP70	9.5/9.0	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV							
Intrepid	93-01	V6	N/A	42LE	9.9/9.4	4.5/4.3	Mopar ATF+4				*DM, MV							
Journey	09-12	L4	2.4, 2.7L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV							
	09-12	V6	2.7, 3.5L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV							
	11-19	L4, V6	2.0, 3.6L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV							
Magnum	05-09	V6	2.7, 3.5L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV							
	05-09	V8	3.5, 5.7, 6.1L	NAG 1	8.2/7.7	5.3/5	Mopar ATF+4				*DM, MV							
RAM/DODGE TRUCKS & VANS																		
Dakota	95-02	V6, V8	3.9, 5.2, 5.9L	42RH, RE/44RE/46RE	10.5/9.9	4/3.8	Mopar ATF+4				*DM, MV							
	00-03	L6, V8	3.9, 4.7, 5.2L	42RE, 46RE, 545RFE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV							
	04-11	V6, V8	3.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV							
	04-11	L6, V8	3.7, 4.7L	45RFE, 545RFE	16.8/13.3	6.5/6.2	Mopar ATF+4				*DM, MV							
	94-01	V6	3.9L	42RH, 42RE	10.5/9.9	4/3.8	Mopar ATF+4				*DM, MV							
	96-02	V8	5.9L	46RE	10.5/9.9	4/3.8	Mopar ATF+4				*DM, MV							
Durango	98-06	V6, V8	3.9, V8 5.2L	42/44RE, 45RFE	14/13.3	5.5/5.2	Mopar ATF+4				*DM, MV							
	00-03	L6, V8	3.9, 4.7, 5.2L	42RE, 46RE, 545RFE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV							
	00-05	V8	4.7, 5.7L	5-45RFE	14/13.3	5/4.7	Mopar ATF+4				*DM, MV							
	00-07	V6	3.7L	44RE, 46RE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV							
	04-09	L6, V8	4.7, 5.7L	545RFE	16.8/13.3	6.5/6.2	Mopar ATF+4				*DM, MV							
	09	V8	5.7L	EVT-ASH-T (2 MODE HYBRID)	13.2/12.5	11.6/11	DEXRON VI				MLV							
	04-09	V6	3.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV							
	11-12	V8	3.6, 5.7L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4				*DM, MV							
	11-15	V6, V8	3.6, 5.7L	545RFE, 65RFE	14.8/14, 16.9/6	5.5/5.2, 6.5/6.2	Mopar ATF+4				*DM, MV							
	16-17			8HP45, 8HP70	9/8.5	N/A	ZF 8&9 speed ATF				LG8, MULV							
	Promaster 1500, 2500, 3500	14-20	V6	3.0, 3.6L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
Promaster City	15-20	V6	3.0, 3.6L	948TE	N/A	6.3/6	ZF 8&9 speed ATF				LG8, MULV							
Ram 1500-3500, Includes HD	95-02	V8	5.2, 5.9L	46RH	10.9/10.3	4/3.8	Mopar ATF+4				*DM, MV							
	96-00	V6, V8	3.7, 5.2L	42RE	11/10.4	4/3.8	Mopar ATF+4				*DM, MV							
	96-02	L6	5.9L Diesel	47RE	16.6/15.7	4/3.8	Mopar ATF+4				*DM, MV							
	98-00	V8	5.2, 5.9L	46RE	11.5/10.9	4/3.8	Mopar ATF+4				*DM, MV							
	01-03	V8	5.2, 5.9L	46RE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV							
	03	L6	5.9L	47RE	16.6/15.7	4/3.8	Mopar ATF+4				*DM, MV							
	03-08	V6, V8	3.7, 4.7, 5.7L	A45RFE, 5-45RFE	14.5/14	6.5/6.2	Mopar ATF+4				*DM, MV							
	04-10	V8	4.7, 5.7L	545RFE	16.8/13.3	6.5/6.2	Mopar ATF+4				*DM, MV							
	04-08	V8	5.7, 5.9, 6.7L	48RE	16/14, 17/14.8	4/3.8	Mopar ATF+4				*DM, MV							
	09-12	V6	3.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV							
	11-12	V8	5.7	65RFE, 66RFE	14.8/14, 16.9/16	5.5/5.2, 6.5/6.2	Mopar ATF+4				*DM, MV							
	12-13	V6	3.6L	68RFE	16.6/15.6	6.5/6.2	Mopar ATF+4				*DM, MV							
	13-18	V6, V8	3.6, 4.7, 5.7L	545RFE	16.9/16	5.5/5.2	Mopar ATF+4				*DM, MV							
	13-18	V6, V8	3.6, 5.7L	65RFE, 66RFE	12/11.4	5/4.7	Mopar ATF+4				*DM, MV							
16-17	V6, V8	3.0L, 3.6, 5.7L	8HP45, 8HP70	9/8.5	N/A	ZF 8&9 speed ATF				LG8, MULV								

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- DULV Dexron Ultra LV
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV

- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



D
F

RAM/DODGE TRUCKS & VANS cont.		Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	■ 60902	■ 63010	■ 67010	Base Fluid	■ 61910	■ 62005	■ 63010	■ 68112 CVT	■ 56032 DCT	■ 69032 ATF	
2500	05-09	V8	5.9L	48RE	16/14, 17/14.8	4/3.8	Mopar ATF+4					*DM, MV							
	05-12	V8	5.7, 5.9L	545RFE	14.5/14	6.5/6.2	Mopar ATF+4					*DM, MV							
	07-10	L6	6.7L	AS68RC	13.7/13	7.2/6.8	Mopar AS 68RC					SYN DM, DVI, MV							
	12	V8	5.7L	68RFE	17/16	6.5/6.2	Mopar ATF+4					*DM, MV							
	13-20	V8	5.7, 6.4, 6.7L	AS66RC, AS69RC	13.7/13	7.8/7.2	Mopar AS 68RC					SYN DM, DVI, MV							
3500 (D1, DH, DC BODY)	18-20	V8	5.7, 6.4, 6.7L	8HP45, 8HP70	9.0/8.5	N/A	ZF 8&9 speed ATF					LG8, MULV							
	04-09	V8	5.9L	48RE	16/14, 17/14.8	4/3.8	Mopar ATF+4					*DM, MV							
	07-10	L6	6.7L	68RFE	17/16	6.5/6.2	Mopar ATF+4					*DM, MV							
	07-10	V8	5.7, 5.9L	545RFE	14.5/14	6.5/6.2	Mopar ATF+4					*DM, MV							
	07-12	L6	6.7L	AS68RC	13.7/13	7.2/6.8	Mopar AS 68RC					SYN DM, DVI, MV							
	11-12	L6	6.7L	68RFE	17.5/16.6	N/A	Mopar ATF+4					*DM, MV							
	13-17	V8, L6	5.7, 6.4, 6.7L	66RFE, 68RFE	12/11.4	5/4.7	Mopar ATF+4					*DM, MV							
3500	13-20	V8, L6	5.7, 6.4, 6.7L	AS69RC	13.7/13	7.2/6.8	Mopar AS 68RC					SYN DM, DVI, MV							
	18-20	V8, L6	5.7, 6.4, 6.7L	8HP45, 8HP70	9.0/8.5	N/A	ZF 8&9 speed ATF					LG8, MULV							
4500	08-10	L6	6.7L	AS68RC	13.7/13	7.2/6.8	Mopar AS 68RC					SYN DM, DVI, MV							
	10-12	L6	6.7L	68RFE	17.5/16.6	N/A	Mopar ATF+4					*DM, MV							
	13-20	L6	6.4, 6.7L	66RFE	12/11.4	5/4.7	Mopar ATF+4					*DM, MV							
5500	18-20	V8, L6	5.7, 6.4, 6.7L	8HP45, 8HP70	9.0/8.5	N/A	ZF 8&9 speed ATF					LG8, MULV							
	08-10	L6	6.7L	AS68RC	13.7/13	7.2/6.8	Mopar AS 68RC					SYN DM, DVI, MV							
	10-12	L6	6.7L	68RFE	17.5/16.6	N/A	Mopar ATF+4					*DM, MV							
	13-20	L6	6.4, 6.7L	66RFE	12/11.4	5/4.7	Mopar ATF+4					*DM, MV							
Ram Van	18-20	V8, L6	5.7, 6.4, 6.7L	8HP45, 8HP70	9.0/8.5	N/A	ZF 8&9 speed ATF					LG8, MULV							
99-02	V6	3.9, V8 5.2L	36RH	6.8/6.4	4/3.8	Mopar ATF+4					*DM, MV								
Sprinter Van	03-06	L5	2.7L	NAG 1	8.1/7.7	5.3/5	Mopar 05127382AA					SYN DM, MV							
07-09	V6	3.0, 3.5L	NAG 1	8.1/7.7	5.3/5	Mopar 05127382AA					SYN DM, MV								
Van/Wagon	99-02	V8	5.2, 5.9L	46RH, 46RE	10/9.5	4/3.8	Mopar ATF+4					*DM, MV							
Cargo Van	13-15			62TE	9/8.5	5.5/5.2	Mopar ATF+4					*DM, MV							
Voyager(Grand)	89-01	L4, V6	2.4, 3.0, 3.3L	31TH	8.9/8.4	4/3.8	Mopar ATF+4					*DM, MV							
FIAT																			
BRAVA	96-01	L4	1.6L	N/A	N/A	4.3/3.9	DEXRON III					DM, DVI							
Marea	96-00	L4	1.6L	N/A	N/A	4.3/3.9	DEXRON III					DM, DVI							
Ulysse	99-00	L4	2.0L	N/A	N/A	2/1.9	DEXRON III					DM, DVI							
500	12-17	L4	1.4L	AW60T	6.6/6.2	N/A	Mopar AW-1					SYN DM, MV							
	16-17	L4	1.4L	948TE	6.4/6	N/A	Mopar ZF 8&9 ATF					ZF LG8, MULV							
	14-18	L4	1.4L	C635 DDCT	1.7/1.6	N/A	BOT 350	USE	OEM	FLUID		GL-4 75W							
500e	12-17			Single Speed Auto		0.8L	BOT 533	USE	OEM	FLUID		GL-4							
500L	18-20	L4	1.4L	AS60T	6.6/6.2	N/A	Mopar AW-1					SYN DM, MV							
FORD																			
500	05-07	V6	3.0L	CVT	10/9.5	N/A	Motorcraft XT-7-QCFT (CVT)					LUBE GARD CVT							
	05-07	V6	3.0L	AF21-B	7.4/7	N/A	Motorcraft XT-8-QAW					*DM, MV							
C-Max	13-18	L4	1.6L	HF35	4.8/4.5	N/A	MERCON LV					DVI							
	95-00	L4	2.0L	CD4E	9/8.5	4/3.8	MERCON					DM, MV							
Contour	95-00	V6	2.5L	CD4E	10.3/9.7	4/3.8	MERCON					DM, MV							
	96-07	V8	4.6L	4R70W	13.9/13.2	5/4.7	MERCON V					*DM							
Crown Victoria	07-11	V8	4.6L (2V)	4R70-E/4R75-E	13.9/13.3	5/4.7	MERCON LV					DVI							
	07-14	L4, V6	2.0, 3.5, 3.7L	6F50	11/10.4	N/A	MERCON LV					DVI							
Edge	15-20	L4, V6	2.0, 2.7, 3.7L	6F35, 6F50, 6F55	11/10.4	N/A	MERCON LV					DVI							
	97-02	L4	1.8, 1.9, 2.0L	4EAT-F	5.7/5.4	N/A	MERCON					DM, MV							
Escort	11-19	L4	1.6L	DPS6 DCT	1.8/1.7	N/A	XT-M5-QS	USE	OEM	FLUID		Use OEM Fluid							
Fiesta	09-19	V6	3.5L	6F50	11/10.4	N/A	MERCON LV					DVI							
	00-03	L4	2.0L	4F27E	6.9/6.6	N/A	MERCON V					*DM							
Focus	04-05	L4	2.0L	4F27E	6.9/6.6	N/A	MERCON V					*DM							
	06-07	L4	2.0L	4F27E	7.1/6.7	N/A	MERCON V					*DM							
	08-11	L4	2.0L	4F27E	6.9/6.6	5/4.7	MERCON LV					DVI							
	11-18	L4	1.0L, 2.0L, 2.3L	DPS6 DCT	1.8/1.7	N/A	XT-M5-QS	USE	OEM	FLUID		Use OEM Fluid							
	06-10	L4	2.3L	AW21/F21	7.4/7	N/A	TIV					*DM							
	14-18	L4	1.0L, 2.0L, 2.3L	6F15	9.2/8.6	1.9/1.8	MERCON LV					DVI							

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Focus Electric	12-18			CVT	1.3/1.2	N/A	MERCON LV				DVI						
Freestar	03-05	V6	3.9, 4.2L	CVT	N/A	N/A	Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT						
	04-07	V6	3.9, 4.2L	AX4N	13.7/13	N/A	MERCON V				*DM						
Freestyle	06-07	V6	3.8, 3.9, 4.2L	AX4N	12.3/11.6	N/A	MERCON V				*DM						
	05-07	V6	3.0L	CVT	10/9.5	N/A	Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT						
Fusion	05-09	L4, V6	2.3, 3.0, 3.5L	FNR5	7/6.7	N/A	Motorcraft XT-8-QAW				*DM, MV						
	05-08	V6	3.0L	AWGA-EL	7/4.7	N/A	Motorcraft XT-8-QAW				*DM, MV						
	10-12	L4, V6	2.5, 3.0, 3.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
	13-17	L4	2.0L	HF35	5.7/5.4	N/A	MERCON LV				DVI						
	13-16	L4	2.0, 2.5L	6F50	11.6/11	N/A	MERCON LV				DVI						
	14-17		1.5, 1.6L	6F35	9/8.5	N/A	MERCON LV				DVI						
	17-20	V6	2.7L	6F35, 6F50, 6F55	11.6/11	N/A	MERCON LV				DVI						
	06-10	L4, V6	2.5, 3.0, 3.5L	AW21	7.4/7	4/3.7	Motorcraft XT-8-QAW				*DM, MV						
	10-12	L4, V6	2.5, 3.0, 3.5L	AW21/F21	7.4/7	4/3.7	Motorcraft XT-8-QAW				*DM, MV						
	10-12	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
Fusion Hybrid	17-20	L4	2.0L	HF35	5.7/5.4	N/A	MERCON LV				DVI						
Lightning Truck	00-05	V8	5.4L	ZF 6HP26	13.9/13.2	N/A	MERCON SP				DVI						
Mustang	96-05	V6	3.8L	AOD-E, AODE-W	13.9/13.2	5/4.7	MERCON V				*DM						
	96-05	V8	4.6L	4R70W	12.8/12.1	5/4.7	MERCON V				*DM						
	05-12	V6, V8	4.0, 4.6, 5.4L	5R55S	11.9/11.2	N/A	MERCON V				*DM						
	11-14	V8	4.0, 4.6, 5.4L	6R80	11.8/11.2	N/A	MERCON LV				DVI						
	15-17	V6, V8	2.3, 3.7, 5.0L	6R80	12/11.4	N/A	MERCON LV				DVI						
	18-20	V6, V8	2.3, 3.7, 5.0L	10R80	12.7/12.0	N/A	MERCON ULV				DULV						
Taurus	99-03	V6	3.0, 3.2, 3.8L	AX4N	13.6/12.8	N/A	MERCON V				*DM						
	97-04	V6	3.0, 3.2, 3.8L	AX4S	12.3/11.6	N/A	MERCON V				*DM						
	04-05	V6, V8	3.0, 3.4L	AX4N	13.4/12.7	N/A	MERCON V				*DM						
	06-07	V6, V8	3.0, 3.4L	AX4N	13.7/13	N/A	MERCON V				*DM						
	08-09	V6	3.5L	6F50	10/9.5	N/A	MERCON V				*DM						
	10-12	V6	3.5L	6F50, 6F55	10.9/10.3, 11.6/11	N/A	MERCON LV				DVI						
Taurus X	08-19	V6	3.5L	6F55	11.6/11	N/A	MERCON LV				DVI						
	08-09	V6	3.5L	6F50	10/9.5	N/A	MERCON LV				DVI						
Thunderbird	02-07	V8	3.9L	5R55N	11.5/10.9	N/A	MERCON, MERCON V				DM, MV						
Transit Connect	10-13	L4	2.0L	4F27E	7/6.7L	N/A	MERCON LV				DVI						
	10-20	L4	1.6, 2.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
Windstar	97-00	V6	3.0, 3.8L	AX4S, AX4N	12.3/11.6	N/A	MERCON				DM, MV						
	01-07	V6	3.0, 3.8L	AX4S, AX4N	13.7/12.9	N/A	MERCON, MERCON V				DM, MV						
FORD TRUCKS & VANS																	
Bronco II	96-07	V6	4.2L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	96-07	V8	4.6, 5.0, 5.4L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	98-05	V8	5.4L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	05-10	V8	4.6, 5.4, 6.0, 6.8L	4R75-E	13.9/13.2	5.7/5	MERCON LV				DVI						
E-150	05-10	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6						
	06-08	V8	4.6, 5.4, 6.8L	4R70/75E-W	13.9/13.1	5/4.7	MERCON V				*DM						
Econoline 250 including S.Duty	09-14	V8	4.6L, 5.4	4R70/75E-W	13.9/13.1	5/4.7	MERCON LV				DVI						
	97-05	V6	4.2, V8 5.4L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	99-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	99-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	05-08	V8	4.6, 5.4, 6.0, 6.8L	4R75-E	13.9/13.2	5.7/5	MERCON V				*DM						
	05-08	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6						
	09-12	V8	4.6, 5.4, 6.0, 6.8L	4R75-E	13.9/13.2	5/4.7	MERCON LV				DVI						
	09-12	V8	5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7.1	MERCON LV				DVI						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- DULV Dexron Ultra LV
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV

- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



F

FORD TRUCKS & VANS cont.	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt./Liter	Service Fill Qt./Liter	OEM Fluid Type	■ 60902	■ 63010	■ 67010	Base Fluid	■ 61910	■ 62005	■ 63010	■ 68112 CVT	■ 56032 DCT	■ 69032 ATF
E-250	06-14	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.3/7	MERCON LV				DVI						
	15-19	V8	5.4, 6.2, 6.8L	6R140W	17.2/16.3	10/9.5	MERCON LV				DVI						
Econoline 350 including S.Duty	99-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	05-12	V8	4.6, 5.4, 6.0, 6.8L	4R75W	13.9/13.2	5.7/5	MERCON LV				DVI						
E-350	06-14	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.3/7	MERCON LV				DVI						
	15-19	V8	5.4, 6.2, 6.8L	6R140W	17.2/16.3	10/9.5	MERCON LV				DVI						
E-350 GAS & DIESEL	05-12	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6						
	11-12	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI						
E-350 Diesel	11-12	V8	6.0, 6.4	6R140	18/17, 16.7/15.8	10/9.5	MERCON LV				DVI						
	99-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	06-08	V8	6.0, 6.8L	5R110W	18.8/17.7	N/A	MERCON SP				DVI						
Econoline 450	00-04	V6, V8	4.2, 4.6, 5.4, 6.8, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON LV				DVI						
	00-04	V6, V8	4.2, 4.6, 5.4, 6.8, 7.3L	4R70W	17.7/16.7	6.4/6.1	MERCON LV				DVI						
	05-12	V8	4.6, 5.4, 6.0, 6.8L	4R75W	13.9/13.2	5.7/5	MERCON LV				DVI						
	05-12	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6						
E-450	06-14	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.3/7	MERCON LV				DVI						
	15-19	V8	5.4, 6.8,	6R140W	17.2/16.3	10/9.5	MERCON LV				DVI						
EcoSport	18-20	L4	1.0L	6F15	9.1/8.6	N/A	MERCON ULV				DULV						
	18-20	L4	2.0L	6F35	9.0/8.5	N/A	MERCON LV				DVI						
Escape	01-04	L4, V6	2.0, 2.3, 3.0L	CD4E	9/8.5	3.9/3.7	MERCON V				*DM						
	04-06	L4, V6	2.0, 2.3, 3.0L	CD4E	10/9.5	3.9/3.7	MERCON V				*DM						
	07-08	L4, V6	2.0, 2.3, 3.0L	CD4E	10/9.5	3.9/3.7	MERCON V				*DM						
	09-13	L4, V6	2.5, 3.0L	6F30	9.8/8.5	N/A	MERCON LV				DVI						
	13-19	L4	1.5, 2.0, 2.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
Escape	20	L4	1.5, 2.0, 2.5L	8F35/8F40	11.6/11.0	N/A	MERCON ULV				DULV						
	05-08	L4	2.3L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
Escape Hybrid	08-12	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
	20	L4	2.5L	HF45/eCVT	5.0/4.7	4.7/4.5	MERCON ULV				DULV						
Excursion	99-04	V8	5.4, 7.3L	4R100	17.1/16.1	6.5/6.1	MERCON				DM, MV						
	05-06	V8	5.4, 7.3L	5R110W	19.2/18	7.3/7	MERCON SP				DVI, LG 6						
Excursion 4X4 DIESEL	04-05	V8	6.0L	5R110W	18.8/17.7	N/A	MERCON SP				DVI, LG 6						
	97-04	V8	4.6, 5.4L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
Expedition	98-05	V8	5.4L	4R100	17.6/16.7	6.4/6.1	MERCON LV				DVI						
	98-05	V8	4.6L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	99-05	V8	5.4L	4R100, E40D	17.1/16.1	6.5/6.1	MERCON				DM, MV						
	05-06	V8	5.4L	4R75-E	13.9/13.2	5/4.7	MERCON V				*DM						
	05-08	V8	5.4L	ZF 6HP26	9.5/9	5/4.7	MERCON SP				DVI, LG 6						
	07-08	V8	5.4L	6R75	11/10.5	3.5/3	MERCON SP				DVI, LG 6						
	09-17	V8	5.4L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
	99-04	V6	4.0L	5R55W	10/9.5	3.9/3.7	MERCON V				*DM						
Explorer	04-10	V6, V8	4.0, 4.6L	5R55S	12.4/11.7	N/A	MERCON V				*DM						
	06-08	V8	4.0, 4.6L	6R60	11/10.5	5/4.7	MERCON SP				DVI, LG 6						
	09-10	V6, V8	4.0, 4.6L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
	11-19	V6, V8	2.5, 3.5, 3.7L	6F50, 6F55, 6F35	12.7/12, 11.6/11, 9/8.5	N/A	MERCON LV				DVI						
	20	L4, V6	2.3L, 3.0L, 3.3L	10R60/10R80	12.9/12.2, 13.7/13.0	12.6/11.9	MERCON ULV				DULV						
Explorer Police Utility	13-19	V6	3.5, 3.7L	6F50, 6F55, 6F35	11.6/11	N/A	MERCON LV				DVI						
	20	V6	3.5, 3.7L	10R80	14.8/14.0	12.6/12.9	MERCON ULV				DULV						
Flex	09	V6	3.5L	6F50/6F55	9.4/8.9	N/A	MERCON LV				DVI						
	10-12	V6	3.5L	6F35, 6F50/6F55	9/8.5, 11/10.4, 11.6/11	N/A	MERCON LV				DVI						
F150 4WD	98-04	V8	5.4L	4R100	17.6/16.7	6.5/6.1	MERCON				DM, MV						
	04-05	V8	4.6, 5.4L	4R70W	13.9/13.2	5/4.7	MERCON				DM, MV						
	04-09	V6, V8	4.2, 4.6, 5.4L	4R70-E/4R75-E	13.9/13.2	5/4.7	MERCON V				*DM						
F150 2 & 4WD	09-10	V8	3.7, 4.6, 5.4, 6.2L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
	11-13	V6, V8	2.7, 3.5, 3.7, 5.0, 6.2L	6R80	13.1/12.4	3.5/3.3	MERCON LV				DVI						
	17-20	V6	3.6L	10R80	13.1/12.4	N/A	MERCON ULV				DULV						

F

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
F250 including S.Duty	98-05	V6, V8	4.2, 4.6, 5.0, 5.4L	4R70W	13.9/13.2	5/4.7	MERCON, MERCON V				*DM						
	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	98-07	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	07-10	V8	5.4, 6.0, 6.8L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6						
	11-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7	MERCON SP				DVI, LG 6						
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI						
	17-20	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2	MERCON LV				DVI						
	17-20	V8	5.4, 6.0, 6.8L	6R140	17.0/16.4	8.2/7.8	MERCON LV				DVI						
F250 including S.Duty Diesel	17-20	V8	5.4, 6.0, 6.8L	10R140	18.2/17.2	6.0/5.6	MERCON ULV				DULV						
	11-12	V8	6.0, 6.4	6R140	18/17, 16.7/15.8	10/9.5	MERCON LV				DVI						
F350 including S. Duty	98-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	04-08	V8, V10	5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7.1	MERCON SP				DVI, LG 6						
	09-10	V8	5.4, 6.4, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6						
	13-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7	MERCON SP				DVI, LG 6						
F350 including S. Duty	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI						
	17-20	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2	MERCON LV				DVI						
	17-20	V8	5.4, 6.0, 6.8L	6R140	17.0/16.4	8.2/7.8	MERCON LV				DVI						
	17	V8	5.4, 6.0, 6.8L	10R140	18.2/17.2	6.0/5.6	MERCON ULV				DULV						
	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	04-08	V8	6.0L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6						
F350 including S. Duty	04-08	V8	6.0L PS	5R110W	19.2/18	7.3/7	MERCON SP				DVI						
	05-08	V8	5.4, 7.3L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI						
	98-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
F450 including S. Duty	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	04-08	V8	6.0L PS DIESEL	5R110W	19.2/18	7.3/7	MERCON SP				DVI, LG 6						
	04-08	V8, V10	5.4, 6.8L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6						
	04-08	V8	6.0L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6						
	09-10	V8	5.4, 6.4, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6						
	13-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7	MERCON SP				DVI, LG 6						
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI						
	17-20	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2	MERCON LV				DVI						
	17-20	V8	5.4, 6.0, 6.8L	6R140	17.0/16.4	8.2/7.8	MERCON LV				DVI						
	17-20	V8	5.4, 6.0, 6.8L	10R140	18.2/17.2	6.0/5.6	MERCON ULV				DULV						
F550 including S. Duty	98-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	04-08	V8	5.4, 6.0, 6.8L	5R110W	19.2/18	7.5/7	MERCON SP				DVI, LG 6						
	04-08	V8, V10	5.4, 6.8L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6						
	09-10	V8	5.4, 6.4, 6.8L	5R110W	19.2/18	7.5/7	MERCON SP				DVI, LG 6						
	11-12	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI						
	11-12	V8	6.0, 6.4	6R140	18/17, 16.7/15.8	10/9.5	MERCON LV				DVI						
	13-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7	MERCON SP				DVI						
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI						
	17-20	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2	MERCON LV				DVI						
	17-20	V8	5.4, 6.0, 6.8L	6R140	17.0/16.4	8.2/7.8	MERCON LV				DVI						
F550 including S. Duty DIESEL	17-20	V8	5.4, 6.0, 6.8L	10R140	18.2/17.2	6.0/5.6	MERCON ULV				DULV						
	04-08	V8	6.0L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6						
F650/F750	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	09-12	V8	CAT 3126, CUMMINGS 1SB	ALLISON 2000/2400	14.8/14 (STD PAN)	10.6/10 (STD PAN)	Allison Transynd (TES-295)				SYN DM, MV						
Lightning Truck	00-05	V8	4.6L	ZF 6HP26	13.2/13.9	N/A	MERCON SP				DVI, LG 6						
Ranger	99-07	L4, V6	2.3, 3.0, 4.0L	5R44-E/5R55-E	10/9.5	4/3.8	MERCON V				*DM						
	07-08	L4, V6	2.3, 3.0, 4.0L	5R44-E/5R55-E	10/9.5	N/A	MERCON V				*DM						
	09-11	L4, V6	2.3, 4.0L	5R44-E/5R55-E	10/9.5	N/A	MERCON V				*DM						
	19-20	L4	2.3L	10R80	12.8/12.1	5.0/4.8	MERCON ULV				DULV						
Transit	15-20	V6	3.5L	6R80	13.1/12.4	3.5/3.3	MERCON LV				DVI						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- DULV Dexron Ultra LV
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV

- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



**F
G
H**

FORD TRUCKS & VANS cont.		Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	OPTION 1			Base Fluid	OPTION 2			OPTION 3		
Model	60902								63010	67010	61910		62005	63010	68112 CVT	56032 DCT	68032 ATF	
Transit Connect		10-13	L4	2.0L	4F27E	7/6.7L	N/A	MERCON LV	■			DVI						
		15-20	L4	1.6, 2.5L	6F35	9/8.5	N/A	MERCON LV	■			DVI						
GENESIS																		
G70		19-20	L4, V6	2.0L/3.3L	A8LR1-1/ A8TR1-1	9.7/9.2	N/A	SP-IV RR	■			SYN DVI, DHP						
G80		17-20	V6, V8	3.3L, 5.0L	A8LR1	11.1/10.5	N/A	SP-IV RR	■			SYN DVI, DHP						
G90		17-20	V6, V8	3.3L, 5.0L	A8LR1	9.7/9.2	N/A	SP-IV RR	■			SYN DVI, DHP						
GEO																		
Metro		85-02	L3, L4	1.0, 1.3L	MX17, A210	5.2/4.9	2/1.9	DEXRON III	■			DM, DVI						
		85-02	L4	1.6L	A131L, MX1	6.7/6.3	2.5/2.4	DEXRON III	■			DM, DVI						
Prizm		93-02	L4	1.6, 1.8L	A245E, MS7	8/7.6	3.3/3.1	DEXRON III	■			DM, DVI						
		89-02	L4	1.6L	3L30, TH180	5.4/5.1	3/2.8	DEXRON III	■			DM, DVI						
Tracker		96-02	L4	1.6L	03-72LE (A44DE)	6.7/6.3	2.7/2.6	DEXRON III	■			DM, DVI						
HONDA																		
Accord		98-00	L4	2.3L	BAXA	6.4/6.1	2.9/2.7	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		98-00	V6	3.0L	B7XA	7.6/7.2	3.1/2.9	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		01-02	L4	2.3L	MAXA	7.5/7.1	2.6/2.5	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		01-02	V6	3.0L	B7XA	7.5/7.1	3.1/2.9	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		03-08	L4	2.4L (K24A8)	BCLA, MCLA	6.9/6.5	3/2.9	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		03-08	V6	3.0L (J30A5)	BAYA, MAYA	7.4/7	3.2/3	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		05-07	V6	3.0L (J30A5)	MURA (HYBRID)	6.9/6.5	3.1/2.9	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		08-10	L4	2.4L (K24Z3)	B90A	6.9/6.5	2.6/2.5	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		08-10	V6	3.5L (J35Z2) (J35Z3)	B97A	7.9/7.5	3.5/3.3	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		11-12	L4	2.4L (K24Z3)	B90A	6.9/6.5	2.6/2.5	Honda Genuine ATF DW-1	■			DVI						
		11-12	V6	3.5L (J35Z2) (J35Z3)	B97A	7.9/7.5	3.5/3.3	Honda Genuine ATF DW-1	■			DVI						
		13-15	L4	2.4L (K24Z3)		6.5/6.1	2.6/2.5	Honda Genuine ATF DW-1	■			DVI						
		13-15	V6	3.5L (J35Z2) (J35Z3)		8.5/8	3.3/3.1	Honda Genuine ATF DW-1	■			DVI						
		13-17	L4	2.4L	CVT	8/7.6	3.9/3.7	HCF-2 CVT Fluid				LUBEGARD CVT Fluid						
		18-20	L4	1.5L, 2.0L	CVT	8/7.6	3.9/3.7	HCF-2 CVT Fluid				LUBEGARD CVT Fluid						
		18-20	L4	2.0L	10-speed	8.8/8.3	4.7/4.5	Honda Type 2.0	USE	OEM	FLUID							
Accord Crosstour		10	V6	3.5L (J35Z2)	BBSA, BBTA	8.3/7.9	3.5/3.3	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		11-13	V6	3.5L (J35Z2)	BBSA, BBTA	8.3/7.9	3.5/3.3	Honda Genuine ATF DW-1	■			DVI						
		14-15	L4	2.4L		6.5/6.1	2.6/2.5	Honda Genuine ATF DW-1	■			DVI						
		14-15	V6	3.5L		8.5/8	3.3/3.1	Honda Genuine ATF DW-1	■			DVI						
Accord Hybrid		13-17	L4	2.0L	CVT	4/3.8	2.5/2.4	Honda Genuine ATF DW-1	■			DVI						
		18-20	L4	2.0L	E-CVT	3.3/3.2		Honda Genuine ATF DW-1	■			DVI						
Civic		96-00	L4	1.6L	CVT, M4VA	6.8/6.4	4.1/3.9	Honda Genuine CVT				LUBEGARD CVT						
		97-00	L4	1.6L	B4RA, B46A, M4RA	6.3/5.7	2.9/2.7	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		01-05	L4	1.7L	BMXA, SLXA	6.3/6	2.9/2.7	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		01-05	L4	1.7L	SLYA (CVT)	5.9/5.6	3.3/3.1	Honda Genuine CVT				LUBEGARD CVT						
		06-10	L4	1.8L (R18A4) (R18A1)	SPCA	6.2/5.9	2.5/2.4	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		08-10	L4	2.0L (K20Z3)	SPCA, MPCA	6.2/5.9	2.5/2.4	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		11-12	L4	1.8L (R18A4) (R18A1)	SPCA	6.2/5.9	2.5/2.4	Honda Genuine ATF DW-1	■			DVI						
		11-15	L4	2.0L (K20Z3)	SPCA, MPCA	6.2/5.9	2.5/2.4	Honda Genuine ATF DW-1	■			DVI						
		16-20	L4	1.5L	CVT	8/7.6	3.9/3.7	HCF-2 CVT				LUBEGARD CVT						
		16-20	L4	2.0L	CVT	6.1/5.8	3.7/3.5	HCF-2 CVT				LUBEGARD CVT						
Civic/Hybrid		03-12	L4	1.3L (LDAZ)	SZCA	5.9/5.6	3.3/3.1	Honda Genuine CVT				LUBEGARD CVT						
		06-13	L4	1.3L (LDAZ)	SPSA (CVT)	5.4/5.1	3/2.8	Honda Genuine CVT				LUBEGARD CVT						
		14-15	L4	1.3L (LDAZ)		5.6/5.3	3/2.8	HCF-2 CVT				LUBEGARD CVT						
		97-01	L4	2.0, 2.4L	M4TA, MDLA	6.2/5.9	3/2.8	Honda Genuine ATF Z-1	■			DM, DVI, MV						
CR-V		02-04	L4	2.0, 2.4L	M4TA, MDMA, MRVA, MDLA, MCVA	6.8/6.5, 7.6/7.2	3.1/2.9, 3.3/3.1	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		02-07	V6	2.3L	N/A	7.6/7.2	3.2/3.1	Honda Genuine ATF Z-1	■			DM, DVI, MV						
		05-07	L4	2.4L	MKYA, MKZA, GPLA, GPPA	6.8/6.5, 7.6/7.2	3.1/2.9, 3.3/3.1	Honda Genuine ATF Z-1	■			DM, DVI, MV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
CR-V	08-09	L4	2.4L (K24Z1) (K24Z6)	BZJA, BZHA, MZJA, MZHA	7.5/7.3	2.7/2.6	Honda Genuine ATF Z-1				DM, DVI, MV						
	10-16	L4	2.4L (K24Z1) (K24Z6)	M16A, M17A, BZJA, BZHA, MZJA, MZHA	7.6/7.2	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV						
CRZ	15-16	L4	2.4	CVT	8.9/8.4	4.5/4.3	HCF-2 CVT				LUBEGARD CVT						
	17-20		1.5L/2.0L	CVT	8.9/8.4	4.5/4.3	HCF-2 CVT				LUBEGARD CV						
	11-16	L4	1.3L (LDAZ)	SPSA (CVT)	5.4/5.1	3/2.8	Honda Genuine CVT				LUBEGARD CVT						
Element 2WD	03-04	L4	2.4L	BZKA	6.9/6.5	3.1/2.9	Honda Genuine ATF Z-1				DM, DVI, MV						
	03-06	L4	2.4L	MZKA	7.6/7.2	3.3/3.1	Honda Genuine ATF Z-1				DM, DVI, MV						
	05-06	L4	2.4L	BZKA	7.2/6.8	3.4/3.2	Honda Genuine ATF Z-1				DM, DVI, MV						
	07-08	L4	2.4L (K24A8)	BZNA, MZKA	7.6/7.2	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV						
	09-11	L4	2.4L (K24A8)	MNZA	7.4/7	2.7/2.6	Honda Genuine ATF Z-1				DM, DVI, MV						
	09-11	L4	2.4L (K24A8)	MKZA	7.6/7.2	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV						
Fit	07-08	L4	1.5L (L15A7)	SMMA	6.3/6	2.5/2.4	Honda Genuine ATF Z-1				DM, DVI, MV						
	09	L4	1.5L (L15A7)	SPAA	6.2/5.9	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV						
	10	L4	1.5L (L15A7)	SP5A, MP5A	6.2/5.9	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV						
	11-13	L4	1.5L (L15A7)	SP5A, MP5A	6.2/5.9	2.6/2.5	Honda Genuine ATF DW-1				DVI						
HR-V	15-20	L4	1.5L	CVT	6/5.7	3.6/3.4	HCF-2 CVT				LUBEGARD CVT						
	16-20	L4	1.8L	CVT	7.2/6.8	4.2/4	HCF-2 CVT				LUBEGARD CVT						
Insight Hybrid	99-01	V6	2.2, 2.3L	B7YA, B7TA	7.5/7.1	3.1/2.9	Honda Genuine ATF Z-1				DM, DVI, MV						
	02-04	V6	3.2, 3.5L	BYBA	8.3/7.9	3.5/3.3	Honda Genuine ATF Z-1				DM, DVI, MV						
	04-06	L3	1.0L	CVT (MHTA)	5.8/5.5	3.5/3.3	Honda Genuine CVT				LUBEGARD CVT						
	05-06	V6	3.2, 3.5L	BGRA	8.3/7.9	3.5/3.3	Honda Genuine ATF Z-1				DM, DVI, MV						
Insight Hybrid	07-10	V6	3.5L (J35A6) (J35A7)	P36A	8/7.6	3.3/3.1	Honda Genuine ATF Z-1				DM, DVI, MV						
	10-14	L4	1.3L (LDA3)	SBLA (CVT)	5.5/5.2	2.8/3	Honda Genuine CVT				LUBEGARD CVT						
	11-14	V6	3.5L (J35A6) (J35A7)	P36A, P5FA	8/7.6	3.3/3.1	Honda Genuine ATF DW-1				DVI						
Insight	19-20	L4	1.5L	CVT	3.4/3.2	2.1/2.0	Honda Genuine CVT				LUBEGARD CVT Fluid						
Odyssey	00-10	V6	3.5L	BYBA	8.5/8	3.3/3.1	Honda Genuine ATF Z-1				DM, DVI, MV						
	11-13	V6	3.5L	5-speed	8/7.6	3.3/3.1	Honda Genuine ATF DW-1				DVI						
	11-13	V6	3.5L	6-speed	7.4/7	3.6/3.4	Honda Genuine ATF DW-1				DVI						
	14-17	V6	3.5L	6-speed	7.4/7	3.3/3.1	Honda Genuine ATF DW-1				DVI						
	18-20	V6	3.5L	9-speed	7.7/7.3	3.5/3.3	Honda ATF Type 3.1				ZF LG8, MULV						
Passport	18-20	V6	3.5L	10-speed	9.0/8.5	4.8/4.5	Honda ATF Type 2.0	USE	OEM	FLUID							
	94-04	L4	2.6 V6 3.2L	4L30-E	9.1/8.6	4/3.8	DEXRON III				DM, D6						
Pilot	03-04	V6	3.5L	BVGA	8.2/7.8	3.2/3	Honda Genuine ATF Z-1				DM, DVI, MV						
Pilot 2WD	05-07	V6	3.5L (J35Z4)	BVLA, BVGA	8.7/8.3	3.9/3.7	Honda Genuine ATF Z-1				DM, DVI, MV						
	08-10	V6	3.5L (J35Z4)	PN4A	8.6/8.1	3.6/3.4	Honda Genuine ATF Z-1				DM, DVI, MV						
Pilot	11-12	V6	3.5L (J35Z4)	PN4A	8.6/8.1	3.6/3.4	Honda Genuine ATF DW-1				DVI						
Pilot 4WD	08-10	V6	3.5L (J35Z4)	PN3A	8.6/8.1	3.6/3.4	Honda Genuine ATF Z-1				DM, DVI, MV						
Pilot	11-12	V6	3.5L (J35Z4)	PN3A	8.6/8.1	3.6/3.4	Honda Genuine ATF DW-1				DVI						
	16-20	V6	3.5L	6-speed	7.4/7	3.6/3.4	Honda Genuine ATF DW-1				DVI						
	16-20	V6	3.5L	9-speed	7.7/7.3	3.5/3.3	Honda ATF Type 3.1				ZF LG8, MULV						
Prelude	92-02	L4	2.2, 2.3L	MP1A, M6HA	6.3/6	2.5/2.4	Honda Genuine ATF Z-1				DM, DVI, MV						
	05-08	V6	3.5L (J35A9)	MJFA, BJFA	8.5/8	3.3/3.1	Honda Genuine ATF Z-1				DM, DVI, MV						
Ridgeline	09-14	V6	3.5L (J35Z5)	P5FA	8.5/8	3.3/3.1	Honda Genuine ATF DW-1				DVI						
	15-17	V6	3.5L (J35Z5)	6-speed	8.5/8	3.3/3.1	Honda Genuine ATF DW-1				DVI						
	17-19	V6	3.5L	6-speed	8.7/8.2	3.3/3.1	Honda Genuine ATF DW-1				DVI						
	20	V6	3.5L	9-speed	8.1/7.7	N/A	Honda ATF Type 3.1				ZF LG8, MULV						
HUMMER																	
H3	06-10	V6, V8	2.8 (LVC), 3.7 (LLR), 5.3L (LH9) (LH8)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV						
H2	03-08	V8	6.0L (LQ4)	4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	08-09	V8	6.2L (LH9)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
* Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



H

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type				Base Fluid						
HYUNDAI								60902	63010	67010	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF	
Accent	95-01	L4	1.5, 1.6L	A4AF1/2/3	6.5/6.1	4.2/4	Hyundai SP-III				*DM, DVI, MV						
	95-08	L4	1.5, 1.6L	A4AF2, F4A32	6.5/6.1, 6.9/6.5	4.2/4	Hyundai SP-III				*DM, DVI, MV						
Accent LC	00-05	L4	1.5 (G4EB), 1.6L (G4ED)	A4AF3	6.3/6.1	4.2/4	Hyundai SP-III				*DM, DVI, MV						
Accent MC	06-12	L4	1.6L (G4ED)	A4AF3	6.4/6.1	4.2/4	Hyundai SP-III				*DM, DVI, MV						
Accent	12-19	L4	1.6	A6GF1	7.7/7.3	N/A	Hyundai SP-IV				DVI, MLV						
	20	L4	1.6	COGF1	6.8/6.5	N/A	Kia IVTF SP-CVT1				LUBEGARD CVT						
Azera	06-10	V6	3.8 (G4DA), 3.3L (G4DB)	A5HF1-2, A5HF1	11.5/10.9	N/A	Hyundai SP-III				*DM, DVI, MV						
	11-13	L4, V6	2.4, 3.0L	A6LF1	8.2/7.8	N/A	Hyundai SP-IV				DVI, MLV						
	14-17	L4, V6	2.4, 3.0L	A6F12	8.2/7.8	N/A	Hyundai SP-IV				DVI, MLV						
Elantra	96-00	L4	1.8, 2.0L	A4BF1, A4BF3	6.9/6.6	N/A	Hyundai SP-III				*DM, DVI, MV						
	01-06	L4	2.0L	F4A42	8.2/7.8	N/A	Hyundai SP-III				*DM, DVI, MV						
Elantra HD	07-13	L4	2.0L (G4GC)	A4CF2	6.9/6.6	N/A	Hyundai SP-III				*DM, DVI, MV						
Elantra FD	09-13	L4	2.0L (G4GC)	A4CF2	6.9/6.6	N/A	Hyundai SP-III				*DM, DVI, MV						
	14-17	L4	1.8, 2.0L	A6GF1	7.7/7.3	N/A	Hyundai SP-IV				DVI, MLV						
Elantra	17-20	L4	1.4L/1.6L	D7UF1 DCT	2.1/2.0	N/A	70W GL-4	USE	OEM	FLUID							
	19-20	L4	1.4L/1.6L	COGF1	6.8/6.5	N/A	Kia IVTF SP-CVT1				LUBEGARD CVT						
Entourage	07-10	V6	3.8L (G6DA)	A5HF1	11.5/10.9	N/A	Hyundai SP-III				*DM, DVI, MV						
	11	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A	Hyundai SP-III				*DM, DVI, MV						
Equus	11	V6, V8	3.8L, 5.0L	6HP26	10/9.5	N/A	Hyundai ATF RED 1K				DVI, MLV						
	12-16	V6, V8	3.8L, 5.0L	A8TR1	10.7/10.1	N/A	Hyundai SP-IV				DVI, MLV						
Genesis Coupe BK	10-12	L4, V6	2.0 (G4KD), 3.8L (G6DA)	A5SR, ZF6HP19	10.6/10	N/A	Hyundai ATF RED 1K				DVI, MLV						
Genesis BH	09-12	V6, V8	4.6 (G8BA), 3.8 (G6DA), 3.3L (G6DB)	ZF 6HP26, TB60N, TB65N	9.7/9.2	N/A	Hyundai ATF RED 1K				DVI, MLV						
Genesis Sedan	12-16	V6, V8	3.8, 5.0L	A8R1	11.1/10.5	7.4/7	Hyundai SP-IV				DVI, MLV						
Genesis Coupe	13-16	V6, V8	3.8, 5.0L	A8TR1	10.1/9.6	N/A	Hyundai SP-IV				DVI, MLV						
	17-20	L4	1.6L	D6KF1	1.8/1.7	N/A	70W GL-4	USE	OEM	FLUID							
	17-21	L4	1.6L	D6KF2	1.8/1.8	N/A	70W GL-5	USE	OEM	FLUID							
	17-22	L4	1.6L	D6KF3	1.8/1.9	N/A	70W GL-6	USE	OEM	FLUID							
Ioniq	17-23	L4	1.6L	D6KF4	1.8/1.10	N/A	70W GL-7	USE	OEM	FLUID							
	01-02	L4, V6	2.4, 2.7L	F4A51	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
	03-04	L4	2.4L	F4A51	8.2/7.8	N/A	Hyundai SP-III				*DM, DVI, MV						
	03	V6	2.7L	F4A51	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
	03	V6	3.5L	F5A51	11/10.4	N/A	Hyundai SP-III				*DM, DVI, MV						
Santa Fe	04	V6	2.7L	F4A51	8.2/7.8	N/A	Hyundai SP-III				*DM, DVI, MV						
	04	V6	3.5L	F5A51	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
	05-08	V6	2.7, 3.5L	F5A51	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
	07-09	L4, V6	2.7 (G4EA), 3.3L (G6DB)	F4A51-3, A5HF1	9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
Santa Fe CM	10-11	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A	Hyundai SP IV				DVI, MLV						
	11-17	L4	2.0L, 2.4L	A6LF1, A6MF1	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
	11-18	V6	3.3, 3.5L	A6LF2, A6MF2	8.2/7.8	N/A	Hyundai SP IV				DVI, MLV						
	19-20	L4	2.0L, 2.4L	A8LF1, A8MF1	7.4/7.0	N/A	Hyundai SP IV				DVI, MLV						
Sonata	94-05	V6	3.0L	F4A33-1	6.4/6.1	4.2/4	Hyundai SP-III				*DM, DVI, MV						
	99-05	L4, V6	2.4L, 2.7L	F4A42	8.2/7.8	4.2/4	Hyundai SP-III				*DM, DVI, MV						
	06-10	L4	2.4L (G4KE)	F4A42-2, A5GF1	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
	06-10	V6	3.3L (G6DB)	A5HF1	11.5/10.9	N/A	Hyundai SP-III				*DM, DVI, MV						
	11-18	L4	2.0, 2.4L	A6MF2	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
Sonata Hybrid	19-20	L4	1.6L, 2.5L	A6MF2, A8MF1	7.5/7.1, 6.9/6.5	N/A	Hyundai SP IV				DVI, MLV						
	15-17	L4	1.6L	A6MF2	7.0/6.6	N/A	Hyundai SP IV				DVI, MLV						
	18-19	L4	1.6L, 2.5L	A8LF1	6.3/6.0	N/A	Hyundai SP IV				DVI, MLV						
	14-18	L4	1.6L	D7UF1 DCT	2.0/1.9	N/A	70W GL-4	USE	OEM	FLUID							
Tucson	11-13	L4	2.0, 2.4L	A6MF1	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
	14-20	L4	2.0L	A6LF2, A6MF2	7.7/7.3	N/A	Hyundai SP IV				DVI, MLV						
	18-20	L4	1.6L	D7UF1 DCT	2.0/1.9	N/A	70W GL-4	USE	OEM	FLUID							

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Tiburon	97-08	L4, V6	2.0L, 2.7L	AFBF1,F4A32	8.2/7.8	4.2/4	Hyundai SP-III				*DM, DVI, MV						
	05-09	L4, V6	2.0 (G4GC), 2.7L (G6BA)	F4A42-2, F4A51, W4A51	8.2/7.8	N/A	Hyundai SP-III				*DM, DVI, MV						
	10	L4	2.0 (G4KD), 2.4L (G4KE)	A6MF1	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
Velooster	13-15	L4	1.6L	A6MF2	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
	12-18	L4	1.6L	A6GF1 DCT	2.0/1.9	N/A	75W-85 GL-4	USE	OEM	FLUID							
Venue	19-20	L4	1.6L	D7UF1 DCT	2.0/1.9	N/A	70W GL-4	USE	OEM	FLUID							
	20	L4	1.6L	ICVT	6.3/6.5	N/A	Kia IVTF SP-CVT1				LUBEGARD CVT						
Vera Cruz	07-10	V6	3.0L, 3.8L (G6DA)	F21	7.4/7	N/A	Toyota Type T-IV				*DM, MV						
	11-12	V6	3.0L, 3.8L (G6DA)	A6MF2, A6MF2H	7.7/7.3	N/A	Hyundai SP IV				DVI, MLV						
XG300, XG350	99-05	V6	3.0, 3.5L	F5A51	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
INFINITI																	
FX35	08-12	V6	3.5L (VQ35HR)	RE5R05A	10.9/10.3	N/A	Nissan Matic-S				DVI, MLV						
	09-12	V6, V8	3.5, 4.5L	RE7R01A, RE7R01B	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
FX35/50	03-08	V6, V8	3.5, 4.5L	RE5R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	09-13	V6	3.5L (VQ35HR)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
FX45	09-13	V8	5.0L (VK50VE)	RE7R01B	12/11.3	N/A	Nissan Matic-S				DVI, MLV						
	03-08	V6, V8	3.5, 4.5L	RE5R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
G20	91-02	L4	2.0L	RL4F03A/V	7.3/6.9	N/A	Nissan Matic-D				*DM, DVI, MV						
G25	11-12	V6	2.5L (VQ25HR)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
G35 & Coupe	03-08	V6	3.5L	RE5R05A	10.8/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	G37	09-13	V6	3.7L (VQ37VVR)	RE7R01A	9.7/9.2	Nissan Matic-S				DVI, MLV						
I30/I35	95-05	V6	3.0L	RE4F04A	10/9.5	N/A	Nissan Matic-D				*DM, DVI, MV						
I35	04	V6	3.5L	RE4F04A	10/9.5	N/A	Nissan Matic-D				*DM, DVI, MV						
JX35	13	V6	3.5	CVT	10.7/10.2	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
M35	06-08	V6	3.5L	RE5R05A	10.8/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	09-10	V6, V8	3.5 (VQ35HR), 4.5L (VQ45DE)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
M35H	12-13	V8	4.5L (VQ45DE)	RE701H	7.4/7	N/A	Nissan Matic-S				DVI, MLV						
M37	11-13	V6	3.7L (VQ37VVR)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
M45	03-08	V8	4.5L	RE5R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
M56	11-13	V8	5.5L (VK56VD)	RE7R01B	10.5/10	N/A	Nissan Matic-S				DVI, MLV						
Q45	94-01	V8	4.1L	RE5R01A	11.1/10.5	N/A	Nissan Matic-D				*DM, DVI, MV						
	02	V8	4.5L	RE4R05A	10.7/10.1	N/A	Nissan Matic-J				SYN DM, DVI, MV						
Q45	02-06	V8	4.5L	RE5R05A	10.8/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	03-06	V8	4.5L	RE4R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
Q50	14-18	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
	16-20	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
	17-20	V6	3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
Q50 Hybrid	16-17	V6	3.4L	RE7R01H	7.4/7	N/A	Nissan Matic-S				DVI, MLV						
Q60	14-15	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
	16-17	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
Q70	15-17	V6, V8	3.7, 5.6L	RE7R01A	10.5/10	N/A	Nissan Matic-S				DVI, MLV						
Q70 Hybrid	14-19	V6	3.4L	RE7R01H	7.4/7	N/A	Nissan Matic-S				DVI, MLV						
QX4	97-03	V6	3.3L	RE4R01A	9/8.5	N/A	DEXRON III				DM, DVI						
QX50	14-17	L4, V6	2.0, 3.0L	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
	19-20	L4, V6	2.0, 3.0L	GEOF10A CVT	9.3/8.8	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
QX56	04-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-S				DVI, MLV						
	11-13	V8	5.6L (VK56DE)	RE5R05A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
QX60	14-17	V6	3.5L	REOF10E	9.3/8.8	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
	19-20	V6	3.0L	REOF10	9.3/8.8	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
QX60 Hybrid	14-17	L4	2.5L	REOF02H	6.2/5.9	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
QX70	14-17	V6, V8	3.7, 5.6L	RE7R01B	12/11.3	N/A	Nissan Matic-S				DVI, MLV						
QX70 Hybrid	14-17	V6	3.7L	RE7R01H	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
QX80	14-20	V8	5.6L	RE7R01B	10.6/10	N/A	Nissan Matic-S				DVI, MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- DULV Dexron Ultra LV
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV

- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



I J

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
ISUZU																	
1280, 1350	06	N/A	N/A	4L65-E	11.2/10.6	5/4.7	DEXRON III				DM, DVI						
1290, 1370	07-08	L6, I5	2.9, 3.7L	4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV						
Amigo	99-02	V6	3.2, 3.5L	4L30-E	9.1/8.6	N/A	DEXRON III				DM, DVI						
Ascender	03-08	V6, V8	4.2, 5.3L	4L60-E	11.2/10.6	5/4.7	DEXRON III				DM, DVI						
Axiom	99-04	V6	3.2, 3.5L	4L30-E	9.1/8.6	N/A	DEXRON III				DM, DVI						
Hombre	96-00	L4	2.2, V6 4.3L	4L60-E	8.8/8.3	5/4.7	DEXRON III				DM, DVI						
Oasis	96-02	L4	2.2, 2.3, 2.4, 2.5L	MPJA	6.6, 6/6.3	2.5/2.4	Honda Genuine ATF Z-1				DM, DVI, MV						
Rodeo	91-02	All	N/A	4L30-E	9.3/8.8	3.2/3	DEXRON III				DM, DVI						
	04	All	3.5L	4L30-E	8.7/9.2	N/A	Isuzu Genuine Fluid				DM, DVI						
Trooper	90-02	V6	3.2, 3.5L	4L30-E	9.3/8.8	3.2/3	DEXRON III				DM, DVI						
Truck NPR	95-02	V8	5.7L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI						
JAGUAR																	
E-Pace	18-20	L4	2.0L	ZF 9HP48	6.9/6.5		Shell M-L12108				Syn DVI, DHP, LG 8						
F-Type	14-15	V6	5.0L	ZF 6HP28	10.7/10.1	N/A	Shell M-1375.4				DVI, MLV						
	16-20	V6, V8	3.0, 5.0L	ZF 8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
F-Pace	17-20	V-6	3.0L	ZF 8HP45/8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
S-Type	00-02	V6, V8	3.0, 4.0L	5R55N	N/A	N/A	Esso Type LT 71141				SYN DM, MV						
	03-06	V6	3.0L	ZF 6HP26	N/A	N/A	Esso Type LT 71141				SYN DM, MV						
Vanden Plas	98-03	V8	4.0L	ZF 5HP24	13.7/13	4.2/4	Esso Type LT 71141				SYN DM, MV						
	04-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
X-Type AWD	02-06	V6	3.0L	JF506K	13.7/13	4.2/4	Esso Type LT 71141				SYN DM, MV						
XE	17-20	V6, V8	3.0, 5.0L	ZF 8HP45/8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
XF (X250)	09-10	V6, V8	2.7, 3.0, 4.2, 5.0L	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
	11-15	V6, V8	3.0 (AJ27), 5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XF	16-20	V6, V8	3.0, 5.0L	ZF 8HP45/8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
XFR	10-12	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XFR-S	10-15	V6, V8	4.2, 5.0L	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XJ8/ XJL	98-03	V8	4.0L	ZF 5HP24	13.7/13	4.2/4	Esso Type LT 71141				SYN DM, MV						
	04-06	V8	4.2L	ZF 6HP26	N/A	N/A	Jaguar Fluid 8342				DVI, MLV						
	98-03	V8	4.0L Schargd	ZF 5HP24	13.7/13	5.8/5.5	Shell 3403-M 115				SYN DM, D6, MV						
	04-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
XJR	10-16	V6, V8	4.2, 5.0L	ZF 6HP28	10.6/10	N/A	Shell M-1375.4				DVI, MLV						
	17-18	V6, V8	3.0, 5.0L	ZF 8HP45/8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
XJS & XJ12	93-02	V12	6.0L	4L80-E	13.5/12.8	5/4.7, 7.7/7.3	DEXRON III				DM, DVI						
	98-02	V8	4.0L Schargd	4L80-E	13.5/12.8	4.2/4	DEXRON III				DM, DVI						
XJ (X350)	04-09	V6, V8	2.7 (TD6V), 3.0 (AJ27), 4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
	10-16	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XJ (X351)	17-19	V6, V8	3.0, 5.0L	ZF 8HP45/8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
XJL	10-16	V6, V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
	97-00	V8	4.0L	ZF 5HP24	13.7/13	4.2/4	Esso Type LT 71141				SYN DM, MV						
XX8	01-02	V8	4.0L	5R55N	N/A	N/A	Esso Type LT 71141				SYN DM, MV						
	03-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
	10	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
	01-02	V8	4.2L	5R55N	N/A	N/A	Esso Type LT 71141				SYN DM, MV						
XXR	03-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
	10-15	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XXR-S	10-15	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Shell M-1375.4				DVI, MLV						
JEEP																	
Cherokee	87-01	L4	2.5, L6 4.0L	A340F	8.5/8	4.2/4	DEXRON III				DM, DVI						
	95-01	L4	2.5, L6 4.0L	A904	8.2/7.8	2/1.9	Mopar ATF+4				*DM, MV						
	14-20	L4, V6	2.4, 3.2L	948TE	N/A	6.4/6.0	Mopar 8&9-speed ATF				LG8, MULV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Commander	06-10	V6	3.7L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4				*DM, MV						
	06-10	V8	4.7, 5.7L	545RFE	16.9/16, 14.8/14	6.5/6.2	Mopar ATF+4				*DM, MV						
Compass	07-17	L4	2.0, 2.4L	CVT2	8.6/8.1	4/3.8	Mopar CVT+4 (VTF)				LUBEGARD CVT						
	14-17	L4	2.0, 2.4L	6F24	7.4/7.0	4.3/4	SK ATF SPIV				DVI, MLV						
	17-20	L4	2.4L	6F25	6.6/6.2	N/A	MOPAR AW-1										
Gladiator	17-20	L4	2.4L	948TE	N/A	6.4/6.0	Mopar 8&9-speed ATF				LG8, MULV						
	20	V6	3.0L, 3.6L	8HP50	9.5/9.0	N/A	Mopar 8&9-speed ATF				LG8, MULV						
Grand Cherokee	98-01	V8	5.9, L6 4.0L	A500, 42, 44RE	12.2/11.6	4/3.8	Mopar ATF+4				*DM, MV						
	98-04	V8	5.9L	A500, 42, 44RE	12.2	4/3.8	Mopar ATF+4				*DM, MV						
	98-04	V8	5.2L	A518, 46RE	14.1/13.4	4/3.8	Mopar ATF+4				*DM, MV						
	99-04	V8	4.7L	45RF-E	14/13.3	5/4.7	Mopar ATF+4				*DM, MV						
	02-07	L6, V8	4.0, 5.9L	A500, 42, 44R-E	14.1/13.4	4/3.8	Mopar ATF+4				*DM, MV						
	04-05	V6	3.7, 4.7L	545RFE 1	14/13.3	5.4/5.2	Mopar ATF+4				*DM, MV						
	05-12	V8	4.7, 5.7L	545RFE	16.9/16, 14.8/14	6.5/6.2	Mopar ATF+4				*DM, MV						
	06-10	V6, V8	3.0, 3.7L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4				*DM, MV						
Liberty	06-12	V8	6.1L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4				*DM, MV						
	13-20	V6, V8	3.0, 5.7L	8HP45/8HP70	9/8.5	9/8.5	Mopar 8&9-speed ATF				LG8, MULV						
	13-20	V8	6.1, 6.4L	8HP70, 8HP75	9/8.5	9/8.5	Mopar 8&9-speed ATF				LG8, MULV						
	18-20	V8	6.1L, 6.4L	8HP95	9.5/9.0	N/A	Mopar 8&9-speed ATF				LG8, MULV						
	02	L4, V6	2.4, 3.7L	45RFE	14/13.3	5/4.7	Mopar ATF+4				*DM, MV						
	03-06	L4	2.8L	42RLE	8.7/8.3	4/3.8	Mopar ATF+4				*DM, MV						
Patriot	03-09	V6	3.7L	42RLE	8.7/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	03-12	L4, V6	2.4, 3.7L	545RFE	16.9/16, 14.8/14	5/4.7	Mopar ATF+4				*DM, MV						
	05-06	L4	2.8L	545RFE	14/13.3	5/4.7	Mopar ATF+4				*DM, MV						
	06-07	L4	2.8L	545RFE	16.9/16, 14.8/14	5/4.7	Mopar ATF+4				*DM, MV						
Renegade	08-12	L4	2.8L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4				*DM, MV						
	07-17	L4	2.0, 2.4L	CVT	8.8/8.4	4/3.8	Mopar CVT+4 (VTF)				LUBEGARD CVT						
Wrangler	12-17	L4	2.0, 2.4L	6F24	7.4/7	4.3/4	SK ATF SPIV				DVI, MLV						
	15-20	L4	1.4, 2.4L	948TE/9HP48	N/A	6.4/6	Mopar 8&9-speed ATF				LG8, MULV						
	97-02	L4	2.5L	30RH, 32RH	8.5/8	4/3.8	Mopar ATF+4				*DM, MV						
	01	L6	4.0L	42RLE	12.3/11.7	4/3.8	Mopar ATF+4				*DM, MV						
	02-03	L6	4.0L	42RLE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV						
Wrangler	04-08	L4	2.5L	42RLE	8.7/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	07-11	V6	3.8L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	07-12	L4	2.8L	45RFE, 545RFE	16.9/16, 14.8/14	6.5/6.2	Mopar ATF+4				*DM, MV						
	12-17	V6	3.6L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4				*DM, MV						
12-17	V6	3.6L	948TE/9HP48	6.4/6.0	2.7/2.5	Mopar 8&9-speed ATF				LG8, MULV							
KIA																	
Amanti	04-07	V6	3.5L	F5A51-3	8.5/9	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	06-09	V6	3.8L (G6DA)	A5HF1	11.5/10.9	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Borrego (HM)	09-10	V8	4.6L (G8BA)	ZF 6HP26	10.6/10	6.4/6	Shell M-1374.5				DVI, MLV						
	09-10	V6	3.8L (G6DA)	A5SR2	10.6/10	N/A	Kia ATF Red-1				DVI, MLV						
Cadenza	14-17	V6	3.3L	6AT	8.2/7.8	N/A	Kia Genuine ATF SP VI				DVI, MLV						
	17	V6	3.3L	8AT	7.4/7	N/A	Kia Genuine ATF SP VI				DVI, MLV						
Entourage	06-08	V6	3.8L	A5HF1	11.5/10.9	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	10-12	L4	2.0L (G4KD)	A4CF2	6.9/6.6	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Forte	10-12	V6	2.4L (G6KE)	A5CF2	8/7.6	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	15-20	L4	1.6, 1.8, 2.0L	A6MF1/A6GF1	7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV						
	18-20	L4	2.0L	D7UF1	2.0/1.9	N/A	70W GL-4	USE	OEM	FLUID							
Forte Koupe	17	L4	1.6, 1.8, 2.0L	A6MF1/A6GF1	7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV						
	17-18	L4	1.6, 1.8, 2.0L	A6MF1/A6GF1	7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV						
Forte5	19-20	L4	2.0L	COGF1	7.1/6.7	N/A	IVTF SP-CVT1				LUBEGARD CVT						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
* Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



**K
L**

KIA cont.										OPTION 1			OPTION 2			OPTION 3		
Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt./Liter	Service Fill Qt./Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF	
K900	15-18	V6, V8	3.8, 5.0L	8AT	10.1/9.6	N/A	Kia Genuine ATF SP VI				DVI, MLV							
	19-20	V6, V8	3.3L, 3.8L, 5.0L	A8LR1, A8TR1-1	9.7/9.2	N/A	Kia SP IV RR				SYN DVI, MLV							
Niro	17-20	L4	1.6L	D6KF1	1.8/1.7	N/A	70W GL-4	USE	OEM	FLUID								
	01-07	L4, V6	2.4, 2.5, 2.6L	54A42	9/8.5	N/A	Kia Diamond SP-III				*DM, DVI, MV							
Optima	06-10	V6, L4	2.7 (G6EA), 2.4L (G4KE)	A5GF1	10/9.5	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	07-08	L4, V6	2.4	F4A42	10/9.5	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	11-12	L4, V6	2.0L (G4KD), 2.4L (G6KE)	A6MF2	8.2/7.8, 7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV							
	13-17	L4	2.0L (G4KD), 2.4L (G6KE)	A6LF2, A6MF2-1	8.2/7.8, 7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV							
Optima Hybrid	16-20	L4	1.6L, 2.0L, 2.4L	D7UF1	2.1/2.0		70W GL-4	USE	OEM	FLUID								
	11	L4	2.4L	A6MF2H	5.3/5.0, 6.9/6.5	N/A	Kia Genuine ATF SP VI				DVI, MLV							
Rio, Rio 5	11-17	L4	2.0L	A6MF2H	6.3/6	N/A	Kia Genuine ATF SP VI				DVI, MLV							
	02-04	L4	1.5, 1.6L	F4A-EL	6.2/5.9	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	02-07	L4	1.5, 1.6L	F4E-K	6.2/5.9	N/A	Kia Diamond SP-III				*DM, DVI, MV							
Rio Cinco	05-11	L4	1.6L (G4ED)	A4AF3	6.4/6.1	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	06-07	L4	1.6L	F4E-KL	6.2/5.9	N/A	Kia Diamond SP-III				*DM, DVI, MV							
Rio	12-19	L4	1.6L	A6GF1	7.7/7.3	N/A	Kia Genuine ATF SP VI				DVI, MLV							
	20	L4	1.6L	A6GF1-2	6.8/6.5		IVTF SP-CVT1				LUBEGARD CVT							
Rondo	07-10	V6	2.7L (G6EA)	A5GF1	10/9.5	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	07-10	L4	2.4L (G4KC)	F4A42	8.2/7.8	N/A	Kia Diamond SP-III				*DM, DVI, MV							
Sedona	02-05	V6	3.5L	F5A51	9/8.5	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	06-11	V6	3.8L (G6DA)	A5HF1	11.5/10.9	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	11-13	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A	Kia Genuine ATF SP VI				DVI, MLV							
Sephia	14-20	V6	3.3L	A6LF2	8.2/7.8	N/A	Kia Genuine ATF SP VI				DVI, MLV							
	97-02	L4	1.8L	F4A-EL	5.7/5.4	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	03-04	V6	3.5L	A44DE	10.8/10.2	N/A	Kia Diamond SP-III				*DM, DVI, MV							
Sorento	05-06	V6	3.5L (G6DC)	RE5R05A	10.6/10, 11.5/10.9	N/A	Kia ATF Red-1				DVI, MLV							
	07-10	V6	3.3 (G6DB), 3.8L (G6DA)	A5SR1 /A5SR2	10.6/10	N/A	Kia ATF Red-1				DVI, MLV							
	11-13	L4	2.4L (G4KE)	A6MF2	7.5/7.1	N/A	Kia Genuine ATF SP-IV				DVI, MLV							
	11-13	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A	Kia Genuine ATF SP-IV				DVI, MLV							
	14-17	L4, V6	2.0L, 2.4L, 3.3L	A6LF2	8.2/7.8	N/A	Kia Genuine ATF SP-IV				DVI, MLV							
Soul	10-11	L4	1.6 (G4FC), 2.0L (G4GC)	A4CF1, A4CF2	6.9/6.6	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	12-19	L4	1.6L	A6GF1	7.7/7.3	N/A	Kia Genuine ATF SP-IV				DVI, MLV							
	14-18	L4	2.0L	A6MF1	7.0/6.7	N/A	Kia Genuine ATF SP-IV				DVI, MLV							
Soul Turbo	17-20	L4	2.0L	7-speed DCT	2.1/2.0		70W GL-4	USE	OEM	FLUID								
Soul EV	18-20			1-speed Reduction Gear	1.5/1.4	N/A	70W GL-4	USE	OEM	FLUID								
Spectra	00-07	L4	1.8L	F4A-EL	5.7/5.4	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	04-05	L4	2.0L	F4A-EL	8.2/7.8	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	06-09	L4	2.0L (G4GC)	A4CF2	6.5/6.2	N/A	Kia Diamond SP-III				*DM, DVI, MV							
Sportage	97-02	L4	2.0L	03-72LE (A44DE)	6.7/6.3	2.5/2.4	DEXRON III				DM, DVI							
	05-10	L4, V6	2.0 (G4GC), 2.7L (G6BA)	F4A42	8.2/7.8	N/A	Kia Diamond SP-III				*DM, DVI, MV							
	11-12	L4	2.0 (G4GC), 2.4L (G4KE)	A6MF1, A6LF2	8.2/7.8, 7.5/7.1	N/A	Kia Genuine ATF SP-IV				DVI, MLV							
	14-20	L4	2.0 (G4GC), 2.4L (G4KE)	A6MF1, A6LF2	8.2/7.8, 7.5/7.1	N/A	Kia Genuine ATF SP-IV				DVI, MLV							
Stinger	18-20	L4, V6	2.0L, 3.3L	A8R1-1, A8TR-1	9.7/9.2	N/A	Kia SP IV RR				SYN DVI, MLV							
Teluride	20	V6	3.8L	A8LF-1	7.4/7.0		Kia Genuine ATF SP-IV				DVI, MLV							
LAND ROVER																		
Discovery	02-07	V8	4.6L	ZF 4HP22A/24A	10.2/9.7	N/A	Esso Type LT 71141				SYN DM, MV							
	17-20	L4	2.0L, 3.0L	ZF8HP	9.0/8.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8							
Discovery Sport	15-17	L4	2.0L, 2.2 L (Diesel)	ZF9HP	6.9/6.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8							
	18-20	L4	2.0L, 3.0L	ZF9HP	6.9/6.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8							
	12-13	L4	2.0L, 2.2 L (Diesel)	AW21	7.4/7	N/A	Nippon AW-1 ATF				SYN DM, D6, MV							
Evoque	14-17	L4	2.0L, 2.2 L (Diesel)	ZF9HP	6.9/6.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8							
	18-20	L4	2.0L, 2.2 L (Diesel)	ZF9HP	6.9/6.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8							
Freelander LR2	02-05	V6	2.5L	JF506-E	9/8.5	4.2/4	Texaco N402				SYN DM, MV							
	07-15	L6	3.2L (S16)	AW F21	7.4/7	N/A	LR002748				SYN DM, MV							

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
LR-3	05-09	V6, V8	2.7 (TDV6), 4.0, 4.4L (AJ41)	ZF 6HP26A	10.5/9.5	N/A	LRN13754				DVI, MLV						
LR-4	10-12	V6, V8	3.0 (TDV), 5.0L (AJ133)	ZF 6HP28	10.7/9.9	N/A	LRN13754				DVI, MLV						
	10-12	V6, V8	4.0, 5.0L (AJ133)	ZF 6HP26	10.5/9.5	N/A	LRN13754				DVI, MLV						
	03-05	V8	4.4L	5-speed	10.4/9.9	N/A	Esso Type LT 71141				SYN DM, MV						
	06-10	V8	4.2, 4.4, 5.0L	ZF6HP26A	10/9.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
Range Rover	11-17	V6, V8	3.0, 5.0L	ZF8HP	9/8.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
	18-20	V6, V8	3.0, 5.0L	ZF8HP	9/8.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
	18-20	L4, V6, V8	2.0L, 3.0L, 5.0L	ZF8HP	9/8.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
Velar	18-20	L4, V6, V8	2.0L, 3.0L, 5.0L	ZF8HP	9/8.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
LEXUS																	
CT200H	11-17	L4	1.8L	P410 HYBRID	3.6/3.4	N/A	Toyota Type WS				DVI, MLV						
ES300	99-01	V6	3.0L	U140-E	8.8/8.3	3.7/3.5	Toyota Type T-IV				*DM, MV						
	99-03	V6	3.0L	A541-E	8.5/8	5/4.7	Toyota Type T-IV				*DM, MV						
ES300H	13-18	V6	3.0L	P314	3.9/3.7	N/A	Toyota Type WS				DVI, MLV						
	19-20	L4, V6	2.0L, 2.5L, 3.5L	P710, P711	4.1/3.9	N/A	Toyota Type WS				DVI, MLV						
	03-07	V6	3.3L	A541-E	8.7/8.3	3.7/3.3	Toyota Type T-IV				*DM, MV						
ES330	04-07	V6	3.3L	U151-E	9.3/8.8	3.7/3.5	Toyota Type T-IV				*DM, MV						
	07-08	V6	3.3L	A960-E	4.4/4.2	1.7/1.6	Toyota Type WS				DVI, MLV						
	07-12	V6	3.5L (2GR)	U660-E, U660F	6.9/6.7	3/2.8	Toyota Type WS				DVI, MLV						
ES350	07-08	V6	3.5L	A960-E	8.2/7.8	1.8/1.7	Toyota Type WS				DVI, MLV						
	09-18	V6	3.5L	U660-E, U660F	6.9/6.6	3/2.8	Toyota Type WS				DVI, MLV						
	19-20	V6	3.5L	UA80E	8.0/7.6	4.1/3.9	Toyota Type WS				DVI, MLV						
GS200T	16-17	L4	2.0L	AA81E	9.2/8.7	3.4/3.2	Toyota Type WS				DVI, MLV						
GS300	18-19	L6	3.0L	A760H	10.6/10.0	1.7/1.6	Toyota Type WS				DVI, MLV						
	00	L6	3.0, V8 4.0L	A341-E, A650-E	8.3/7.9, 8.7/8.3	2.5/2.4, 2.1/2	Toyota Type T-IV				*DM, MV						
GS300/GS400	02-07	L6	3.0, V8 4.0L	A350-E, A650-E	9.1/8.6, 8.7/8.2	2/1.9, 2.1/2	Toyota Type T-IV				*DM, MV						
	06-08	V6, V8	3.3, 4.0L	A761-E, A760H	11.5/10.9, 5/4.7	3.3/3, 1.7/1.6	Toyota Type WS				DVI, MLV						
	06-07	V6	3.5, 4.6L	A960-E	7.6/7.2	1.6/1.5	Toyota Type WS				DVI, MLV						
	07-10	V6	3.5L (2GR)	A760-E, A760H	8.3/7.9	1.7/1.6	Toyota Type WS				DVI, MLV						
GS350	11	V6	3.5L (2GR)	A760-E, A760H	8.3/7.9	1.7/1.6	Toyota Type WS				DVI, MLV						
	13-20	V6	3.5L (2GR)	A760-E, A760H	10/9.5	3.4/3.2	Toyota Type WS				DVI, MLV						
GS430	03-06	V8	4.3L	A650-E	9.4/8.9	1.9/1.8	Toyota Type T-IV				*DM, MV						
	07-10	V8	4.6L (1UR)	L110 HYBRID CVT	11.4/10.8	N/A	Toyota Type WS				DVI, MLV						
GS450H	11	V8	4.6L (1UR)	L110 HYBRID CVT	11.4/10.8	6/5.7	Toyota Type WS				DVI, MLV						
	13-17	V8	4.6L (1UR)	L110 HYBRID CVT	11.4/10.8	6/5.7	Toyota Type WS				DVI, MLV						
GS460	08-10	V8	4.6L (1UR)	AA80-E	11.4/10.8	3.4/3.2	Toyota Type WS				DVI, MLV						
	11	V8	4.6L (1UR)	AA80-E, AA80F	11.4/10.8	3.4/3.2	Toyota Type WS				DVI, MLV						
GSF	16-20	V8	4.6L (1UR)	AA81E	11.8/11.2	3.9/3.7	Toyota Type WS				DVI, MLV						
GX460	10	V8	4.6L (1UR)	A760F	11.4/10.8	3.4/3.2	Toyota Type WS				DVI, MLV						
	11-20	V8	4.6L (1UR)	A760F	11.4/10.8	3.4/3.2	Toyota Type WS				DVI, MLV						
GX470	03-09	V8	4.7L (2UZ)	A750, A750F	11.5/10.5	1.4/1.3	Toyota Type WS				DVI, MLV						
HS250H	10-12	L4	2.4L (2AZ)	P311 HYBRID	4.4/4.2	N/A	Toyota Type WS				DVI, MLV						
IS200T	16-17	L4	2.0L	AA81E	9.2/8.7	3.4/3.2	Toyota Type WS				DVI, MLV						
IS250, 350	06-12	V6	2.5 (4GR), 3.5L (2GR)	A760H, A960-E	8/7.5/6.5, 8.2/7.8/6.9	1.7/1.6, 1.8/1.7	Toyota Type WS				DVI, MLV						
	10	V6	2.5L (4GR)	A760H, A960-E	8/7.5/6.5, 8.2/7.8/6.9	1.7/1.6, 1.8/1.7	Toyota Type WS				DVI, MLV						
IS250C	11-15	V6	2.5L (4GR)	A760H, A960-E	7.9/7.5, 9.9/9.4	1.9/1.8, 3/2.8	Toyota Type WS				DVI, MLV						
	04-05	V6	3.0L	A650E	8.5/8.0	2.5/2.4	Toyota Type T-IV				*DM, MV						
	16-17	V6	3.5L	A760H	10.6/10	1.7/1.6	Toyota Type WS				DVI, MLV						
IS300	18-20	V6	3.0L	AA81E	9.2/8.7	3.4/3.2	Toyota Type WS				DVI, MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
***** Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



L

LEXUS cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	■ 60902	■ 63010	■ 67010	Base Fluid	■ 61910	■ 62005	■ 63010	■ 68112 CVT	■ 56032 DCT	■ 69032 ATF
IS350C	06-10	V6	3.5L (2GR)	AS760-E, A7600H	8.3/7.9, 10.5/10	1.9/1.8, 3/2.8	Toyota Type WS				DVI, MLV						
	11-15	V6	3.5L	A760H, A960-E	9.9/9.4, 7.9/7.5	3/2.8, 1.9/1.8	Toyota Type WS				DVI, MLV						
	16-20	V6	3.5L	A760H	10.6/10	1.7/1.6	Toyota Type WS				DVI, MLV						
IS-F	08-10	V8	5.0L (2UR)	AA80-E	11.6/11	3.4/3.2	Toyota Type WS				DVI, MLV						
	11-14	V8	5.0L (2UR)	AA80F	11.6/11	3.6/3.4	Toyota Type WS				DVI, MLV						
LC500	18-20	V8	5.0L	AA81E	9.5/8.8	3.7/3.6	Toyota Type WS				DVI, MLV						
LC500h	18-20	V8	5.0L	L310	7.2/6.8	1.7/1.6	Toyota Type WS				DVI, MLV						
LS400	98-02	V8	4.0L	A650-E	8.8/8.3	2/1.9	Toyota Type T-IV				*DM, MV						
	07	V8	4.6L	A761-E	10.5/9.9	3/2.8	Toyota Type WS				DVI, MLV						
	07-12	V8	4.6L (1UR)	AA80-E, AA80F	11.4/10.8, 10.9/10.3	3.4/3.2	Toyota Type WS				DVI, MLV						
LS430	04-06	V8	4.3L	A650-E	9.4/8.9	1.9/1.8	Toyota Type T-IV				*DM, MV						
	04-06	V8	4.3L	A761-E	11.5/10.9	3.2/3	Toyota Type WS				DVI, MLV						
LS460	08-17	V8	4.6L	AA80-E, AA80F	11.3/10.7	3.4/3.2	Toyota Type WS				DVI, MLV						
LS500h	18-20	V6	3.5L	L310F	7.2/6.8	1.7/1.6	Toyota Type WS				DVI, MLV						
LS600H	08-10	V8	5.0L (2UR)	L110-F HYBRID	6/5.7	1.2/1.1	Toyota Type WS				DVI, MLV						
	08-16	V8	5.0L (2UR)	L110-F HYBRID	6/5.7	5.8/5.5	Toyota Type WS				DVI, MLV						
	11-12	V8	5.0L (2UR)	L110-F HYBRID	6/5.7	5.8/5.5	Toyota Type WS				DVI, MLV						
LX470	98-02	V8	4.7L	A343F	12.3/11.7	2/1.9	DEXRON III				DM, DVI						
	03	V8	4.7L	A750-E	11.2/10.6	3.1/3	Toyota Type T-IV				*DM, MV						
	04-07	V8	4.7L	A750-E/F	11.2/10.6	3.1/3	Toyota Type WS				DVI, MLV						
LS570	08-11	V8	5.0L (2UR)	AB60F	12.4/11.7	2.2/2	Toyota Type WS				DVI, MLV						
	13-20	V8	5.0L (2UR)	AB60F	12.6/11.9	2.2/2	Toyota Type WS				DVI, MLV						
NX200T	15-20	L4	2.0L	U661E, U661F	7.2/6.8	3/2.8	Toyota Type WS				DVI, MLV						
NX300	15-20	L4	2.0L	U661E, U661F	7.2/6.8	3/2.8	Toyota Type WS				DVI, MLV						
NX300H	15-20	L4	2.5L	P314, Q211	4/3.8	1.9/1.8	Toyota Type WS				DVI, MLV						
RC200T	16-20	L4	2.0L	AA81E	9.2/8.7	3.4/3.2	Toyota Type WS				DVI, MLV						
RC300	16-20	V6	3.5L	A760H	10.6/10	3.4/3.2	Toyota Type WS				DVI, MLV						
RC350	15-20	V6	3.5L	AA81E	10/9.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	15-20	V6	3.5L	A760H	10.6/10	3.4/3.2	Toyota Type WS				DVI, MLV						
RCF	15-20	V8	5.0L	AA80F	11.8/11.2	3.9/3.7	Toyota Type WS				DVI, MLV						
RX300	98-02	V6	3.0L	A247E, 4140-E	8.7/8.2	3.5/3.3	Toyota Type T-IV				*DM, MV						
	99-02	V6	3.0L	A540H, U140F	9.7/9.2	4.3/4.1	Toyota Type T-IV				*DM, MV						
RX330	04-06	V6	3.3L	U140E, U140F	N/A	3.7/3.5	Toyota Type T-IV				*DM, MV						
	07-09	V6	3.5L (2GR)	U151F	9.3/8.8	3.4/3.2	Toyota Type WS				DVI, MLV						
RX350	10-12	V6	3.5L (2GR)	U660-E, U660-F, U661E	6.7/6.5, 7/6.7	3/2.8	Toyota Type WS				DVI, MLV						
	13-17	V6	3.5L (2GR)	U661F, U880F, U881F	7.4/7	3.4/3.2	Toyota Type WS				DVI, MLV						
	13-20	V6	3.5L (2GR)	U661F, U880F, U881F	7.4/7	3.4/3.2	Toyota Type WS				DVI, MLV						
RX350L	19-20	V6	3.5L	U881F	7.2/6.8	3/2.8	Toyota Type WS				DVI, MLV						
RX400H	06-08	V6	3.3L (3MZ)	P310 HYBRID, Q211 HYBRID	N/A	4.1/3.9, 1.8/1.7	Toyota Type WS				DVI, MLV						
	10-20	V6	3.5L	P313	N/A	5.1/4.8	Toyota Type WS				DVI, MLV						
RX450h	10-12	V6	3.5L (2GR)	P313 Hybrid, Q211 Hybrid	N/A	4.9/4.6, 1.9/1.8	Toyota Type WS				DVI, MLV						
	13-20	V6	3.5L (2GR)	P313 HYBRID, Q211 HYBRID	N/A	5.1/4.8, 1.9/1.8	Toyota Type WS				DVI, MLV						
SC	03-07	V8	4.3L	A650-E	9.4/8.9	1.9/1.8	Toyota Type T-IV				*DM, MV						
SC300	92-05	V6	3.0L	A340-E	7.6/7.2	2/1.9	Toyota Type T-IV				*DM, MV						
SC400	00-04	V8	4.0L	A350-E, A650-E	8.7/8.2	2.5/2.4	Toyota Type T-IV				*DM, MV						
SC430	04-06	V8	4.3L	A650-E, A761-E	9.4/8.9, 11.5/10.9	1.9/1, 3.3/3	Toyota Type WS				DVI, MLV						
	07-10	V8	4.3L (3UZ)	A761-E	9.1/8.6	1.4/1.3	Toyota Type WS				DVI, MLV						
UX200	19	L4	2.0L	P710/P711	4.0/3.8	N/A	Toyota Type WS				DVI, MLV						
UX250H	19	L4	2.0L	P710/P711			Toyota Type WS				DVI, MLV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Q/Liter	Service Fill Q/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
LINCOLN																	
Aviator	03-07	V8	4.6L	5R55W	12.7/12	N/A	MERCON V				*DM						
	20-21	V-6	3.0L	10R80	13.0/12.3	12.6/11.9	MERCON ULV										
Blackwood	02-07	V8	5.4L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
Continental	98-02	V8	4.6L	AX4N, AX4S	13.7/13	N/A	MERCON V				*DM						
	17-20	V6	3.0L	6F50/6F55	11.6/11	N/A	MERCON LV				DVI						
Corsair	20-21	L4	2.0L	8F24	8.5/8.0	N/A	MERCON ULV				DULV						
	20-21	L4	2.3L, 2.5L	8F35/8F40	11.6/11.0	N/A	MERCON ULV				DULV						
LS	00-06	V6, V8	3.8, V8 3.9L	5R55N	11.9/11.2	N/A	MERCON V				*DM						
MKC	15-19	L4	2.0, 2.3L	6F35	9/8.5	N/A	MERCON LV				DVI						
MKX	07-09	V6	3.5L	6F50/6F55	9.4/8.9	N/A	MERCON V				*DM						
	11-18	V6	3.5L	6F50/6F55	11/10.4	N/A	MERCON LV				DVI						
MKZ	06-12	L4, V6	2.5, 3.0, 3.5L	AW21	7.4/7	N/A	Motorcraft XT-8-QAW				*DM, MV						
	07-08	V6	3.0L	AW6A-EL	N/A	7.4/7	Motorcraft XT-8-QAW				*DM, MV						
	07-09	L4, V6	2.3, 3.0, 3.5L	FNR5	7/6.7	N/A	Mazda ATF M-V				*DM, DVI, MV						
	11-16	L4, V6	2.5, 3.0, 3.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
	13-16	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
	17-20	L4, V6	2.0, 3.0L	6F35/6F50/6F55	11.6/11	N/A	MERCON LV				DVI						
MKZ Hybrid	17-20	L4	2.0L	HF35	5.7/5.4	N/A	MERCON LV				DVI						
MKS	09-15	V6	3.5, 3.7L	6F35/6F50/6F55	9.4/8.9, 11.6/11	N/A	MERCON LV				DVI						
MKT	10-19	V6	3.5, 3.7L	6F50/6F55	9.4/8.9	N/A	MERCON LV				DVI						
MARK LT	06-09	V8	4.6, 5.4, 6.2L	4R70W/75E	13.9/13.2	5/4.7	MERCON V				*DM						
	09-10	V8	4.6, 5.4, 6.2L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
Nautilus	19-20		2.0L, 2.7L, 3.7L	8F35, 8F57	13.2/12.5	N/A	MERCON ULV				DULV						
	98-04	V8	5.4L	4R100	13.9/13.2	5/4.7	MERCON V				*DM						
Navigator	05-08	V8	5.4L	ZF 6HP26	13.9/13.2	5/4.7	MERCON SP				DVI						
	07-08	V8	5.4L	6R75	11/10.5	3.5/3	MERCON SP				DVI						
	09-17	V8	5.4L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
	18-20	V6	3.5L	10R80	13.1/12.4	N/A	MERCON ULV				DULV						
Town Car	88-07	V8	5.0, 5.4, 4.6L	AOD-E/W, 4R70W	13.6/12.9	5/4.7	MERCON V				*DM						
	08-10	V8	4.6L	4R70E/4R75E	13.9/13.2	5/4.7	MERCON V				*DM						
Zephyr	06-07	V6	3.0L	AF21	7.4/7	N/A	Motorcraft XT-8-QAW				*DM, MV						
MAZDA																	
2	11-14	L4	1.5L	FN4A-EL (4F27E)	4.8/4.5	N/A	Mazda ATF M-V				*DM, DVI, MV						
	04	L4, V6	2.3, 3.0L	JA5A-EL	9.7/9.2	N/A	MERCON V				*DM						
3	05-09	L4	2.0 (LF), 2.3L (L3)	FN4A-EL (4F27E)	7.6/7.2	N/A	Mazda ATF M-V				*DM, DVI, MV						
	08-10	L4	2.0 (LF), 2.5 (L5), 2.5L (L3)	FS5A-EL	8.6/8.1	3.2, 2.6	Mazda ATF M-V				*DM, DVI, MV						
	11-12	L4	2.0 (LF), 2.5 (L5), 2.5L (L3)	FS5A-EL	8.5/8	3.2/3	Mazda ATF M-V				*DM, DVI, MV						
	13-20	L4	2.0 (LF), 2.5 (L5)	FW6A-EL	8.2/7.8	3.5/3.3	Mazda ATF FZ				LG 6, DVI						
5	04-07	L4	2.3L	4F27E	7.6/7.2	N/A	MERCON V				*DM						
	06-08	L4	2.3L (L3)	FN4A-EL (4F27E)	7.6/7.2	N/A	Mazda ATF M-V				*DM, DVI, MV						
	09-10	L4	2.3L (L3)	FN5A-EL	5.3/5	3.2/3	Mazda ATF M-V				*DM, DVI, MV						
	12-15	L4	2.3L (L3)	FN5A-EL	8.5/8.1	3.2/3	Mazda ATF M-V				*DM, DVI, MV						
	03-05	L4	2.3L	FN4A-EL	7.6/7.2	N/A	Mazda ATF M-V				*DM, DVI, MV						
	06-07	L4	2.3L	FNR5	8.5/8	N/A	Mazda ATF M-V				*DM, DVI, MV						
6	07-10	L4, V6	2.5 (L5), 3.7L (MZ1)	AW6A-EL	N/A	7.4/7	Mazda JWS 3309				*DM, MV						
	07-11	L4, V6	2.5 (L5), 3.7L (MZ1)	FS5A-EL	8.6/8.1	3.2/2.6	Mazda ATF M-V				*DM, DVI, MV						
	11-12	L4, V6	2.5 (L5), 3.7L (MZ1)	AW6A-EL	N/A	7/6.6	Mazda JWS 3309				*DM, MV						
	13-17	L4, V6	2.5 (L5), 3.7L (MZ1)	FW6A-EL	8.2/7.8	3.7/3.5	Mazda ATF FZ				LG 6, DVI						
	18-20	L4	2.5L	FW6A-EL, GW6AX-EL, GW6A-EL	8.4/8.0	3.5/3.3	Mazda ATF FZ				LG 6, DVI						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
 * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



M

MAZDA cont.								■	■	■	Base Fluid	■	■	■	■	■	■
Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010		61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
626/MX6	96-04	V6	2.5L	GF4-AEL	8.5/8	N/A	DEXRON III, MERCON				DM, DVI, MV						
	98-04	L4	2.0L	CD4E	9.2/8.7	N/A	MERCON				DM, DVI, MV						
CX3	16-20	L4	2.0L	FW6A-EL, FW6AX-EL	8.2/7.8	N/A	Mazda ATF FZ				LG 6, DVI						
CX5	13-20	L4	2.0, 2.5L	EW6A-EL, EW6AX-EL	8.2/7.8	N/A	Mazda ATF FZ				LG 6, DVI						
CX7	13-17	L4	2.3L (L3)	AW6A-EL, AW6A-XEL	7.4/7	N/A	Mazda JWS 3309				*DM, MV						
	13-18	L4	2.5L (L5)	F55A-EL	5.3/5	3.2/3	Mazda ATF M-V				*DM, DVI, MV						
CX9	13-15	V6	3.5L (MZI), 3.7L (MZI)	AW6AX-EL, AW6A-EL	7.4/6.2	N/A	Mazda JWS 3309				*DM, MV						
	16-20	V6	3.7L (MZI)	GW6A-EL, GW6AX-EL	8.0/7.0	N/A	Mazda ATF FZ				LG 6, DVI						
CX30	20	L4	2.5L	ET6A-EL, EV6A-EL, EV6AX-EL	8.3/7.9	3.4/3.2	Mazda ATF FZ				LG 6, DVI						
Miata	00-07	L4	1.8L	A44DE	7.1/6.7	N/A	MERCON				DM, DVI, MV						
	06-19	L4	2.0L	SJ6A-EL	7.8/7.4	N/A	Mazda JWS 3309				*DM, MV						
Millenia	95-02	V6	2.3L Scharg	JF403E	7.8/7.4	N/A	MERCON				DM, DVI, MV						
	97-02	V6	2.5L	GF4A-EL	9.3/8.8	N/A	MERCON				DM, DVI, MV						
MPV	99-02	V6	3.0L	RE4R01A, R4A-EL	9/8.5	N/A	MERCON				DM, DVI, MV						
	00-01	V6	3.0L	GF4A-EL	8.5/8	N/A	MERCON				DM, DVI, MV						
	02-06	V6	3.0L	5F31J	9.7/9.2	N/A	MERCON				DM, DVI, MV						
MX5	06-10	L4	2.0L (LF)	SJ6A-EL	7.8/7.4	N/A	Mazda JWS 3309				*DM, MV						
	97-03	V6	4.0L	5R55-E	10/9.5	4/3.8	MERCON V				*DM						
	98-03	L4	2.5, V6 3.0L	4R44-E, 4R55-E	10.3/9.8	4/3.8	MERCON V				*DM						
PU	99-09	V6	3.0, 4.0L	4R44-E, 5R44-E	10/9.5, 10.3/9.8	3.9/3.7	Mazda ATF M-V				DM, DVI, MV						
	99-09	V6	3.0, 4.0L	5R55-E	10.3/9.8	3.9/3.7	Mazda ATF M-V				DM, DVI, MV						
	00-09	L4	2.3, 2.5L	4R44-E, 5R44-E	9.9/9.4, 9.8/9.3	3.9/3.7	Mazda ATF M-V				DM, DVI, MV						
Protege	95-00	L4	1.5, 1.8, 2.0L	F4A-EL	8.5/8	N/A	MERCON				DM, DVI, MV						
	00-03	L4	2.3L	4F27E	6.9/6.6	N/A	MERCON V				*DM						
RX8	04-06	Rotary	1.3L	RC4A-EL	9.2/8.7	N/A	MERCON				DM, DVI, MV						
	06-11	Rotary	1.3L (13B-MSP) (2RTR)	SJ6A-EL	7.8/7.4	N/A	Mazda JWS 3309				*DM, MV						
Tribute	03-04	L4, V6	2.0, 3.0L	CD4E	9/8.5, 10.2/9.6	3.9/3.7	MERCON V				*DM						
	03-07	L4, V6	2.3, 3.0L	CD4E	9/8.5, 10.2/9.6	3.9/3.7	MERCON V				*DM						
Tribute	08-11	L4, V6	2.5 (L3) 3.0L	6F35	9/8.5	N/A	Mazda ATF M-V				DM, DVI, MV						
	08-11	L4	2.5L (L3) (HYBRID)	ECVT (HYBRID)	5.3/5	N/A	Mazda ATF M-V				DM, DVI, MV						

MERCEDES BENZ																	
All 5 speed Automatic Trans	96-08	ALL	N/A	5-Speed/ 722.6	N/A	N/A	Shell 3403-M 115				SYN DM, MV						
All 7 speed Automatic Trans	05-08	ALL	N/A	7-Speed/ 722.7	N/A	N/A	Fuchs ATF 3353				SYN DM, MV						
A220	05-08	ALL	N/A	7-Speed/ 722.9	N/A	N/A	Fuchs ATF 3353				SYN DM, MV						
	19-20	L4	2.0L	724.0 (DCT)	5.4/5.1	N/A	MB Sheet 236.21 (DCT fluid)				LUBEgard DCTF						
AMG GT, GT C, GT R, GT S	16-20	V8	4.0L/6.2L	700.402 (transmission) DCT	7.4/7.0	N/A	MB Sheet 236.25 (DCT fluid)	USE	OEM	FLUID							
AMG GT, GT C, GT R, GT S	16-20	V8	4.0L/6.2L	Transmission heat exchanger	1.7/0.8	N/A	MB Sheet 236.25	USE	OEM	FLUID							
AMG GT, GT C, GT R, GT S	16-20	V8	4.0L/6.2L	700.402 (gear set) DCT	3.1/2.9	N/A	MB Sheet 236.26 (75W-90 gear oil)	USE	OEM	FLUID							
AMG GT, GT C, GT R, GT S	16-20	V8	4.0L/6.2L	Gear set heat exchanger	1.73/0.82	N/A	MB Sheet 236.26	USE	OEM	FLUID							
2500, 3500 VAN (Sprinter)	10-12	I5	3.5L	722.6	7.5/7.1	5.8/5.5	Shell 3403-M 115				SYN DM, MV						
	09-11	V6	3.0L (272.9)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-17	V6	3.0L (272.9)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
	11-17	V6	3.5L (272.9)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
C 230	11-17	V8	5.5L (273.9)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
	94-05	L4	2.3L	722.6	8.5/8.8	N/A	Shell 3403-M 115				SYN DM, MV						
C 240	06-07	V6	2.5L	722.7	9/8.5	N/A	Fuchs ATF 3353				SYN DM, MV						
C 250	01-05	V6	2.6L	722.6	8.5/8	N/A	Shell 3403-M 115				SYN DM, MV						
C 250	12-15	L4	1.8L	722.9	9.5/9	N/A	MB A 001 989 78 03				DVI, MLV						

M

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
C 280	97-05	L6	2.8L	722.6	10/9.5	N/A	Shell 3403-M 115				SYN DM, MV						
	06-08	V6	3.0L	722.7	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
C 300	08-10	V6	3.0L	722.7	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
	11-17	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
C 300, C 300 4Matic	18-20	I4	2.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
C 32 AMG	02-04	V6	3.2L	722.6	8.5/8	N/A	Shell 3403-M 115				SYN DM, MV						
C 320	01-05	V6	2.6L	722.6	8.5/8	N/A	Shell 3403-M 115				SYN DM, MV						
	06-08	V6	3.2L	722.7	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
C 350	09-10	V6	3.5L (272.961)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-15	V6	3.0L (272.947)	722.9	9.5/9	N/A	MB A 001 989 78 03				DVI, MLV						
C 36	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
C 400	15	V6	3.0L	722.9	10.2/9.7	N/A	MB A 001 989 78 03				LG 6, DHP						
C 450 AMG	16	V6	3.0L	722.9	10.2/9.7	N/A	MB A 001 989 78 03				LG 6, DHP						
C 450 4Matic, C 450 AMG	19-20	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
C 43/ C 43 AMG	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				SYN DM, DIV, MV						
	17-20	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
C 55 AMG	05-06	V8	5.5L	722.6	9.2/8.7	N/A	Shell 3403-M 115				SYN DM, MV						
C 63 AMG	09-10	V8	6.3L (156.985)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-18	V8	6.2L	722.9	7.5/7.1	N/A	MB Sheet 236.15				LG 6, DHP						
CABRIOLET	19-20	L4, V6	2.0L, 3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
	09-10	V6	3.5L (272.961)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
CL 500	05-07	V8	5.0L	722.9	9.1/8.6	N/A	Fuchs ATF 3353				SYN DM, MV						
	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
CL 55 AMG	01-03	V8	5.5L	722.6	9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	04-06	V8	5.5L	722.6	9.1/8.6	N/A	MB Sheet 236.14				DVI, MLV						
CL 55/ CLK 55	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
	07-10	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
CL 550	11-14	V8	4.6, 5.5L	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
	98-02	V12	5.8, 6.0L	722.6	9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
CL 600	03-06	V12	5.5L	722.6	8.1/7.7	N/A	MB Sheet 236.14				DVI, MLV						
	07-10	V12	5.5L	722.6	7.9/7.5	N/A	MB Sheet 236.14				DVI, MLV						
CL 63 AMG	11-14	V12	5.5L	722.6	8.5/8	N/A	MB Sheet 236.15				DVI, MLV						
	08-10	V8	6.3L (156.985)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
CLA 250	11-14	V8	6.2L	722.9	7.5/7.1	N/A	MB Sheet 236.15				LG 6, DHP						
	05-10	V12	6.6L	722.6	8.1/7.7	N/A	MB Sheet 236.14				DVI, MLV						
CLA 45 AMG	11-14	V12	6.6L	722.649	8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
	14-20	L4	2.0L	724	5.6/5.3	N/A	MB Sheet 236.21 (DCT fluid)				LUBEGARD DCTF						
CLK 320	14-19	L4	2.0L	724.0	5.6/5.3	N/A	MB Sheet 236.21 (DCT fluid)				LUBEGARD DCTF						
CLK 350	04-07	ALL	N/A	722.6	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
CLK 430	04-07	ALL	N/A	722.7	9.2/8.7	N/A	Fuchs ATF 3353				SYN DM, MV						
	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
CLK 500	04-07	ALL	N/A	722.6	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
	04-07	ALL	N/A	722.6	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
CLK 55 AMG	04-07	ALL	N/A	722.6	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
CLK 550	04-07	ALL	N/A	722.7	9.2/8.7	N/A	Fuchs ATF 3353				SYN DM, MV						
CLS 63 AMG	04-07	ALL	N/A	722.7	9.2/8.7	N/A	Fuchs ATF 3353				SYN DM, MV						
CLS 53 AMG	19-21	V-6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
CLS 55 AMG	04-07	ALL	N/A	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
CLS 550	09-12	V8	5.5L (273.960)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	04-06	ALL	N/A	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
CLS 63 AMG	07-10	V8	6.3L	722.9	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V6	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
CLS 63 AMG S	14-18	V8	5.5L	722.9	8.2/7.8	N/A	MB Sheet 236.15				LG 6, DHP						
	19-20	L4, V6	2.0L, 3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
CLS 400	15/17	V6	3.0L	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
CLS 450	19-21	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
CLS 500	04-07	ALL	N/A	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- DULV Dexron Ultra LV
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV

- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



M

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	■ 60902	■ 63010	■ 67010	Base Fluid	■ 61910	■ 62005	■ 63010	■ 68112 CVT	■ 56032 DCT	■ 69032 ATF
CLS 550	04-06	ALL	N/A	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
	07-10	V8	5.5L	722.9	9.7/9.2	N/A	MB Sheet 236.14				DVI, MLV						
CLS 550 (7 speed) Includes 4Matic	11-17	V8	5.5L	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
CLS 550 (9 speed)	11-19	V8	5.5L	725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
CLS 63 AMG	09-10	V8	6.3L (156.985)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-12	V8	6.2L	722.9	7.5/7.1	N/A	MB 001 989 68 03-10				DVI, MLV						
E 250/Bluetec Excludes 4MATIC	14-16	L4	2.1L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
E 300, E 300 4Matic	17-21	L4	2.0L	725.0	10.6/10	N/A	MB Sheet 236.17				LG 8, MULV						
E 320	01-06	V6	3.2L	722.6	8/7.5	N/A	Shell 3403-M 115				SYN DM, MV						
	07-10	V6	3.2L	722.7	9.7/9.2	N/A	MB Sheet 236.14				DVI, MLV						
E 350	06-10	V6	3.5L	722.7	9.7/9.2	N/A	MB Sheet 236.14				DVI, MLV						
	11-16	V6	3.5L (272.980)	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
E 400	15-17	V6	3.0L	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
E 400 HYBRID	13-15	V6	3.5L	724.2	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
E 420	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
E 43 AMG	17-18	V6	3.0L	725.0	10.6/10	N/A	MB Sheet 236.17				LG 8, MULV						
	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
E 430	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
E 450, E 450 4Matic	19-20	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
E 500	03-06	V8	5.0L	722.6	8/7.5	N/A	Shell 3403-M 115	SYN DM, MV									
	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10	SYN DM, DIV, MV									
E 550	07-10	V8	5.5L	722.7	9.7/9.2	N/A	Fuchs ATF 3353	SYN DM, MV									
	11-17	V8	5.5L (273.971)	722.9	9.5/9	N/A	MB 001 989 68 03-10	DVI, MLV									
	11-12	V8	5.5L (273.971)	722.9	9.5/9	N/A	MB 001 989 68 03-10	DVI, MLV									
E 550 AMG	01-06	V8	5.5L	722.6	8/7.5	N/A	Shell 3403-M 115	SYN DM, MV									
E 550 CABROLET	09-10	V8	5.5L (273.966)	722.9	9.5/9	N/A	MB 001 989 68 03-10	DVI, MLV									
E 53 AMG	19-20	V-6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17	LG 8, MULV									
	07-10	V8	6.3L	722.9	9.3/8.8	N/A	MB 001 989 68 03-10	DVI, MLV									
	11-16	V8	5.5L	722.9	8.2/7.8	N/A	MB Sheet 236.15	LG 6, DHP									
E 63 AMG	11-12	V8	6.2L	722.9	7.5/7.1	N/A	MB 001 989 68 03-10	DVI, MLV									
	18-20	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17	LG 8, MULV									
	03-11	V8	5.5L	722.6	9/8.5	N/A	Up to 6/18/2010 production date - MB Sheet 236.14, From 6/21/2010 production date - MB Sheet 236.15	DVI, MLV									
G 500	98-01	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10	SYN DM, DIV, MV									
	02-08	V8	5.0L	722.6	9/8.5	N/A	Shell 3403-M 115	SYN DM, MV									
G 550	09-17	V8	5.5L (273.963)	722.9	9.5/9	N/A	Up to 6/18/2010 production date - MB Sheet 236.14, From 6/21/2010 production date - MB Sheet 236.15	DVI, MLV									
	18-20	V8	4.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17	LG 8, MULV									
G 63 AMG	13-17	V8	6.3L	722.9	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									
	18-20	V8	4.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17	LG 8, MULV									
G 65 AMG	16-18	V12	6.5L	722.9	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									
GL 320 CDI	07-10	V6	3.2L	722.7	9.5/9	N/A	MB Sheet 236.14	DVI, MLV									
GL 350	11-12	V6	3.5L (272.980)	722.9	9.5/9	N/A	MB 001 989 68 03-10	DVI, MLV									
	09-10	V6	3.0L (642.820)	722.9	9.5/9	N/A	MB 001 989 68 03-10	DVI, MLV									
GL 350 BLUE TEC	11-13	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									
	14-16	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									
	07-10	V8	4.5L (273.923)	722.9	9.5/9	N/A	MB Sheet 236.14	DVI, MLV									
GL 450	11-13	V8	4.6L	722.9	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									
	14-16	V8	4.6L	722.9	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									
	08-10	V8	5.5L (273.963)	722.9	9.5/9	N/A	MB 001 989 68 03-10	DVI, MLV									
GL 550	11-13	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									
	14-16	V8	5.5L	722.909	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									
GL 63 AMG	13	V8	6.3L	722.9	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									
	14-16	V8	6.3L	722.9	9.5/9	N/A	MB Sheet 236.15	LG 6, DHP									

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
GLA 45 AMG	15-19	L4	2.0L	724.0	5.6/5.3	N/A	MB Sheet 236.21				LUBEGARD DCTF						
GLA 250	15-20	L4	2.1L	724.0	5.6/5.3	N/A	MB Sheet 236.21				LUBEGARD DCTF						
GLC43 AMG	16-20	V6	3.0L	724.0	5.6/5.3	N/A	MB Sheet 236.21				LUBEGARD DCTF						
GLC 300	16-20	L4	2.0L	724.0	5.6/5.3	N/A	MB Sheet 236.21				LUBEGARD DCTF						
GLE 43 AMG	16-19	V6	3.0L	725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
GLE63 AMG	16-20	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GLE63 AMG S	16-20	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GLE 350	16-18	V6	3.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GLE 400	16-19	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GLE 450 AMG	16-17	V6	3.0L	725	10.5/10	N/A	MB Sheet 236.16				SYN DM						
	20	V6	3.0L	725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
GLE 550e	16-18	V6	3.0L	724.2	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GLK 250	13-15	L4	2.1L	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
GLK 350	11-15	V6	3.5L (272.991)	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GLK 350 4MATIC	11-15	V6	3.5L (272.971)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
GLS 63 AMG	17-19	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GLS 350d	17	V6	3.5	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GLS 450	17-19	V6	3.0	722.5	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
GLS 550	17-19	V8	5.5L	722.5	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
Metris	16-19	L4	2.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
ML 250	15	L4	2.1L	722.908	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
ML 320	00-03	V6	3.2L	722.6	9/8.5	N/A	MB Sheet 236.14				DVI, MLV						
ML 320 CDI/Bluetec	07-10	V6	3.0L	722.7	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
	03-10	V6	3.7L	722.7	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
ML 350	11-13	V6	3.7L	722.7	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	14-15	V6	3.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
ML 400	15	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
ML 430	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
	01	V8	4.3L	722.6	9/8.5	N/A	MB Sheet 236.14				DVI, MLV						
ML 450 (HYBRID)	10	V6	3.5L (272.973)	2 MODE HYBRID	13/12.3	11.5/10.9	DEXRON VI				SYN DM, D6, MV						
ML 450	11-13			722.55	12.9/12.25	N/A	MB Sheet 236.14				DVI, MLV						
ML 500	02-08	V8	5.0L	722.6	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
ML 55	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
ML 55 AMG	00-03	V8	5.4L	722.6	9/8.5	N/A	MB Sheet 236.14				DVI, MLV						
	08-10	V8	5.5L (273.963)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
ML 550	11-13	V8	4.7L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	14-15	V8	4.6L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	07-10	V8	6.3L (156.980)	722.9	9.7/9.2	N/A	MB 001 989 68 03-10				DVI, MLV						
ML 63 AMG	11	V8	6.2L	722.907	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	12-13	V8	6.2L	72.931	7.5/7.1	N/A	MB Sheet 236.15				LG 6, DHP						
	14-15	V8	6.2L	722.9	9.5/9.0	N/A	MB Sheet 236.15				LG 6, DHP						
R 320 CDI	07-10	V6	3.0L	722.7	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
R 350	06-10	V6	3.5L	722.6	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
	11-13	V6	3.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
R 350 4MATIC	09-12	V6	3.5L (272.967)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	09-12	V6	3.0L (642.870)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
R 500	06-08	V8	5.0L	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
R 550	08	V8	5.5L	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
R 63 AMG	07	V8	6.3L	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
S	03-07	ALL	N/A	All 7-Speed	9.6/9.1	N/A	Fuchs ATF 3353				SYN DM, MV						
S 350	94-95	ALL	N/A	722.4	7.7/7.3	6.5/6.2	DEXRON III				DM, DIV						
	03-07	ALL	N/A	All 5-Speed	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
S 350 BLUE TECH	12-13	V6	3.0L (642.870)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
S 400 HYBRID	10-12	V6	3.5L	N/A	N/A	N/A	MB 001 989 68 03-10				SYN DM, D6, MV						
S 400	11-13	V6	3.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- DULV Dexron Ultra LV
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV

- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



M

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
S 420	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
S 420 SL	96-00	ALL	N/A	722.6	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
	98-99	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
S 430	00-07	ALL	N/A	All 5-Speed	9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	04	ALL	N/A	All 7-Speed	9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
S 500	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
	00-07	ALL	N/A	All 5-Speed	9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	04	ALL	N/A	All 7-Speed	9.1/8.6	N/A	Shell 3403-M 115				SYN DM, MV						
S 500 SL	96-04	ALL	N/A	722.6	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
S 55	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
S 55 AMG	01-03	ALL	N/A	All 5-Speed	9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	04-06	ALL	N/A	All 7-Speed	9.6/9.1	N/A	Fuchs ATF 3353				SYN DM, MV						
	03-06	ALL	N/A	All 5-Speed	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
	03-06	ALL	N/A	All 7-Speed	9.6/9.1	N/A	Fuchs ATF 3353				SYN DM, MV						
S 550	07-10	V8, V12	5.5L (273.971) (275.953)	722.9, 722.6	10.3/9.8	N/A	MB Sheet 236.14				DVI, MLV						
	11-17	V8	5.5, 4.7	All 7-Speed	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	11-17	V8	5.5, 4.7	All 9-Speed	10.6/10	N/A	MB Sheet 236.17				LG 8, MULV						
S 550e	16-17	V6	3.0	All 7-Speed	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
S 600	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
	01-10	ALL	N/A	All 5-Speed	9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V12	5.5L (273.971) (275.953)	All 5-Speed	8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
	15-17	V12	5.5L (273.971) (275.953)	All 7-Speed	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
SL	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
S 63 AMG	07-10	V8	6.2L	722.9	9.2/8.75	N/A	MB Sheet 236.14				DVI, MLV						
	11-17	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	11-19	V8	4.0L	722.9	8.2/7.8	N/A	MB Sheet 236.15				LG 6, DHP						
S 65/ S 65 AMG	03-05	ALL	N/A	All 5-Speed	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
	03-05	ALL	N/A	All 7-Speed	9.6/9.1	N/A	Fuchs ATF 3353				DVI, MLV						
	06-10	V12	6.8L	All 5-Speed	9.2/8.7	N/A	MB Sheet 236.14				DVI, MLV						
S 65 AMG	11-14	V12	6.0L	All 5-Speed	8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V12	6.0L	All 7-Speed	7.5/7.1	N/A	MB Sheet 236.15				LG 6, DHP						
	15-17	V12	6.0L	All 7-Speed	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	11-19	V8	4.0L	722.9	8.2/7.8	N/A	MB Sheet 236.15				LG 6, DHP						
SL 450	17-19	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
SL 500	01-07	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
SL 55 AMG	04-07	ALL	N/A	All 5-Speed	9.5/9	N/A	Shell 3403-M 115				SYN DM, MV						
	04-07	ALL	N/A	All 7-Speed	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
SL 550	09-11	V8	5.5L	722.9, 722.6	9.5/9, 7.7/7.3	N/A	MB 001 989 68 03-10				DVI, MLV						
	13-16	V8	4.7L	722.9	9.5/9.0	N/A	MB Sheet 236.15										
	17-20	V8	4.7L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
SL 600	01-07	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
	09-11	V8	5.5L	722.9, 722.6	9.5/9, 7.7/7.3	N/A	MB 001 989 68 03-10				DVI, MLV						
SL 63 AMG	09-12	V8	6.3L (156.984)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	09-12	V12	6.5L (275.982)	722.9	7.9/7.5	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-19	V8	5.5L	722.9	7.5/7.1	N/A	MB Sheet 236.15				LG 6, DHP						
SL 65 AMG	11-18	V12	6.0L	722.9	9.5/9.0	N/A	MB Sheet 236.15				LG 6, DHP						
SLC 300	17-20	L4	2.0L	725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
SLC 43 AMG	17-20	V6	3.0L	725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
SLK 230	00-04	I4	N/A	All 5-Speed	8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
	09-10	V6	3.0L (272.942)	722.9	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
SLK 300	11	V6	3.0L (272.942)	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	16	I4	2.0L	725.011	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
SLK 32 AMG	02-04	V6	N/A	722.9	8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
SLK 320	01-06	V6	3.2L	722.9	8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
SLK 350	05-10	V6	3.5L (272.969)	722.9	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
	11-16	V6	3.5L (272.969)	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
SLK 55 AMG	09-10	V8	5.5L (113.989)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
SLS AMG	09-12	V8	6.3L	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Sprinter 2500/3500	10-16	L4	2.1L	722.9	10.6/10	N/A	MB Sheet 236.14				DVI, MLV						
	10-16	V6	3.5L	W5A380	7.5/7.1	5.8/5.5	MB Sheet 236.15				LG 6, DHP						
MERCURY																	
Cougar, XR-7	99-02	L4	2.0L	CD4E	9/8.5	4/3.8	MERCON				DM, MV						
	99-02	V6	2.5L	CD4E	10.3/9.7	4/3.8	MERCON				DM, MV						
Grand Marquis	96-05	V8	4.6L	AOD-E, 4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	06	V8	4.6L	AOD-E, AODEW	13.9/13.2	5/4.7	MERCON V				*DM						
	07-08	V8	4.6L	4R70E/4R75E	13.9/13.2	5.4/5	MERCON V				*DM						
Marauder	09-11	V8	4.6L	4R70E/4R75E	13.9/13.2	5.4/5	MERCON LV				DVI						
	03-04	V8	4.6L	4R70W	12.7/12.1	5/4.7	MERCON V				*DM						
Mariner	05-08	L4, V6	2.3, 3.0L	CD4E	9/8.5, 10.1/9.6	3.9/3.7	MERCON V				*DM						
	09-12	L4, V6	2.5, 3.0L	6F35	9/8.5	N/A	MERCON LV				DVI						
Mariner Hybrid	05-08	L4	2.3L	ECVT "PSE" (HYBRID)	5.3/5	N/A	MERCON LV				DVI						
	09-12	L4	2.5L	ECVT "PSE" (HYBRID)	5.3/5	N/A	MERCON LV				DVI						
Milan	06-08	V6	3.0L	AW6A-EL	N/A	7.4/7	Motorcraft XT-8-QAW				*DM, MV						
	06-09	L4, V6	2.3, 3.0, 3.5L	FNR5	7/6.7	N/A	Mazda ATF M-V				*DM, DVI, MV						
	06-12	L4, V6	2.5, 3.0, 3.5L	AW21	7.4/7	4/3.7	Motorcraft XT-8-QAW				*DM, MV						
	10-12	L4, V6	2.5, 3.0, 3.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
	10-12	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
Montego	05-07	V6	3.0L	CVT	10/9.5	N/A	Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT						
	05-07	V6	3.0L	AF21	7.4/7	N/A	Motorcraft XT-8-QAW				*DM, MV						
Monterey	03-07	V6	4.2L	CVT	10/9.6	N/A	Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT						
	04-07	V6	4.2L	AX4N, AX4S	13.7/13	N/A	MERCON V				*DM						
Mountaineer	97-01	V8	5.0L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	99-01	V6	4.0L	5R55-E	10/9.5	4/3.8	MERCON V				*DM						
	02-05	V6, V8	4.0, 4.6L	5R55W, 5R55S	12.7/12.1	N/A	MERCON V				*DM						
	04-10	V6, V8	4.0, 4.6L	5R55S	12.4/11.7	N/A	MERCON V				*DM						
	06-08	V8	4.0, 4.6L	6R60	11/10.5	5/4.7	MERCON SP				DVI, LG6						
	09-10	V6, V8	4.0, 4.6L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
Mystique	95-00	L4	2.0L	CD4E	9/8.5	4/3.8	MERCON				DM, MV						
	95-00	V6	2.5L	CD4E	10.3/9.7	4/3.8	MERCON				DM, MV						
Sable	98-01	V6	3.0, 3.8L	AX4S	12.3/11.6	N/A	MERCON V				*DM						
	98-07	V6	3.0L	AX4N, AX4S	13.4/12.7	N/A	MERCON V				*DM						
	08-09	V6	3.0L	6F50	10/9.5	N/A	MERCON LV				DVI						
Tracer	90-97	L4	1.8, 1.9, 2.0L	F4A-EL, 4EAT-F	6.7/6.3	N/A	MERCON				DM, MV						
	98-02	L4	1.8, 1.9, 2.0L	F4A-EL, 4EAT-F	5.7/5.4	N/A	MERCON				DM, MV						
Villager	93-02	V6	3.0L	4F20-E, RE4F04A, V	8.7/8.2	N/A	MERCON				DM, MV						
Zephyr	06	V6	3.0L	AW6A-EL	N/A	7.4/7	Motorcraft XT-8-QAW				*DM, MV						
MINI COOPER																	
Mystique	02-08	L4	1.6L	ZF CFT23	N/A	5.3/5	Esso CVT-EZL 799				LUBEGARD CVT						
	05-08	L4	1.6L	6 Speed	N/A	4.2/4	Mini 83 22 0 402 413				*DM, MV						
Cooper (R56)	07-11	L4	1.6L (N12)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
	08-11	L4	1.6L (N12)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
Clubman (R55)	16-20	L4	1.6L (N12)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
	16-20	L4	1.6L (N12)	GA8F22AW	7.4/7.0	N/A	Mini 83 22 0 402 413				*DM, MV						
Cooper Conv (R57)	09-11	L4	1.6L (N12) (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
Cooper S (R56)	07-11	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
Cooper S Clubman (R55)	08-16	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
	16-20	L4	1.6L (N14)	GA8F22AW	7.4/7	N/A	BMW ATF6				DVI, MLV						
Cooper S Conv (R57)	09-11	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
Mini Cooper Countryman	11-15	L4	1.6L (N14)	GA6F21FT/ GA6F21AW	5.8/5	N/A	BMW ATF6				DVI, MLV						
	16-20	L4	1.6L (N14)	GA8F22AW	7.4/7	N/A	BMW ATF6				DVI, MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
* Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



**M
N**

MINI COOPER cont.								60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Mini Cooper	05-16	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
	14-16	L4	1.6L (N14)	GA6F21FT/ GA6F21AW	5.8/5	N/A	BMW ATF6				DVI, MLV						
	16-17	L4	1.6L (N14)	GA8F22AW	7.4/7	N/A	BMW ATF6				DVI, MLV						
Mini Cooper Paceman	13-16	L4	1.6L (N14)	GA6F21FT/ GA6F21AW	5.8/5	N/A	BMW ATF6				DVI, MLV						
	16-20	L4	1.6L (N14)	GA8F22AW	7.4/7	N/A	BMW ATF6				DVI, MLV						
MITSUBISHI																	
Eclipse	99-02	L4, V6	2.4L, 3.0L	F4A42, F4A51	8.2/7.8, 9/8.5	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	06-12	L4	2.4L (4G69)	F4A4B	8.1/7.8	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Eclipse Cross	18-20	L4	1.5L	CVT	7.8/7.4	N/A	CVTF J-4				LUBEGARD CVT						
Eclipse Spider	07-12	V6	3.8L (6G75)	F5A5A	8.9/8.4	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Endeavor	05-11	V6	3.8L (6G75)	F4A5A, W4A5A	8.9/8.4, 9.3/8.8	N/A	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Evolution VIII	03-06	L-4	N/A	F4A42	8.2/7.8	5.4/5.1	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Galant	99-03	L4	2.4L	F4A41, F4A42	8.2/7.8	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	99-03	V6	3.8L	F4A41, F4A42	9/8.5	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	04-12	L4	2.4L (4G69)	F4A4B	8.1/7.7	N/A	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
i-Miev	04-12	V6	3.8L (6G75)	F5A5A, A5HF1	8.9/8.4	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	16-17	L4	N/A	F1E1A	N/A	.79/.75	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Lancer	02-07	L4	2.0, 2.4L	F4A41, F4A42	8.1/7.7	5.4/5.1	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	08-11	L4	2.0 (4B11), 2.4L (4B12)	FICJA (CVT)	7.5/7.1	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
	08-15	L4		W6DGA DCT	8/7.8	5.8/5.5	Dia Queen SSTF-1				LUBEGARD DCTF						
Lancer Sport Back	12-17	L4		CVT	7.5/7.1	N/A	CVTF J-4				LUBEGARD CVT						
	09-11	L4	2.4L (4B12)	FICJA (CVT)	7.5/7.1	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
Mirage	98-02	L4	1.5, 1.8L	F4A41, F4A42	8.2/7.8	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Mirage, Mirage G4	14-17	L4	1.5L	CVT	7.4/7	2.6/2.5	CVTF J-4				LUBEGARD CVT						
	18-20	L4	1.2L	CVT	7.4/7	2.6/2.5	CVTF J-4				LUBEGARD CVT						
Montero	01-07	V6	3.5, 3.8L	V5A51	9.8/9.3	2.1/2	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	94-00	V6	3.0, 3.5L	AW30-40LE, A340F	8/7.6	2/1.9	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Montero Sport	99-05	V6	3.0, 3.5L	R4A51, V4A51	10.2/ 9.6	2/1.9	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Outlander	03-08	L4, V6	2.4, 3.0L	W4A42, AW6AJA	8.6/8.1	5.8/5.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	07-15	V6	3.0L (6B31)	F6AJA, W6AJA	8.7/8.2	N/A	Mitsubishi Dia Queen J-3				DM, DVI						
	07-12	L4	2.4L (4B12)	CVT	7.5/7.1	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
Outlander, Outlander Sport	12-17	L4	2.4L (4B12)	CVT	7.3/6.9	N/A	CVTF J-4				LUBEGARD CVT						
	16-20	L4, V6	2.0L, 2.4L	CVT	7.5/7.1	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
	16-20	L4, V6	2.0L, 2.4L	W6AJA	8.7/8.2	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
Raider	05-07	V6, V8	3.7, 4.7L	42RLE, 545RFE	14/13.5	6.5/6.2 - 5.5/5.2	Mopar ATF+4				*DM, DVI, MV						
	07-08	V6	3.7L	42RLE	8.7/8.3	4/3.8	Mopar ATF+4				*DM, DVI, MV						
NISSAN																	
200SX	95-02	L4	1.6, 2.0L	RL4F03A, RE4F03A	7.3/6.9	N/A	Nissan Matic-D				*DM, DVI, MV						
240SX	89-02	L4	2.4L	RE4R01A	8.5/8	N/A	Nissan Matic-D				*DM, DVI, MV						
350Z	03-09	V6	3.5L (VQ35DE)	RE5R05A	10.9/10.4	N/A	Nissan Matic-S				DVI, MLV						
370Z	09-20	V6	3.7L (VQ37VHR)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
Altima	93-04	L4, V6	2.4, 3.5L	RE4F04A/V	9.8/9.2	N/A	Nissan Matic-D				*DM, DVI, MV						
	05-08	V6	3.5L	RE5F22A	7.7/7.3	N/A	Nissan Matic-K				DVI, MLV						
	07-12	V6	3.5L (VQ35DE)	RE0F09B (CVT)	10.7/10.2	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Altima Coupe	09-12	L4	2.5L (QR25DE)	RE0F10A (CVT)	7.7/7.3	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	13-17	L4	2.5L (QR25DE)	RE0F10A (CVT)	7.7/7.3	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Altima Sedan	13-17	L4	2.5L (QR25DE)	RE0F10D (CVT)	7.8/7.4	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
	13-18	V6	3.5L (VQ35DE)	RE0F10E, RE0F10H	8.6/8.2	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Altima	19-20	L4	2.0L, 2.5L	RE0F10D, RE0F10H	8.7/8.2	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid						
Altima Hybrid	09-11	L4	2.5L (QR25DE)	RE0F01H (HYBRID)	4.3/4.1	N/A	Nissan Matic-W				DVI, MLV						
Armada	05-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-W				DVI, MLV						
	09-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-S				DVI, MLV						
	11-15	V8	5.6L (VK56DE)	RE5R05A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
	16-20	V8	5.6L	RE7R01A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
	16-19	V8	5.0L Diesel	RE7R01A	14.8/14	N/A	Nissan Matic-K				DVI, MLV						
Cube	09-14	L4	1.8L (MR18DE)	RE0F08B (CVT)	7.8/7.4	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	98-04	L4, V6	2.4, 3.3, 3.4L	RL4R01A	8.3/7.9	N/A	Nissan Matic-D				*DM, DVI, MV						
Frontier	05-08	L4, V6	2.4 (QR25DE), 4.0L (VQ40DE)	RE5R05A	10.9/10.4	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	09-19	L4, V6	2.4 (QR25DE), 4.0L (VQ40DE)	RE5R05A	10.9/10.4	N/A	Nissan Matic-S				DVI, MLV						
GTR	09-20	V6	3.8L (VQ38DE)	GR6Z30A	10.2/9.7	N/A	Nissan "R35" 999MP-GTR00P	USE	OEM	FLUID	Use OEM Fluid						
Juke	11-14	L4	1.6L (MR16DDT)	RE0F08B (CVT)	8.6/8.2, 9.1/8.6	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	15-17	L4	1.6L (MR16DDT)	RE0F10B	9.1/8.6	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
Juke Nimo RS	15-17	L4	1.6L (MR16DDT)	RE0F10D	8.4/7.9	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Leaf	11-17	NA	Electric	RE1F61B	1.5/1.4	N/A	Nissan Matic-S				DVI, MLV						
	95-05	V6	3.0, 3.5L DOHC	RE4F04A	10/9.5	N/A	Nissan Matic-D				*DM, DVI, MV						
Maxima	04-07	V6	3.5L	RE5F22A	7.7/7.3	N/A	Nissan Matic-K				DVI, MLV						
	08-14	V6	3.5L (VQ35DE)	RE0F09B (CVT)	10.7QT, 10.2L, 9.1Q	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Murano	16-20	V6	3.5L (VQ35DE)	RE0F09B (CVT)	8.6/8.2	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
	03-15	V6	3.5L (VQ35DE)	RE0F09B (CVT)	10.7/10.2	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	16-19	V6	3.5L	RE0F10E, RE0F10J	9.3/8.8	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
NV	11-12	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-S				DVI, MLV						
NV 200	13-20	L4	2.0L	RE0F10D, RE0F10A	8.6/8.2	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid						
NV 1500-3500	12-20	V6, V8	4.0, 5.6L	RE5R05A	11.6/11.2	N/A	Nissan Matic-S				DVI, MLV						
	09-02	L4	2.4L	RL4R01A	8.3/7.9	N/A	Nissan Matic-D				*DM, DVI, MV						
Pathfinder	90-02	V6	3.0, 3.3L	RE4R01A	8.9/8.4	N/A	Nissan Matic-D				*DM, DVI, MV						
	96-04	V6	3.0, 3.5L	RL4R01A	9/8.5	N/A	Nissan Matic-D				*DM, DVI, MV						
	05-07	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE5R05A	10.9/10.4	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	08-12	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE5R05A	10.9/10.4, 11.2/10.6	N/A	Nissan Matic-S				DM, DVI						
	13-20	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE0F10E, RE0F10J	9.3/8.8	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid						
Pathfinder Armada	04-06	V8	5.6L	RE5R05A	11.2/10.6	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	93-03	V6	3.0, 3.5L	RE4F04A	10/9.5	N/A	DEXRON III				DM, DVI						
Quest	04-10	V6	3.5L (VQ35DE)	RE5F22A	7.8/7.4	N/A	Nissan Matic-K				DVI, MLV						
	11-14	V6	3.5L (VQ35DE)	RE0F010	8.6/8.2	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	15-17	V6	3.5L (VQ35DE)	RE0F09B (CVT)	9.3/8.8	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
Rogue	09-10	L4	2.5L (QR25DE)	RE0F10A (CVT) AWD	7.7/7.3	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	09-10	L4	2.5L (QR25DE)	RE0F10A (CVT) 2WD	9.1/8.6	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	11-13	L4	2.5L (QR25DE)	RE0F10A (CVT) 2WD	7.9/7.5, 9/8.5	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	14-17	L4	2.5L (QR25DE)	RE0F10A (CVT) 2WD	8.4/7.9	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid						
Rogue Sport	17-20	L4	2.0L	RE0F10A (CVT) 2WD	7.8/7.4	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
Sentra	91-04	L4	1.6, 1.8L	RE4F03A	7.3/7	N/A	Nissan Matic-D				*DM, DVI, MV						
	91-92	L4	2.0L	RL4F03A	7.3/6.9	N/A	DEXRON III				DM, DVI						
	93-06	L4	1.6, 1.8, 2.0L	RE4F03A	9/8.5	N/A	Nissan Matic-D				*DM, DVI, MV						
	07-12	L4	2.0 (MR20DE), 2.5L (QR25DE)	RE0F10A (CVT)	7.7/7.3, 7.9/7.5	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
 * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



MOP

NISSAN cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt./Liter	Service Fill Qt./Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Sentra	13-19	L4	1.8L, 1.6L	REOF10D, REOF11A	7.8/7.4	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
SE-R	03-07	L4	2.5L	RL4F03A	9/8.5	N/A	Nissan Matic-D				*DM, DVI, MV						
Titan	04-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-S				DVI, MLV						
	11-15	V8	5.6L (VK56DE)	RE5R05A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
	16-19	V8	5.6L (VK56DE)	RE7R01A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
	16-19	V8	5.0L Diesel	RE7R01A	14.8/14	N/A	Nissan Matic-K				DVI, MLV						
Versa	07-10	L4	1.8 (MR18DE), 1.6L (HR16DE)	REOF08B (CVT)	7.8/7.4	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	09-10	L4	1.8 (MR18DE), 1.6L (HR16DE)	RE4F03B	8.3/7.9	N/A	Nissan Matic-S				DVI, MLV						
	11-13	L4	1.8 (MR18DE), 1.6L (HR16DE)	REOF08B (CVT)	7.3/6.9	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Versa, Versa Note	14-20	L4	1.8 (MR18DE), 1.6L (HR16DE)	REOF11A	7.3/6.9	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
Xterra	98-04	L4, V6	2.4, 3.3, 3.4L	RE4R01A	9/8.5	N/A	Nissan Matic-D				*DM, DVI, MV						
	05-08	V6	3.4, 4.0L	RE5R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	09-17	V6	4.0L (VQ40DE)	RE5R05A	10.9/10.3	N/A	Nissan Matic-S				DVI, MLV						

OLDSMOBILE

88 Royal	98-00	V6	3.8, 3.8L SC	4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
Alero	99-03	L4, V6	2.2, 2.4, 3.4L	4T40-E, 4T45-E	9.5/9	6.9/6.5	DEXRON III				DM, DVI						
	95-03	V8	4.0L	4T80-E	15/14.2	11/10.4	DEXRON III				DM, DVI						
Aurora	01-07	V6	3.5L	4T65-E	13.4/12.7	7.4/7	DEXRON III, VI				DM, DVI						
Bravada	92-03	L6	4.2, V6 4.3L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI						
Intrigue	98-02	V6	3.5, 3.8L	4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
Silhouette	00-03	V6	3.4L	4T65-E	10/9.5	7.4/7	DEXRON III				DM, DVI						

PLYMOUTH

Breeze	95-00	L4	2.0, 2.4L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Neon	95-01	L4, V6	2.0, 2.5L	31TH	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Prowler	97-01	V6	3.5L	42LE	9.9/9.4	4.4/4.2	Mopar ATF+4				*DM, MV						

PONTIAC

Aztec	01-05	V6	3.4L	4T65-E	10/9.5	7.4/7	DEXRON III				DM, DVI						
Bonneville	95-05	V6	3.8L SC	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
Firebird	97-02	V6	3.4, 3.8L	4L60-E	8.8/8.3	5/4.7	DEXRON III				DM, DVI						
	97-02	V8	5.7L	4L60-E	10.8/10.2	5/4.7	DEXRON III				DM, DVI						
Firefly	88-00	N/A	N/A	U.A.	5.2/4.9	2/1.9	DEXRON III				DM, DVI						
G3	07-09	L4	1.6L (LXT) (LXV)	A 81-40LE (MLQ)	6.2/5.8	2.2/2.1	GM 88900925				*DM, MV						
G5	07-09	L4	2.0 (LSJ), 2.2 (L61), 2.4L (LE5)	4T40-E, 4T45-E (MN5)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	05-07	L4, V6	2.4, 3.5, 3.9L	4T45-E, 4T65-E	13.3/13	7.4/7	DEXRON VI				MLV						
G6	07-09	L4, V6	2.4, 3.5, 3.6, 3.9L	4T65-E (M15), 4T45 (MN5)	13.4/12.7, 9.5/9	7.7/7.4, 6.9/6.5	DEXRON VI				MLV						
	07-09	L4, V6	2.4, 3.5, 3.6, 3.9L	6T70 (MH2), 6T40 (MH8)	9.5/8.4, 8.5/8	6.3/5.5, 5.3/5	DEXRON VI				MLV						
G8	08-09	V6, V8	3.6 (LY7), 6.0 (L76), 6.2L (LS3)	5L40-E (M82), 6L80 (MYC)	9.4/8.9, 10.9/5	7.4/7, 6.5/6.2	DEXRON VI				MLV						
Grand Am	99-04	L4, V6	2.2, 2.4, 3.4L	4T40-E, 4T45-E	9.5/9	6.9/6.5	DEXRON III				DM, DVI						
Grand Prix	96-05	V6	3.1, 3.4, 3.8, 3.8L/SC	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	06-08	V6, V8	3.8, 5.3, 5.7L	4T65-E	13.4/12.7	7.4/7	DEXRON VI				MLV						
GTO	04-06	V8	5.7L	4L60-E	11.4/10.8	5.3/5	DEXRON II				DM, DVI						
Matiz	08-09	L4	1.0 (LMT), 1.2L (LMU)	JF405E (MFL)	6.2/5.8	N/A	JWS 3314				DVI						
	99-05	V6	3.4L	4T65-E	10/9.5	7.4/7	DEXRON III				DM, DVI						
Montana	05-06	V6	3.5 (LX9), 3.9L (LZD)	4T65-E (M15) (M76)	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
	07-09	V6	3.9L (LZ9) (LGD)	4T65-E (M15)	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
Montana SVX	06-07	V6	3.5, 3.9L	4T65-E	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
Solstice	05-09	L4	2.0 (LNF), 2.4L (LE5)	5L50-E	9.4/8.9	7.4/7	DEXRON VI				MLV						
	95-01	L4	2.2L	3T40	9/8.5	4/3.8	DEXRON III				DM, DVI						
Sunfire	95-03	L4	2.2, 2.3, 2.4L	4T40-E	12.9/12.2	6.9/6.5	DEXRON III				DM, DVI						
	94-02	N/A	N/A	THM3L30	5.4/5.1	3/2.8	DEXRON III				DM, DVI						
Sunrunner	05-09	V6	3.4 (LNJ), 3.6L (LY7)	AF 33-5 (M98)	8.2/7.8	4.3/4	GM 88900925				*DM, MV						
Torrent	08-09	L4, V6	2.4 (LAF), 3.0L (LF1)	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF	
Vibe	03-09	L4	1.8 (LAY), 2.4L (LAX)	A245-E (MVA), A246-E (MVB)	7.7/7.3	3.2/3	GM 88900925				*DM, MV							
Wave	07-09	L4	1.6L (LXT) (LXV)	A81-40LE (MLQ)	6.2/5.8	2.2/2.1	GM 88900925				*DM, MV							
PORSCHE																		
911	99-05	B6	3.6L	A50 Tiptronic	10/9.5	4.8/4.5	Esso Type LT 71141				SYN DM, MV							
	06-07	B6	3.6L	A50 Tiptronic	9.5/9	4.8/4.5	Porsche 000 043 304 00				SYN DM, MV							
	08-09	H6	3.6, 3.8L	Tiptronic	9.5/9	3.7/3.5	JWS 3309				*DM, MV							
	09-16	H6	3.6, 3.8L	PDK (Clutch)	5.5/5.2	N/A	Pentosin FFL 3											
	09-16	H6	3.6, 3.8L	PDK (Gear)	3.0/2.9	N/A	Mobillube PTX 75W-90	USE	OEM	FLUID								
Boxter, Boxter S	09-08	B4	2.5, 2.7, 3.2L	A50 Tiptronic	9.5/9	3.7/3.5	Esso Type LT 71141				SYN DM, MV							
	09-12	H6	2.9, 3.4L	Tiptronic	9.5/9	3.7/3.5	JWS 3309				*DM, MV							
	09-12	H6	2.9, 3.4L	7DT 45 PDK (Clutch)	9.5/9	3.7/3.5	Pentosin FFL 3											
	13-20	H6	2.9, 3.4L	PDK (Clutch)	5.6/5.3	N/A	Pentosin FFL 3											
	09-20	H6	2.9, 3.4L	PDK (Gear)	3.0/2.9	N/A	Mobillube PTX 75W-90	USE	OEM	FLUID								
Cayenne	03-10	V8	4.5L	A48, A48.2, A48.5	9.5/9, 10.6/10.1	9/8.5, 10.1/9.6	Toyota Type T-IV				*DM, MV							
	08-12	V6, V8	3.6, 4.8L	TIPTRONIC	9.5/9.0	3.7/3.5	JWS 3309				*DM, MV							
	11-12	V6, V8	3.6, 4.8L	O9D	10.6/10.0	N/A	G 055 540 A2				SYN DVI, DHP							
	13-16	V6, V8	3.6, 4.8L	OC8	10/9.5	N/A	Porsche 958 300 540 0				*DM, MV							
Cayman	06-07	B6	2.6, 3.3L	A50 Tiptronic	9.5/9	3.7/3.5	Esso Type LT 71141				SYN DM, MV							
	09-12	H6	2.9, 3.4L	Tiptronic	9.6/9 OR 8.5/8	3.7/3.5	JWS 3309				*DM, MV							
	09-12	H6	2.9, 3.4L	7DT 45 PDK (Clutch)	9.5/9	3.7/3.5	Pentosin FFL 3											
	09-16	H6	2.9, 3.4L	PDK (Gear)	3.0/2.9	N/A	Mobillube PTX 75W-90	USE	OEM	FLUID								
	13-16	H6	2.9, 3.4L	PDK (Clutch)	5.5/5.2	N/A	Pentosin FFL 3											
Macan	17-20	H6	2.9, 3.4L	PDK (Clutch)	5.5/5.2	N/A	Pentosin FFL 3											
	17-20	H6	2.9, 3.4L	PDK (Gear)	3.0/2.9	N/A	Mobillube PTX 75W-90	USE	OEM	FLUID								
	15-20	H6	2.9, 3.4L	PDK (Clutch)	7.4/7.1	6.9/6.5	Pentosin FFL 3											
Panamera	15-20	H6	2.9, 3.4L	PDK (Gear)	4.3/4.1	N/A	Mobillube PTX 75W-90	USE	OEM	FLUID								
Panamera Hybrid	10-20	V6, V8	3.6, 4.8L	PDK	8/7.6 (2WD), 9.5/9 (AWD)	N/A	Pentosin FFL 3											
Panamera Hybrid	12-16	V6, V8	3.6, 4.8L	Tiptronic	N/A	N/A	Porsche 958 300 540 0				*DM, MV							
RAM - SEE DODGE																		
SAAB																		
9-2	05-07	B4	2.5L B4	4EAT	9.8/9.3	N/A	DEXRON III, VI				DM, DVI							
	98-02	L4	2.0L	AW50-42LE	8/7.6	3.2/3	DEXRON III				DM, DVI							
9-3	03-06	L4	2.0L	FA57, FA55 (AW 50-55)	7.6/7.2	3.4/3.2	Saab 40-93-160-393				*DM, MV							
	06-12	L4, V6	2.0 (B207R), 2.8L (B284R)	AF40	7.6/7.2	N/A	Saab 93 165 147				SYN DM, DVI, MV							
	06-12	L4, V6	2.0 (B207R), 2.8L (B284R)	FA 57	7.4/7	3.1/2.9	Saab 40-93-160-393				*DM, MV							
9-5	98-01	L4, V6	2.3, 3.0L	AW50-42LE	8/7.6	3.2/3	DEXRON III				DM, DVI							
	02-04	L4	2.3L	FA57	7.6/7.2	N/A	Saab 40-93-160-393				*DM, MV							
	02-05	L4, V6	2.3, 3.0L	FA55 (AW 50-55)	7.6/7.2	3.4/3.2	Saab 40-93-160-393				*DM, MV							
	06-11	L4, V6	2.3, 3.0L	FA57	7.4/7	3.1/2.9	Saab 40-93-160-393				*DM, MV							
9-7X	05-06	L6, V8	4.2 (LL8), 5.3L (LT6)	4L60-E	11/10.6	5/4.7	DEXRON VI				MLV							
	07-09	L6, V8	4.2 (LL8), 5.3 (LT6), 6.0L (LS2)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV							
SATURN																		
Aura	07-10	L4, V6	2.4, 3.5L	4T45-E, 6T70	12.9/12.2	7/6.6, 6.3/6	DEXRON VI				MLV							
	08-09	L4, V6	2.4, 3.5, 3.6L	6T70 (MH2)	9.5/7.4	6.3/5.5	DEXRON VI				MLV							
Aura	08-09	L4, V6	2.4, 3.5, 3.6L	4T45-E BAS HYBRID	9.5/9	6.9/6.5	DEXRON VI				MLV							
	08-09	L4, V6	2.4, 3.5, 3.6L	6T40 (MH8)	8.5/8	5.3/5	DEXRON VI				MLV							
Astra	08-09	L4	1.6 (LDF) (LDU), 1.8L (2HO)	AF17-4	7.6/7.2	4.2/4	Saturn 22689186				*DM, MV							

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- DULV Dexron Ultra LV
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV

- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



S

SATURN cont.								60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt./Liter	Service Fill Qt./Liter	OEM Fluid Type										
Ion	03-07	L4	2.2L	AF33, AF23-5	N/A	4.2/4	Saturn 22689186				*DM, MV						
	05-07	L4	2.2L	4T40-E, 4T45-E	12.9/12.2	6.9/6.5	DEXRON VI				MLV						
Ion Quad Coupe	03-04	L4	2.2L	VT25-E (CVT)	8.5/8	N/A	Saturn 22688912 VTF				LUBEGARD CVT						
L-Series	00-05	L4	2.2, V6 3.0L	4T40-E, 4T45-E	12.9/12.2	6.9/6.5	DEXRON III				DM, DVI						
Outlook	07-09	V6	3.6L (LY7)	6T75 (MY9) (MH6)	9.5/7.4	6.3/6	DEXRON VI				MLV						
Relay	05-06	V6	3.5, 3.9L	4T40-E, 4T45-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III, VI				DM, DVI						
	06-07	V6	3.5L	4T45-E, 4T65-E	13.4/12.7	7.4/7	DEXRON VI				MLV						
S-Series	00-02	L4	1.9L	TAAT	7.4/7	4/3.8	Saturn 21005966				SYN DM, DVI, MV						
Sky	07-09	L4	2.0 (LNF), 2.4L (LE5)	5L50-E	9.4/8.9	7.4/7	DEXRON VI				MLV						
	02-07	L4, V6	2.2, 3.0L	VT25-E (CVT)	6.9/6.5	N/A	Saturn 22688912 VTF				LUBEGARD CVT						
	04-07	V6	3.0, 3.5L	5AT	9.1/8.6	4.8/4.5	Saturn 22689186				*DM, MV						
	05-07	L4	2.2L	4T45-E	12.9/12.2	6.9/6.5	DEXRON VI				MLV						
Vue	08-09	L4	2.4L (LAT)	4T45-E HYBRID	9.5/9	6.9/6.5	DEXRON VI				MLV						
	08-09	L4	2.4L (LE9)	4T45-E (MN5)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	08-09	V6	3.5 (LZ4), 3.6L (LCS) (LY7)	6T70 (MH2) (MH4)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						
SCION																	
FRS	13-16	B4	2.0L	TX6A	7.9/2.1	2.1/2	Type WS				DVI, MLV						
iA	16	L4	1.5L	CW6A-EL	7.6/7.2	3.2/3	Type WS				DVI, MLV						
iQ	12-15	L4	1.3L (1NR-FE)	K41B	6.7/6.3	8/4	Toyota CVT Fluid TC				LUBEGARD CVT						
iM	16	L4	1.8L (2ZR)	K313 CVT	7.9/7.5	1.3/1.2	CVT Type FE				LUBEGARD CVT						
	05-06	L4	2.4L	U340-E	N/A	3.1/2.9	Toyota Type T-IV				*DM, MV						
TC	07-10	L4	2.4L (2AZ)	U241-E	8.2/7.8	3.1/2.9	Toyota Type WS				DVI, MLV						
	11-16	L4	2.5L (2AR-FE)	U760	6.9/6.5	2.9/2.7	Toyota Type WS				DVI, MLV						
XA	04-06	L4	1.5L (1NZ)	U241-E	8.2/7.8	3.1/2.9	Toyota Type T-IV				*DM, MV						
XB	04-07	L4	1.5L	U250-E	9.1/8.6	3.7/3.5	Toyota Type T-IV				*DM, MV						
	08-15	L4	2.4L (2AZ)	U241-E, U250-E	8.2/7.8	3.1/2.9	Toyota Type WS				DVI, MLV						
XD	08-14	L4	1.8L (2ZR)	U341-E	6.9/6.5	3.1/2.9	Toyota Type WS				DVI, MLV						
SMART																	
Fortwo	08-12	L3	1.0L	5-Speed	N/A	2.4/2.3	MB BOT328	USE	OEM	FLUID	SYN 75W-90						
	13-17	L3	1.0L	5-Speed	N/A	2.4/2.3	MB BOT328	USE	OEM	FLUID	SYN 75W-90						
SUBARU																	
Ascent	19-20	B4	2.4L	CVT	12.7/12.0	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
Baja	03-06	B4	2.5L	4EAT	9.8/9.3	N/A	DEXRON III, VI				DM, DVI						
BRZ	13-20	B4	2.0L	TX6A	7.9/2.1	2.1/2	Type WS				DVI, MLV						
	13-14	H4	2.5L (H4SO)	CVT	13.1/12.4	N/A	Subaru CVTF				LUBEGARD CVT						
Crosstrek	13-17	H4	2.5L (H4SO)	CVT	12.6/11.9	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
	18-20	H4	2.0L, 2.5L	CVT	11.2/10.4		Subaru CVTF for Linetronic II				LUBEGARD CVT						
	98-02	B4	2.5L	4EAT	10/9.5	N/A	DEXRON III				DM, DVI						
	01-05	B4	2.5L	4EAT	9.8/9.3	N/A	DEXRON III				DM, DVI						
	05-12	H4	2.5L (H4SO) (H4DOTC)	5EAT	10.1/9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	06-07	H4	2.5L	5EAT	10.1/9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
Forester	06-10	H4	2.5L (H4SO) (H4DOTC)	4EAT	9.8/9.3	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	11-12	H4	2.5L (H4SO)	CVT	13.2/12.5	N/A	Subaru CVTF				LUBEGARD CVT						
	13-14	H4	2.5L	5EAT	9.8/9.3	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	13-16	H4	2.5L	CVT	13.1/12.4	N/A	Subaru CVTF				LUBEGARD CVT						
	17-20	H4	2.5L	CVT	13.1/12.4	N/A	Subaru CVTF for Linetronic II				LUBEGARD CVT						
	99-08	B4	2.5L	4EAT	9.8/9.3	N/A	DEXRON III, VI				DM, DVI						
	06-10	H4	2.5L (H4SO) (H4DOTC)	4EAT	10, 9.5	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
Impreza	11-14	H4	2.5L	CVT	13.2/12.5	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
	12-14	H4	2.5L	5EAT	10.4/9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	15-16	H4	2.5L	CVT	12.6/11.9	N/A	Subaru CVTF for Linetronic II				LUBEGARD CVT						
	17-20	H4, H6	2.5L, 3.6L	CVT	11.6/11.0	N/A	Subaru CVTF for Linetronic II				LUBEGARD CVT						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Legacy	95-04	B4	2.0, 2.2, 2.5L	4EAT	8.3/7.9	2.6/2.5	DEXRON III				DM, DVI						
	97-04	B4	2.5L	N/A	10/9.5	N/A	DEXRON III				DM, DVI						
	03-08	B4	2.5L	4EAT	9.8/9.3	N/A	DEXRON III				DM, DVI						
	05-08	H4	2.5L (H4SO) (H4DOTC)	4EAT	10/9.5	N/A	Idemitsu ATF HP				DM, DVI, MV						
	05-09	H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10.4/9.8	N/A	Idemitsu ATF HP				DM, DVI, MV						
	09	H4	2.5L (H4SO)	4EAT	10/9.5	N/A	Idemitsu ATF HP				DM, DVI, MV						
	09	H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10.4/9.8	N/A	Idemitsu ATF HP				DM, DVI, MV						
	10-12	H4	2.5L (H4SO)	ECVT	13.2/12.5	N/A	Subaru SOA868V9245QT				LUBEGARD CVT						
	10-14	H6	3.6L (H6DO)	5EAT	10.4/9.8	N/A	Idemitsu ATF HP				DM, DVI, MV						
	15-17	H4	2.5L	CVT	12/11.4	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
	15-17	H6	3.6L	CVT	13.4/12.7	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
	18-20	H4	2.4L	CVT	12.3/11.6	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
	18-20	H4	2.5L	CVT	12.6/11.9	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
	Outback	00-05	B4	2.5L	4EAT	10/9.5	N/A	DEXRON III				DM, DVI					
01-10		B4	2.5L B4	4EAT	9.8/9.3	N/A	DEXRON III				DM, DVI						
05-09		H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10.4/9.8	N/A	Idemitsu ATF HP				DM, DVI, MV						
05-09		H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10.4/9.8	N/A	Idemitsu ATF HP				DM, DVI, MV						
10-14		H4	2.5L (H4SO)	ECVT	13.2/12.5	N/A	Subaru CVT SOA868V9245QT				LUBEGARD CVT						
10-14		H6	3.6L (H6DO)	5EAT	10.4/9.8	N/A	Idemitsu ATF HP				DM, DVI, MV						
15-17		H4	2.5L	CVT	12/11.4	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
15-17		H6	3.6L	CVT	13.4/12.7	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
18-20		H4	2.4L	CVT	12.6/11.9	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
18-20		H4	2.5L	CVT	12.4/11.7	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
Tribeca B9	06-07	H6	3.0L (EZ30)	5EAT	10.1/9.6	N/A	Idemitsu ATF HP				DM, DVI, MV						
	08-12	H6	3.6L (EZ36)	5EAT	10.4/9.8	N/A	Idemitsu ATF HP				DM, DVI, MV						
WRX	03-07	B4	2.5L Turbo	4EAT	10/9.5	N/A	DEXRON III, VI				DM, DVI						
	15-20	H4	2.5L Turbo	CVT	13.1/12.4	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						

SUZUKI

Aerio	02-07	L4	2.3L	AW60-40LE	N/A	N/A	DEXRON III, VI				DM, DVI						
	05-07	L4	2.3L	AW50-42LE	7.3/6.9	4.2/4	Esso Type LT 71141				DM, DVI, MV						
Esteem	95-02	L4	1.6L	AW60-40LE	N/A	N/A	DEXRON III				DM, DVI						
Equator	09-12	L4, V6	2.5 (QR25DE), 4.0L (VQ40DE)	JR507E, RE5R05A	10.8/10.3	N/A	Suzuki Matic-S				DVI, MLV						
Forenza	04-08	L4	2.0L	ZF 4HP16	7.3/6.9	4.2/4	Esso Type LT 71141				DM, DVI, MV						
	99-05	L4, V6	1.6, 2.0, 2.5L	A44DE	7.8/7.4	3/2.8	DEXRON III				DM, DVI						
	06-09	V6	2.7L (H27A)	A750E/F	10.5/9.9	2.7/2.5	Suzuki 3317				DM, DVI, MV						
Grand Vitara	09-12	L4, V6	2.4 (J24B), 3.2L (N32A)	6T70/6T75 (6 SPEED)	7.4/7, 9.5/9	4.2/4, 6.3/6	DEXRON VI				MLV						
	10	L4, V6	2.4 (J24B), 3.2L (N32A)	4AT	7.7/7.3	2.7/2.5	Suzuki 3317				DM, DVI, MV						
	10	L4, V6	2.4 (J24B), 3.2L (N32A)	5AT	10.7/10.2	3.2/3	Suzuki 3317				DM, DVI, MV						
Kizashi	10-12	L4	2.4L (J24B)	CVT	8.9/8.3	N/A	Suzuki CVT GREEN 1				LUBEGARD CVT						
Reno	05-07	L4	N/A	ZF 4HP	7.8/7.4	4.2/4	Esso Type LT 71141				DM, DVI, MV						
Sidekick 2DR	89-02	L4	1.6L	3L30, TH180	5.4/5.1	3/2.8	DEXRON III				DM, DVI						
Sidekick 4DR	92-02	L4	1.6, L4 1.8L	03-72LE (A44DE)	6.7/6.3	2.7/2.6	DEXRON III				DM, DVI						
Swift	89-02	L4	1.3L	MX17	N/A	1.7/1.8	DEXRON III				DM, DVI						
	07-09	L4	2.0L (J20A)	81-40-LE	7.7/7.3	4.8/4.5	DEXRON VI				MLV						
SX4	07-10	L4	2.0L (J20B)	CVT	9.9/9.4	N/A	Suzuki CVT GREEN 1				LUBEGARD CVT						
	11-12	L4	2.0L (J20B)	CVT	8.5/8	N/A	Suzuki CVT GREEN 1				LUBEGARD CVT						
Verona	03	L6	2.5L	N/A	N/A	N/A	DEXRON III				DM, DVI						
	04-07	V6	2.5, 2.7L	ZF 4HP16	7.8/7.4	4.2/4	Esso Type LT 71141				DM, DVI, MV						
Vitara	99-07	L4, V6	2.3, 2.5L	A44DE	7.5/7.1	2.6/2.5	DEXRON III, VI				DM, DVI						
	05-06	V6	2.7L	A44DE	10.8/10.3	3.2/3	DEXRON III, VI				DM, DVI						
XL7	07-08	V6	3.6L (LY7)	AF 33-5 (M09) (M45)	8.2/7.8	4.3/4	GM 88900925				*DM, MV						
	09	V6	3.6L (LY7)	6T70	8.5/8	5.5/5	DEXRON VI				MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6
LG8
DHP
*

Lifeguard® 6
Lifeguard® 8
Dexron® HP
Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



T

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
TOYOTA																	
86	17	H4	2.0L	TX6A	7.9/2.1	2.1/2	Type WS				DVI, MLV						
4-Runner	96-02	V6, V8	4.0, 4.7L	A340-E/F	7.6/7.2, 10.5/9.8	1.7/1.6, 2.1/2	Toyota Type T-IV				*DM, MV						
	03-05	V6, V8	4.0, 4.7L	A340F	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	04-10	V6, V8	4.0 (1GR), 4.7L (2UZ) (2TR)	A750-E/F	10.9/10.4	3.2/3	Toyota Type WS				DVI, MLV						
	10-20	V6	4.0 (1GR), 4.7L (2UZ) (2TR)	A750-E/F	11.3/10.7	1.8/1.7	Toyota Type WS				DVI, MLV						
	99-02	V6	3.0L	A541-E	8.5/8	5/4.7	DEXRON III				DM, DVI						
Avalon	03-07	V6	3.0L	A541-E	8.5/8	5/4.7	Toyota Type T-IV				*DM, MV						
	05-08	V6	3.0L	U151-E	9.3/8.8	3.7/3.5	Toyota Type WS				DVI, MLV						
	08-18	L4, V6	2.5, 3.5L	U660-E, U660F	6.9/6.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	19-20	L4, V6	2.5, 3.5L	UA80E	7.9/7.5	3.2/3.0	Toyota Type WS				DVI, MLV						
Avalon Hybrid	13-17	L4, V6	2.5, 3.5L	U660-E, U660F	6.9/6.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	19-20	L4, V6	2.5, 3.5L	CVT P710	N/A	4.1/3.9	Toyota Type WS				DVI, MLV						
Avanza	07-10	L4	1.5 (3SZ), 1.3L (K3)	A4Q	4.9/4.6	1.6/1.5	DEXRON VI				MLV						
	86-02	L4	1.8, 2.0, 2.2L	A140-E, L	5.9/5.6	2.6/2.5	DEXRON III				DM, DVI						
Camry	99-02	V6	3.0L	A541-E	8.5/8	5/4.7	DEXRON III				DM, DVI						
	02-04	L4	2.4L	U241-E	8.7/8.2	3.7/3.5	Toyota Type T-IV				*DM, MV						
	02-07	V6	3.0L	U140-E	9.7/9.2	4.3/4.1	Toyota Type T-IV				*DM, MV						
	03-07	V6	3.0L	A541-E	8.5/8	5/4.7	Toyota Type T-IV				*DM, MV						
	04-06	V6	3.3L (3MZ)	U151-E	9.3/8.8	3.7/3.5	Toyota Type T-IV				*DM, MV						
	05-09	L4	2.4L (2AZ)	U250-E	8.7/8.2	3.7/3.5	Toyota Type T-IV				*DM, MV						
	06	V6	3.0L (1MZ)	U151-E	8.7/8.2	3.4/3.2	Toyota Type T-IV				*DM, MV						
	07-10	L4, V6	2.4 (2AZ), 3.3 (3MZ), 3.5L (2GR)	U660-E	6.9/6.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	10-12	L4, V6	2.5 (2AR), 3.5L (2GR)	U760-E	6.9/6.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	12-18	L4, V6	2.5, 3.5L	U660-E, U660F	6.9/6.5	3/2.8	Toyota Type WS				DVI, MLV						
	19-20	L4, V6	2.5, 3.5L	UB80E	7.7/7.3	3.4/3.2	Toyota Type WS				DVI, MLV						
Camry Hybrid	07-11	L4	2.4L (2AZ)	P311 HYBRID	4.3/4.1	N/A	Toyota Type WS				DVI, MLV						
	12-18	L4	2.4L	P311 HYBRID	4.3/4.1	N/A	Toyota Type WS				DVI, MLV						
Celica	00-05	L4	1.8L	U240-E, U341-E	8.8/7.6, 7.3/6.9	4.2/4, 3.1/2.9	Toyota Type T-IV				*DM, MV						
Celica GT	00-05	L4	2.2L	U341-E	7.3/6.8	3.1/2.9	Toyota Type T-IV				*DM, MV						
Celica GTS	00-05	L4	2.4L	U240-E	7.3/6.8	3.1/2.9	Toyota Type T-IV				*DM, MV						
C-HR	18-20	L4	2.0L	CVY K114	7.6/7.2	2.1/2.0	CVT Type FE				LUBEGARD CVT						
Corolla	84-01	L4	1.6, 1.8L	A131L	6.2/5.9	2.5/2.4	DEXRON III										
	93-05	L4	1.6, 1.8L	A245-E	8/7.6	3.3/3.1	Toyota Type T-IV										
	05-08	L4	1.8L (2ZR) (1ZZ)	U341-E	6.9/6.5	3/2.9	Toyota Type T-IV										
	09-16	L4	1.8L (2ZR)	U341-E	6.9/6.5	3/2.9	Toyota Type WS										
	09-16	L4	2.4L (2AZ)	U250-E	8.6/8.1	3.7/3.5	Toyota Type WS										
	14-18	L4	1.8L	K313	7.9/7.5	1.3/1.2	CVT type FE				LUBEGARD CVT						
Corolla, Corolla iM	19-20	L4	1.8L, 2.0L	K313	9.0/8.5	2.1/2.0	CVT type FE				LUBEGARD CVT						
	17-18	L4	1.8L	K313	7.9/7.5	1.3/1.2	CVT type FE				LUBEGARD CVT						
Echo	00-03	L4	1.5L	U340-E, U341-E	8.5/8	3.1/2.9	Toyota Type T-IV										
	03-07	L4	1.5L	U340-E, U341-E	7.2/6.8	3.1/2.9	Toyota Type T-IV										
FJ Cruiser	07-14	V6	4.0L (1GR)	A750-E/F	10.9/10.4	3.2/2.6	Toyota Type WS										
Hiace	06-10	L4	2.7 (2TR), 2.5 (1KD) (2KD), 3.0L (5L)	A343-E, A340-E	8.8/8.3	2.9/2.7	Toyota Type T-IV										
Highlander	01-04	L4, V6	2.4, 3.3L	U140F	8.8/8.3	3.5/3.3	Toyota Type T-IV				TOYOTA TYPE T-IV						
	01-04	V6	3.0L	U140-E, U140F	9.5/9	4.1/3.9	Toyota Type T-IV				TOYOTA TYPE T-IV						
	02-07	L4	2.4L (2AZ)	U241-E, U140-E/F	8.7/8.2	3.7/3.5	Toyota Type T-IV				TOYOTA TYPE T-IV						
	04-08	V6	3.3 (3MZ), 3.5L (2GR)	U151-F/E	9.5/9	4.1/3.9	Toyota Type T-IV				TOYOTA TYPE T-IV						
	08-10	V6	3.3 (3MZ), 3.5L (2GR)	U151-E, U151F	9.5/9	4.1/3.9	Toyota Type WS				TOYOTA TYPE WS						
	09-10	L4	2.7L (1AR)	U760E	6.9/6.5	3/2.9	Toyota Type WS				TOYOTA TYPE WS						
Highlander Hybrid	09-20	V6	2.7, 3.5L	U760	8.0/7.6	3.2/3.0	Toyota Type WS				TOYOTA TYPE WS						
	06-10	V6	3.3L (3MZ)	P310 HYBRID	4.4/4.2	3.7/3.5	Toyota Type WS				TOYOTA TYPE WS						
	11-19	V6	3.3L (3MZ)	P310 HYBRID	4.9/4.6	N/A	Toyota Type WS				TOYOTA TYPE WS						
	20	L4	2.5L	P310 HYBRID	N/A	4.6/4.4	Toyota Type WS				TOYOTA TYPE WS						



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Hilux	04-10	L4, L6	2.0, 2.7, 2.5, 3.0, 4.0L	A750-E/F	10.9/10.4	3.2/3	Toyota Type WS				TOYOTA TYPE WS						
	04-10	L4, L6	2.0, 2.7, 2.5, 3.0, 4.0L	A343-E, A340-F	8.8/8.3	2.9/2.7	Toyota Type T-IV				TOYOTA TYPE T-IV						
Land Cruiser	98-00	V8	4.7L	A343F	12.3/11.7	3.7/3.5	DEXRON III				DEXRON III						
	01-02	V8	4.7L	A343F	12.3/11.7	2.1/2	DEXRON III				DEXRON III						
	03	V8	4.7L	A750F	5.7/5.4	3.2/3	Toyota Type T-IV				TOYOTA TYPE T-IV						
	04-11	V8	4.7 (2UZ), 5.7L (3UR)	A750F/E	10.9/10.4	3.2/3	Toyota Type WS				TOYOTA TYPE WS						
	08-15	V8	5.7L (3UR)	AB60-E/F	12.6/11.9	2.1/2.1	Toyota Type WS				TOYOTA TYPE WS						
	16-20	V8	5.7L (3UR)	AE80F	10.7/10.1	2.9/2.7	Toyota Type WS				TOYOTA TYPE WS						
Matrix	03-05	L4	1.8L	U341-E	2.2/2.1	N/A	Toyota Type T-IV				TOYOTA TYPE T-IV						
	03-05	L4	1.8L	A246-E	7.7/7.3	3.2/3	Toyota Type T-IV				TOYOTA TYPE T-IV						
	03-05	L4	1.8L HO	U240-E	7.1/6.8	3.5/3.1	Toyota Type T-IV				TOYOTA TYPE T-IV						
	03-08	L4	1.8L	MU4, MU5	7.6/7.2	3.3/3.1	Toyota Type T-IV				TOYOTA TYPE T-IV						
	09-10	L4	2.4L (2AZ)	U140F	8.6/8.1	4.1/3.9	Toyota Type WS				TOYOTA TYPE WS						
	09-12	L4	2.4L (2AZ)	U250-E	7.9/7.5	3.7/3.5	Toyota Type WS				TOYOTA TYPE WS						
	09-12	L4	1.8L (2ZR)	U341-E	6.9/6.5	3/2.9	Toyota Type WS				TOYOTA TYPE WS						
	16-17		Electric motor	Q410	N/A	4.4/4.2	Toyota Type WS				DVI, MLV						
Pickup, Tacoma	89-02	L4	2.4L	A340-E	7.6/7.2	2/1.9	DEXRON III				DM, DVI						
	89-02	V6	3.0, 3.4L	A340-E	7.6/7.2	2/1.9	DEXRON III				DM, DVI						
	95-04	L4	2.7L	A43D	6.9/6.5	2.5/2.4	DEXRON III				DM, DVI						
	95-04	V6	3.4L	A340F	10.5/9.8	2.1/2	DEXRON III				DM, DVI						
	04	V8	4.7L	A340F	10.7/10.1	2.1/2	DEXRON III				DM, DVI						
	04-05	L4	2.4L	A44D	6.9/6.5	2.5/2.4	DEXRON III				DM, DVI						
	05-07	V6	3.4L	A340-E	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	05-07	V8	4.7L	A750-E/F	5.5/5.3	3.2/3	Toyota Type WS				DVI, MLV						
Prius	01-03	L4	1.5L (1NZ)	P111 HYBRID	4.9/4.6	N/A	Toyota Type T-IV				*DM, MV						
	04-09	L4	1.5 (1NZ), 1.8L (2ZR)	P112 HYBRID	3.5/3.3	N/A	Toyota Type WS				DVI, MLV						
	10-17	L4	1.8L	P410/P510	6.8/6.4	3.6/3.4	Toyota Type WS				DVI, MLV						
	16-20	L4	1.8L	P610	N/A	3.8/3.6	Toyota Type WS				DVI, MLV						
	10-12	L4	1.8L (2ZR)	P410 HYBRID	3.6/3.4	N/A	Toyota Type WS				DVI, MLV						
Prius Parallel Hybrid	01-05	L4	2.0L	U140-E/F	8.8/8.3	3.7/3.5	Toyota Type T-IV				*DM, MV						
	01-05	L4	2.4L	U241-E	9.1/8.6	3.7/3.5	Toyota Type T-IV				*DM, MV						
	06-07	L4	2.0L	U140-E/F	8.8/8.3	3.7/3.5	Toyota Type WS				DVI, MLV						
	06-08	L4	2.0, 2.4L	U140F, U241-E	8.6/8.1	3.7/3.5	Toyota Type WS				DVI, MLV						
	06-11	V6	3.5L (2GR)	U151-E/F	9.3/8.8	3.7/3.5	Toyota Type WS				DVI, MLV						
	06-11	L4	2.5L (2AR)	U140F	8.6/8.1	4.1/3.9	Toyota Type WS				DVI, MLV						
	09-11	L4	2.5L (2AR)	U241-E	8.7/8.2	3.7/3.5	Toyota Type WS				DVI, MLV						
	13-18	L4	2.5L (2AR)	U660, U760	6.9/6.5	2.9/2.7	Toyota Type WS				DVI, MLV						
19-20	L4	2.5L	UB80, UB80E	7.8/7.4	3.4/3.3	Toyota Type WS				DVI, MLV							
RAV4	16-17	L4	2.5L (2AR)	P314	4.0/3.8	N/A	Toyota Type WS				DVI, MLV						
	16-17	L4	2.5L (2AR)	Q211	1.9/1.8	N/A	Toyota Type WS				DVI, MLV						
RAV4 Hybrid	09-10	L4	1.5L (3SV)	A4Q	4.9/4.6	1.6/1.5	DEXRON VI				MLV						
	00-04	V6	3.4L	A340-E	10.7/10.1	2.1/2	Toyota Type T-IV				*DM, MV						
Rush	00-04	V6	3.4L	A340F	10.7/10.1	2.1/2	Toyota Type T-IV				*DM, MV						
	00-04	V8	4.7L	A340F	10.5/9.8	2.1/2	DEXRON III, VI				DM, DVI						
	00-04	V8	4.7L	A340-E	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	00-04	V8	4.7L	A340F	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	05-09	V6, V8	3.4, 4.7L (2UZ)	A750-E, A750F	10.9/10.4	3.2/3	Toyota Type WS				DVI, MLV						
	11-20	V8	5.7L (3UR)	AB60-E/F	11.6/11	2.2/2	Toyota Type WS				DVI, MLV						
	10-20	V8	4.6L (1UR)	A760-E/F	11.6/11	2.2/2	Toyota Type WS				DVI, MLV						
	98-00	V6	3.0L	A540-E/F	8.5/8	3.7/3.5	DEXRON III				DM, DVI						
Sienna	01-03	V6	3.0L	A541-E	8.5/8	5/4.7	Toyota Type T-IV				*DM, MV						
	04-06	V6	3.3L	U151-E/F	9.5/9	3.8/3.6	Toyota Type T-IV				*DM, MV						
	07-10	V6	3.3 (3MZ), 3.5L (2GR)	U151-E/F	9.3/8.8	3.7/3.5	Toyota Type WS				DVI, MLV						
	09-12	L4, V6	3.5 (2GR), 2.7L (1AR)	U760-E	6.9/6.5	3/2.8	Toyota Type WS				DVI, MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

- DM DEXRON®/MERCON®
- DVI DEXRON® VI
- DULV Dexron Ultra LV
- MV MERCON® V
- MLV MERCON® LV
- MULV MERCON® Ultra LV

- LG6 Lifeguard® 6
- LG8 Lifeguard® 8
- DHP Dexron® HP
- * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
- SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



**T
V**

TOYOTA cont.													Base Fluid						
Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt./Liter	Service Fill Qt./Liter	OEM Fluid Type	60902	63010	67010	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF			
Sienna	11-16	L4, V6	3.5 (2GR), 2.7L (1AR)	U660-E/F	6.9/6.5, 7.1/6.7	3/2.8	Toyota Type WS				DVI, MLV								
	17-20	V6	3.5L (2GR)	UA80E, U80F	8/7.6	3.2/3	Toyota Type WS				DVI, MLV								
Solara	98-01	L4	2.2L	A140-E/L	N/A	2.6/2.5	DEXRON III				DM, DVI								
	98-01	V6	3.0L	A140-E	8.5/8	3.7/3.5	DEXRON III				DM, DVI								
	98-03	V6	3.0L	A541-E	8.5/8	5/4.7	DEXRON III				DM, DVI								
	02-03	V6	3.0L	A541-E	8.2/7.8	5/4.7	Toyota Type T-IV				*DM, MV								
	02-05	L4	2.4L	U241-E	8.7/8.2	3.7/3.5	Toyota Type T-IV				*DM, MV								
	04-06	V6	3.3L	U151-E	9.3/8.8	3.7/3.5	Toyota Type T-IV				*DM, MV								
	06	V6	3.0L	U250-E	8.7/8.2	3.7/3.5	Toyota Type T-IV				*DM, MV								
	07-08	L4	2.4L	U250-E	8.5/8	3.7/3.5	Toyota Type WS				DVI, MLV								
Supra	07-08	V6	3.3L	U660-E	6.9/6.5	3/2.8	Toyota Type WS				DVI, MLV								
	20	L4, V6	2.0L, 3.0L	8HP51	N/A	9.6/9.1	Lifeguard 8				MULV								
Tacoma	95-00	L4	2.4L	A43D	6.9/6.5	2.5/2.4	DEXRON III				DM, DVI								
	95-02	L4, V6	2.4, 3.0, 3.4L	A340-E	7.6/7.2	1.7/1.6	Toyota Type T-IV				*DM, MV								
	97-04	L4, V6	2.4, 3.0, 3.4L	A340F	10.7/10.1	2.1/2	DEXRON III				DM, DVI								
	03-07	L4, V6	2.4, 3.0, 3.4L	A340-E	7.6/7.2	1.7/1.6	Toyota Type T-IV				*DM, MV								
	05-08	L4, V6	2.4, 3.0, 3.4L	A340-E	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV								
	05-08	V6	3.4L	A750-E, A750F	11.5/10.9	3.3/3	Toyota Type WS				DVI, MLV								
	05-15	V6	4.0L (1GR)	A750-E/F	11.5/10.9	3.3/3	Toyota Type WS				DVI, MLV								
	06-15	L4	2.7L (2TR)	A340-E/F	10.7/10.1	2.1/2	Toyota Type T-IV				*DM, MV								
Tundra	16-20	L4, V6	2.7, 3.5L	AC60E, AC60F	10.5/9.9	3.3/3.1	Toyota Type WS				DVI, MLV								
	00-04	V6	3.4L	A340-E	10.7/10.1	2.1/2	Toyota Type T-IV				*DM, MV								
	00-04	V8	4.7L	A340-E	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV								
	00-04	V8	4.7L	A340F	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV								
	05-08	V6, V8	3.4, 4.7L	A750-E, A750F	11.5/10.9	3.2/3	Toyota Type WS				DVI, MLV								
	09-10	V6, V8	4.0 (1GR), 4.6 (1UR), 5.7L (3UR)	A750-E, A750F	11.6/11	2.1/2	Toyota Type WS				DVI, MLV								
	11-17	V6, V8	4.0 (1GR), 4.6 (1UR), 5.7L (3UR)	A760-E, A760F	11.6/11, 12.3/11.6	3.2/3	Toyota Type WS				DVI, MLV								
	11-20	V6, V8	4.0 (1GR), 4.6 (1UR), 5.7L (3UR)	AB60-E/F	11.3/10.7	3.2/3	Toyota Type WS				DVI, MLV								
Venza	09-10	L4, V6	2.7 (2TR), 3.5L (2GR)	U660-E	6.9/6.5	3/2.9	Toyota Type WS				DVI, MLV								
	09-12	L4, V6	2.7 (2TR), 3.5L (2GR)	U760-E/F	6.9/6.5	3/2.9	Toyota Type WS				DVI, MLV								
Yaris	06-08	L4	1.5L (1NZ)	U340-E, U341-E	7.2/6.8	3/2.9	Toyota Type WS				DVI, MLV								
	09-20	L4	1.5L (1NZ)	U340-E, U341-E	6.8/6.4	3/2.9	Toyota Type WS				DVI, MLV								
Yaris iA	17-18	L4	1.5L (1NZ)	CW6A-EL	7.6/7.2	3.2/3	Toyota Type WS				DVI, MLV								
VOLKSWAGEN																			
Arteon	19-20	L4	2.0L	09P	7.4/7.0	N/A	G 055 540 A2				DVI, MLV								
Atlas	19-20	L4	2.0L	09P	7.4/7.0	N/A	G 055 540 A2				DVI, MLV								
Atlas Cross Sport	20	L4	2.0L	09P	7.4/7.0	N/A	G 055 540 A2				DVI, MLV								
CC	09-10	L4, V6	2.0 (CBFA), 2.0 (CCTA), 3.6L (BLV)	09G	7.6/7.2	5.5/5.2	G 055 025 A2				*DM, MV								
	09-12	L4, V6	2.0 (CBFA), 2.0 (CCTA0), 3.6L (BLV)	09M	7.4/7	N/A	G 055 025 A2				*DM, MV								
	10-12	L4	2.0 (CBFA), 3.6L (BLV)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF								
	11-12	L4, V6	2.0 (CBFA), 2.0 (CCTA), 3.6L (BLV)	09G	7.5/7	N/A	G 055 540 A2				SYN DVI, DHP								
Eos	07-14	L4, V6	2.0 (CCTA) (CBFA), 3.2L (CBRA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF								
	15-16	L4, V6	2.0, 3.6L	02E, 09D	7.3/6.9	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF								
Golf	04-07	L4	1.8, 1.8L TDI	09A	7.4/7	N/A	G 052 990 A2				SYN DVI, DHP								
	15-17	e-drive	Electric motor	OMD	1.0/1.0	0.8/0.8	G 052 527 A2 (MTF)	USE	OEM	FLUID									
e-Golf	18-20	e-drive	Electric motor	OMD	0.8/0.8	0.8/0.8	G 052 527 A2 (MTF)	USE	OEM	FLUID									
	07-10	L4	2.0L (BEV)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV								
Golf City	07-10	L4	2.0L (BEV)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV								
	95-02	L4, V6	1.8, 1.9, 2.0, 2.8L	01M	5.6/5.3	3.2/3	Esso Type LT 71141				SYN DM, MV								
Golf, GTI	06-10	L4	2.0 (CBFA) (BEV), 2.5L (CBTA)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV								
	10-14	L4	2.0L (CBFA) (CJAA) (CCTA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF								
	10-14	L5	2.5L (CBUA)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV								
	15-17	L4	1.8L	09G	7.4/7	N/A	G 055 540 A2				SYN DVI, DHP								
	15-20	L4	1.8L	02E, 09D	7.3/6.9	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF								
	15-20	L4	1.8L	02E, 09D	7.3/6.9	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF								

V

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Golf R, GTI	18-20	L4	2.0l	09G	7.3/6.9	6.3/6.0	G 055 529 A2				LUBEGARD DCTF						
	95-05	L4, V6	1.8, 1.9, 2.8, 2.9L	01M	5.6/5.3	3.2/3	Esso Type LT 71141				SYN DM, MV						
	01-07	V6	2.8, 3.0L	09A	7.4/7	N/A	G 052 990 A2				SYN DVI, DHP						
Jetta & Jetta Sportwagen	04-08	L4, L5	2.5, 1.9L TDI	09G	6.8/6.4	4.8/4.5	G 055 025 A2				*DM, MV						
	08-10	L4	2.0L (CBEA) (CCTA) (CBFA)	09G	7.4/7	N/A	G 052 025 A2				SYN DM, DVI, MV						
	08-10	L5	2.5L (CBTA) (CBUA)	09G	7.4/7	N/A	G 052 025 A2				SYN DM, DVI, MV						
	08-14	L4, L5	2.0L (CCTA) (CBEA) (CBFA) (BPY)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Jetta & Jetta Sportwagen	10-11	L4	2.0L (CJAA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	11-14	L4, L5	2.5L (CBUA), 2.0L TDI	09G (GEN 1)	7.4/7	N/A	G 055 025 A2				*DM, MV						
	11-14	L4, L5	2.5L (CBUA), 2.0L TDI	09G (GEN 2)	6.4/6.1	N/A	G 055 540 A2				SYN DVI, DHP						
	15-17	L4	1.8L	09G	7.4/7	N/A	G 055 540 A2				SYN DVI, DHP						
	15-17	L4	1.8L	02E, 09D	7.3/6.9	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Jetta	18-20	L4	2.0l	09G	7.3/6.9	6.3/6.0	G 055 529 A2				LUBEGARD DCTF						
Jetta City	08-10	L4	2.0L (BEV)	09G	7.4/7	N/A	G 052 025 A2				SYN DM, DVI, MV						
	98-05	L4	1.8, 2.0L	096/01M	5.6/5.3	3.2/3	Esso Type LT 71141				SYN DM, MV						
New Beetle	04-08	L5	2.5, 1.9L TDI	09G	7.5/7	4.8/4.5	G 055 025 A2				*DM, MV						
	08-10	L5	2.5 (BPR), 2.5L (BPS)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
	12-19	L5	2.5L (BPS)	09G	7.4/7	N/A	G 055 540 A2				SYN DVI, DHP						
	12-16	L4	2.0 TSI, 2.0 TDI	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Passat, Passat CC	98-05	L4, V6	1.8, 2.0, 2.8L	01V	9.5/9	3.5/3.3	Esso Type LT 71141				SYN DM, MV						
	02-05	V8	4.0L	01V	9.5/9	3.2/2.7	Esso Type LT 71141				SYN DM, MV						
	06-09	L4, V6	2.0L (CCTA) (BPY)	09G, 09M	7.5/7	5.5/5.2	G 055 025 A2				*DM, MV						
	09	L4, V6	3.6L (BLV)	09M, 09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
	09	L4	2.0L (CCTA) (CBFA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	12-14	L4	2.0L (CCTA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	12-17	V6	3.6L (BLV)	09M, 09G	7.4/7	N/A	G 055 540 A2				SYN DVI, DHP						
Phaeton	15-20	L4	2.0L (CCTA)	02E, 09D	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	04-06	V8	N/A	09L	10.4/9.8	N/A	Esso Type LT 71141				SYN DM, MV						
Rabbit, Rabbit GTI	06	L4	2.0L	09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
	08-10	L4	2.0, 2.5L (CBTA) (CBUA)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
	08-10	L4	2.0L (CBFA) (CCTA) (BPY)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Routan	08-10	V6	3.2L (BUB) (CBRA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	09-12	V6	3.8 (CGUA), 4.0L (CGVA)	62TE (LGG1)	9/8.5	5.5/5.2	VW GUS 000162				*DM, DVI, MV						
Tiguan	08-15	L4	2.0L (CCTA)	09M	7.4/7	N/A	G 055 025 A2				*DM, MV						
	16-17	L4	2.0L	OC8 (8 SPEED)	11/10.4	N/A	G 055 540 A2				SYN DVI, DHP						
	18-20	L4	2.0L	09S	6.7/6.3	N/A	G 053 001 A2										
	18-20	L4	2.0L	09P	7.4/7.0	N/A	Toyota T-IV				*DM, MV						
Touareg	04-07	V6/8/10	3.2, 4.2, 5.0L	ZF 6HP26A	9.5/9, 10.6/10.1	9/8.5, 10.1/9.6	Toyota Type T-IV				*DM, MV						
	10	V6	3.0 (CATA), 3.6L (BHK)	09D	12.7/12	N/A	G 055 025 A2				*DM, MV						
Touareg 2	07-10	V6, V8	3.0, 3.6 (BHK), 4.2 (BAR), 5.0L	09D	12.7/12	N/A	G 055 025 A2				*DM, MV						
	11-17	V6, V8	3.0, 3.6 (BHK), 4.2 (BAR), 5.0L	OC8 (8 SPEED)	11/10.4, 13.5/12.8	N/A	G 055 540 A2				SYN DVI, DHP						
VOLVO																	
40 Series	00-07	L4	1.9L	AW50-42LE	8/7.6	3.2/3	DEXRON III, VI				DM, DVI						
60 Series	01-07	L4	2.3, 2.4L	AW50-55	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV						
70 Series	98-01	L4, L5	2.3, 2.4L	AW50-42LE	8/7.6	3.2/3	DEXRON III				DM, DVI						
70 Series	01-07	L4, L5	2.3, 2.4L	AW50-55	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV						
80 Series	99-01	L6	2.5, 2.9L	AW50-42LE, 4T65-E	8/7.6	3.2/3	DEXRON III				DM, DVI						
90 Series	98-02	L6	3.0L	AW30/AW 34	8.4/8	3.2/3	DEXRON III				DM, DVI						
	08-10	L5	2.5L	AW55-50SN	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV						
C30	10-13	L5	2.5L	AW55-50SN,	8.1/7.7	N/A	Volvo 1161540-8				*DM, MV						
				AW55-51, AW50/51													
C70, S70, V70	98-05	L4	2.3, 2.4, 2.5L	AW42AED, AW50-42	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6
LG8
DHP
*
SYN

Lifeguard® 6
Lifeguard® 8
Dexron® HP
Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- or
- Platinum High-Performance ATF Protectant (63010)
- or
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- or
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



V

VOLVO cont.			Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	OPTION 1			Base Fluid	OPTION 2			OPTION 3		
Model	Year	Year							60902	63010	67010		61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
C70	05-10	L5	2.5L	AW55-50SN	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV							
	10-13	L5	2.5L	AW55-50, AW55-51, AW50/51	8.1/7.7	N/A	Volvo 1161540-8				*DM, MV							
S40, V40, V50	99-08	L4	2.3, 2.4, 2.5L	AW42AED, AW50-42	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV							
S40	05-11	L5	2.4, 2.5L	AW55-50SN, AW55-50, AW55-51SN	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV							
S60, S70, S80	01-07	L4	2.3, 2.4, 2.5L	AW55-50	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV							
S60, S60R	04-05	L5	2.5L	AW55-50	7.6/7.2	N/A	Volvo 1161540-8				*DM, MV							
S60R	07-08	L5	2.5L	TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV							
S60	01-03	L5	2.3, 2.4L	AW55-50SN	7.9/7.5	3.2/3	Volvo 1161540-8				*DM, MV							
	05-09	L5	2.4, 2.5L	AW55-50SN, AW55-50	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV							
	11-14	L5	2.5L	AW TF80SC (GEN II)	5.8/5.5	N/A	Volvo 31 256 774				SYN DVI, DHP							
	12-14	L5	2.5L	AW TF80SC (GEN II)	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
	15-18	L4, V6	2.0, 2.5, 3.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
S80 Series	19-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
	99-04	L5	2.4, 2.5L	AW50-42LE	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV							
	99-02	L5	2.5L	4T65-E	7.9/7.5	N/A	DEXRON III				DM, DVI							
	99-04	L5	2.5L	AW50-42LE	7.9/7.5	N/A	Volvo 1161540-8				*DM, MV							
	04-06	L5	2.5L	AW55-50	7.5/7.1	N/A	Volvo 1161540-8				*DM, MV							
	07	L5	2.5L	AW55-51	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV							
	07-09	L6, V8	3.0, 4.4L	AW TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV							
	10	L6, V8	3.0, 4.4L	AW TF80SC (GEN II)	5.8/5	N/A	Volvo 1161540-8				*DM, MV							
S80	11-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	5.8/5.5	N/A	Volvo 31 256 774				SYN DVI, DHP							
	12-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
	15-16	L4, V6	2.0, 3.0, 3.7L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
	17-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
V50	05-11	L5	2.4, 2.5L	AW55-50SN, AW55-50	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV							
V60	15-18	L4, V6	2.0, 2.5, 3.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
V60, CC	19-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
V70 R	06-07	L5	2.5L	TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV							
V70	08-10	L6	3.2L	AW TF80SC	7.5/7.1	N/A	Volvo 1161540-8				*DM, MV							
V90, CC	18-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
XC40	19-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
XC60	10	L6	3.2L	AW TF80SC	5.8/5.5	N/A	Volvo 1161540-8				*DM, MV							
	11-14	L6	3.2L	AW TF80SC (GEN II)	7.4/7.1	N/A	Volvo 31 256 774				SYN DVI, DHP							
	15-17	L4	2.0, 2.5, 3.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
	18-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
	03-07	L5	2.5L	AW55-50	7.9/7.5	N/A	Volvo 1161540-8				*DM, MV							
XC70	08-10	L6	3.0, 3.2L	AW TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV							
	11-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	5.8/5.5	N/A	Volvo 31 256 774				SYN DVI, DHP							
	12-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
	15-17	L4	2.0, 3.0, 3.2L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							
XC90	04-05	L6	2.9L	4T65-EV	12.5/11.9	N/A	DEXRON III				DM, DVI							
	06-07	L5	2.5L	AW55-50	7.5/7.1	N/A	Volvo 1161540-8				*DM, MV							
	07-10	L6, V8	3.2, 4.4L	AW TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV							
	11-14	L6, V8	3.2, 4.4L	AW TF80SC (GEN II)	7.1/6.7	N/A	Volvo 31 256 774				SYN DVI, DHP							
	15-17	L6, V8	3.2, 4.4L	TG81SC	7/6	N/A	Volvo 31 256 774				SYN DVI, DHP							
	18-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31 256 774				SYN DVI, DHP							

LUBEGARD'S NEW MOBILE APP:

So easy Shudderman can use it.

So useful everyone
will want to use it!

Get the most up to date
charts & bulletins

Easy to use vehicle look up
helps you find products fast

Suitable for use charts
for quick product interchanges



Scan this QR
code or search
"LUBEGARD
Resources"
to download
the app now




Get the app

LUBEGARD®

INTERNATIONAL LUBRICANTS, INC.
PH WEST: 800.333.LUBE (5823)
PH EAST: 800.458.5487

The world's finest
automotive lubricants
WWW.LUBEGARD.COM



YOUR ROAD TO RESOURCES

LUBE GARD®

THE WORLD'S FINEST LUBRICANTS

For more information on Lubegard transmission products visit www.lubegard.com or call our toll free tech hotline at 800-333-LUBE (5823).

© 2021 ILI. All rights reserved



LG Catalog

Lubegard Catalog

Scan the code above to view the latest Lubegard catalog.



ILI Social

Follow us on Social Media

Scan this INTERACTIVE QR code to check out our:

- YouTube page & How-to videos
- Facebook Fan page
- Twitter feed
- LUBEGARD@ WEBSITE



Our Catalog

Stellar Automotive Group Catalog

Stellar Automotive Group also offers a full-line of automatic transmission parts. Scan this QR code to see all 14,500+ parts we have to offer!



INTERNATIONAL LUBRICANTS, INC.
WEST: PH 1-800-333-LUBE (5823) OR 206-762-5343
EAST: PH 1-800-458-5487 OR 330-769-8484

WWW.LUBEGARD.COM